

<b>Quick Disconnects</b> .....	<b>H-2 to H-54</b>	<b>Adapters (cont.)</b> .....	<b>H-55 to H-75</b>
H-series .....	H-2 to H-8	JIC (cont.) .....	H-60 to H-66
Flush Face / HT-series .....	H-9 to H-11	Straight weld end .....	H-66
HTE-series .....	H-13	45° elbow weld end .....	H-66
HS series .....	H-14	90° elbow weld end .....	H-66
V-series Snap-Tite H / IH .....	H-15 to H-23	NPTF .....	H-67 to H-71
K-series .....	H-24, H-25	Pipe nipples .....	H-67
AH-series .....	H-26, H-27	Hex reducer bushings .....	H-67
CM-series .....	H-28 to H-31	Swivel nuts .....	H-68
PD-series .....	H-32	Hex pipe couplings .....	H-68
ST-series Snap-Tite 71 .....	H-33 to H-35	90° elbows .....	H-68, H-69
H-BOP series .....	H-36	45° elbows .....	H-69
E-series .....	H-37 to H-39	Tees .....	H-70
EA-series .....	H-40	Hex caps .....	H-71
W-series .....	H-41 to H-43	Hex plugs .....	H-71
WS-series .....	H-44, H-45	Metric parallel thread .....	H-71
WS-BOP series .....	H-46	BSPP .....	H-72
VEP-series .....	H-47, H-48	Code 61 / 62 flanges .....	H-73 to H-75
VEP-BOP series .....	H-49	4-bolt NPTF port .....	H-73
T-series .....	H-50, H-51	4-bolt SAE port .....	H-73
TR-series .....	H-52	4-bolt flange pipe socket weld .....	H-74
CVV-series .....	H-53, H-54	Split flange kits .....	H-75
		Straight SAE .....	H-75
		90° SAE elbow .....	H-75
		45° SAE elbows .....	H-75
<b>Adapters</b> .....	<b>H-55 to H-75</b>	<b>Hydraulic Hose Fittings</b> .....	<b>H-76</b>
Flat Face .....	H-55, H-56	Hose couplings .....	H-76
Unions .....	H-55	Hose stems .....	H-76
Connectors .....	H-55	Inline hydraulic filters .....	H-76
90° elbows .....	H-55, H-56		
Tees .....	H-56	<b>PTFE Hose Fittings</b> .....	<b>H-77 to H-79</b>
Caps .....	H-56	Nominal fittings .....	H-77
Plugs .....	H-56	Nominal insertion tool and dies .....	H-77
ORB .....	H-57 to H-59	Nominal smooth bore PTFE hose fittings .....	H-78
Reducers .....	H-57	True ID fittings .....	H-78, H-79
Unions .....	H-57	Crimp collars .....	H-79
O-ring Boss .....	H-57 to H-59		
Elbows .....	H-58, H-59	<b>Pipe and Tubing Hangers</b> ...	<b>H-80 to H-81</b>
Tees .....	H-59	Standard series .....	H-80
Plugs .....	H-59	Twin series .....	H-80
JIC .....	H-60 to H-66	Heavy duty series .....	H-81
37° flare .....	H-60		
37° JIC swivel .....	H-61		
90° JIC elbows .....	H-61		
90°, 37° flare elbows .....	H-62		
45°, 37° elbows .....	H-62, H-63		
37° flare unions .....	H-63		
37° flare tees .....	H-63		
Caps .....	H-64		
Nuts .....	H-64, H-65		
Plugs .....	H-64		
Sleeves .....	H-64		



## H-Series Hydraulic Couplings

## Features:

- poppet style shut-off valves in both coupler and plug
- designed to prevent fluid loss when disconnected
- meets dimensional requirements of **ISO 7241 Series B**
- interchangeable with Parker-Hannifin 60 series, see Hydraulic Profile Chart on page H-6
- Buna-N seals standards. Contact Dixon® for additional seal material options.
- Contact Dixon® for pressure ratings and other technical information.

## H-Series ISO-B Industrial Interchange Poppet Valve Female Threaded Couplers



steel



brass



303 stainless

Body Size	Threads	Previous Part #	Steel		Previous Part #	Brass	
			Part #	Price/E		Part #	Price/E
1/8"	1/8" - 27 NPTF	---	<b>1HF1</b>	<b>\$24.33</b>	---	<b>1HF1-B</b>	<b>\$24.19</b>
	7/16" - 20 ORB	---	<b>1HOF2</b>	<b>30.12</b>	---	---	---
1/4"	1/4" - 18 NPTF	16-263	<b>2HF2</b>	<b>23.16</b>	B16-263	<b>2HF2-B</b>	<b>22.51</b>
	1/4" - 19 BSPP	---	<b>2HBF2</b>	<b>25.48</b>	---	<b>2HBF2-B</b>	<b>24.76</b>
	9/16" - 18 ORB	---	<b>2HOF3</b>	<b>27.80</b>	---	---	---
3/8"	3/8" - 18 NPTF	16-363	<b>3HF3</b>	<b>28.95</b>	B16-363	<b>3HF3-B</b>	<b>31.29</b>
	3/8" - 19 BSPP	---	<b>3HBF3</b>	<b>33.30</b>	---	<b>3HBF3-B</b>	<b>36.02</b>
	3/4" - 16 ORB	---	<b>3HOF4</b>	<b>37.65</b>	---	---	---
1/2"	1/2" - 14 NPTF	16-463	<b>4HF4</b>	<b>36.48</b>	B16-463	<b>4HF4-B</b>	<b>41.08</b>
	1/2" - 14 BSPP	---	<b>4HBF4</b>	<b>45.38</b>	---	<b>4HBF4-B</b>	<b>47.66</b>
	7/8" - 14 ORB	---	<b>4HOF5</b>	<b>48.65</b>	---	---	---
3/4"	3/4" - 14 NPTF	16-663	<b>6HF6</b>	<b>58.75</b>	B16-663	<b>6HF6-B</b>	<b>80.03</b>
	3/4" - 14 BSPP	---	<b>6HBF6</b>	<b>69.49</b>	---	<b>6HBF6-B</b>	<b>87.79</b>
	1-1/16" - 12 ORB	---	<b>6HOF6</b>	<b>75.20</b>	---	---	---
1"	1" - 11 1/2 NPTF	16-863	<b>8HF8</b>	<b>97.08</b>	B16-863	<b>8HF8-B</b>	<b>110.20</b>
	1" - 11 BSPP	---	<b>8HBF8</b>	<b>97.08</b>	---	<b>8HBF8-B</b>	<b>110.20</b>
	1-5/16" - 12 ORB	---	<b>8HOF8</b>	<b>110.03</b>	---	---	---

Body Size	Threads	Previous Part #	303 Stainless Steel		316 Stainless Steel	
			Part #	Price/E	Part #	Price/E
1/8"	1/8" - 27 NPTF	---	<b>1HF1-S</b>	<b>\$72.39</b>	<b>1HF1-SS</b>	<b>\$134.75</b>
1/4"	1/4" - 18 NPTF	SS16-263	<b>2HF2-S</b>	<b>62.72</b>	<b>2HF2-SS</b>	<b>150.98</b>
	1/4" - 19 BSPP	---	<b>2HBF2-S</b>	<b>62.72</b>	<b>2HBF2-SS</b>	<b>150.98</b>
3/8"	3/8" - 18 NPTF	SS16-363	<b>3HF3-S</b>	<b>88.13</b>	<b>3HF3-SS</b>	<b>201.61</b>
	3/8" - 19 BSPP	---	<b>3HBF3-S</b>	<b>88.13</b>	<b>3HBF3-SS</b>	<b>201.61</b>
1/2"	1/2" - 14 NPTF	SS16-463	<b>4HF4-S</b>	<b>144.79</b>	<b>4HF4-SS</b>	<b>282.72</b>
	1/2" - 14 BSPP	---	<b>4HBF4-S</b>	<b>144.79</b>	<b>4HBF4-SS</b>	<b>318.81</b>
3/4"	3/4" - 14 NPTF	SS16-663	<b>6HF6-S</b>	<b>227.26</b>	<b>6HF6-SS</b>	<b>427.09</b>
	3/4" - 14 BSPP	---	<b>6HBF6-S</b>	<b>227.26</b>	<b>6HBF6-SS</b>	<b>504.53</b>
1"	1" - 11 1/2 NPTF	SS16-863	<b>8HF8-S</b>	<b>362.87</b>	<b>8HF8-SS</b>	<b>649.66</b>
	1" - 11 BSPP	---	<b>8HBF8-S</b>	<b>362.87</b>	<b>8HBF8-SS</b>	<b>649.66</b>

H-Series ISO-B Industrial Interchange Female Threaded Plugs

Hydraulic Fittings

Body Size	Threads	Previous Part #	Steel		Previous Part #	Brass	
			Part #	Price/E		Part #	Price/E
1/8"	1/8" - 27 NPTF	---	<b>H1F1</b>	<b>\$9.85</b>	---	<b>H1F1-B</b>	<b>\$9.57</b>
	7/16" - 20 ORB	---	<b>H1OF2</b>	<b>12.16</b>	---	---	---
1/4"	1/4" - 18 NPTF	17-263	<b>H2F2</b>	<b>10.95</b>	B17-263	<b>H2F2-B</b>	<b>10.64</b>
	1/4" - 19 BSPP	---	<b>H2BF2</b>	<b>12.74</b>	---	<b>H2BF2-B</b>	<b>12.38</b>
	9/16" - 18 ORB	---	<b>H2OF3</b>	<b>12.98</b>	---	---	---
3/8"	3/8" - 18 NPTF	17-363	<b>H3F3</b>	<b>13.20</b>	B17-363	<b>H3F3-B</b>	<b>15.76</b>
	3/8" - 19 BSPP	---	<b>H3BF3</b>	<b>16.68</b>	---	<b>H3BF3-B</b>	<b>19.14</b>
	3/4" - 16 ORB	---	<b>H3OF4</b>	<b>22.01</b>	---	---	---
1/2"	1/2" - 14 NPTF	17-463	<b>H4F4</b>	<b>14.36</b>	B17-463	<b>H4F4-B</b>	<b>18.57</b>
	1/2" - 14 BSPP	---	<b>H4BF4</b>	<b>18.44</b>	---	<b>H4BF4-B</b>	<b>18.57</b>
	7/8" - 14 ORB	---	<b>H4OF5</b>	<b>24.33</b>	---	---	---
3/4"	3/4" - 14 NPTF	17-663	<b>H6F6</b>	<b>28.38</b>	B17-663	<b>H6F6-B</b>	<b>31.58</b>
	3/4" - 14 BSPP	---	<b>H6BF6</b>	<b>33.59</b>	---	<b>H6BF6-B</b>	<b>36.98</b>
	1-1/16" - 12 ORB	---	<b>H6OF6</b>	<b>37.07</b>	---	---	---
1"	1" - 11 1/2 NPTF	17-863	<b>H8F8</b>	<b>40.54</b>	B17-863	<b>H8F8-B</b>	<b>48.40</b>
	1" - 11 BSPP	---	<b>H8BF8</b>	<b>44.01</b>	---	<b>H8BF8-B</b>	<b>51.78</b>
	1-5/16" - 12 ORB	---	<b>H8OF8</b>	<b>67.76</b>	---	---	---



steel



brass

Body Size	Threads	Previous Part #	303 Stainless Steel		316 Stainless Steel	
			Part #	Price/E	Part #	Price/E
1/8"	1/8" - 27 NPTF	---	<b>H1F1-S</b>	<b>\$23.16</b>	<b>H1F1-SS</b>	<b>\$57.75</b>
1/4"	1/4" - 18 NPTF	SS17-263	<b>H2F2-S</b>	<b>26.14</b>	<b>H2F2-SS</b>	<b>69.34</b>
	1/4" - 19 BSPP	---	<b>H2BF2-S</b>	<b>26.14</b>	<b>H2BF2-SS</b>	<b>69.34</b>
3/8"	3/8" - 18 NPTF	SS17-363	<b>H3F3-S</b>	<b>42.95</b>	<b>H3F3-SS</b>	<b>102.32</b>
	3/8" - 19 BSPP	---	<b>H3BF3-S</b>	<b>42.95</b>	<b>H3BF3-SS</b>	<b>102.32</b>
1/2"	1/2" - 14 NPTF	SS17-463	<b>H4F4-S</b>	<b>68.05</b>	<b>H4F4-SS</b>	<b>132.33</b>
	1/2" - 14 BSPP	---	<b>H4BF4-S</b>	<b>70.08</b>	<b>H4BF4-SS</b>	<b>149.03</b>
3/4"	3/4" - 14 NPTF	SS17-663	<b>H6F6-S</b>	<b>103.67</b>	<b>H6F6-SS</b>	<b>186.47</b>
	3/4" - 14 BSPP	---	<b>H6BF6-S</b>	<b>103.67</b>	<b>H6BF6-SS</b>	<b>250.45</b>
1"	1" - 11 1/2 NPTF	SS17-863	<b>H8F8-S</b>	<b>164.21</b>	<b>H8F8-SS</b>	<b>294.75</b>
	1" - 11 BSPP	---	<b>H8BF8-S</b>	<b>179.54</b>	<b>H8BF8-SS</b>	<b>358.51</b>



303 stainless

H-Series ISO-B Industrial Interchange Male Threaded Plugs

Body Size	Threads	Steel	
		Part #	Price/E
1/4"	3/8" - 18 NPTF	<b>H2M3</b>	<b>\$14.96</b>



Body Size	Threads	303 Stainless Steel	
		Part #	Price/E
1/2"	3/4" - 14 NPTF	<b>H4M6-S</b>	<b>\$100.65</b>



H-Series ISO-B Industrial Interchange High Volume Female Threaded Couplers

Hydraulic Fittings



steel



brass



316 stainless

Body Size	Threads	Steel		Brass		303 Stainless Steel		316 Stainless Steel	
		Part #	Price/E	Part #	Price/E	Part #	Price/E	Part #	Price/E
1 1/2"	1 1/4" - 11 1/2 NPTF	<b>10HF10</b>	<b>\$452.45</b>	<b>10HF10-B</b>	<b>\$360.40</b>	<b>10HF10-S</b>	<b>\$866.73</b>	---	---
	1 1/4" - 11 BSPP	<b>10HBF10</b>	<b>463.31</b>	---	---	---	---	---	---
1 1/2"	1 1/4" - 11 1/2 NPTF	<b>12HF10</b>	<b>434.84</b>	<b>12HF10-B</b>	<b>545.87</b>	<b>12HF10-S</b>	<b>1338.98</b>	---	---
	1 1/8" - 12 ORB	<b>12HOF10</b>	<b>517.07</b>	---	---	---	---	---	---
	1 1/2" - 11 1/2 NPTF	<b>12HF12</b>	<b>434.84</b>	<b>12HF12-B</b>	<b>438.94</b>	<b>12HF12-S</b>	<b>1216.20</b>	<b>12HF12-SS</b>	<b>\$2647.44</b>
	1 1/2" - 11 BSPP	<b>12HBF12</b>	<b>422.17</b>	<b>12HBF12-B</b>	<b>529.98</b>	<b>12HBF12-S</b>	<b>1338.98</b>	<b>12HBF12-SS</b>	<b>2647.45</b>
2 1/2"	1 1/8" - 12 ORB	<b>12HOF12</b>	<b>517.07</b>	---	---	---	---	---	---
	2" - 11 1/2 NPTF	<b>20HF16</b>	<b>1162.51</b>	<b>20HF16-B</b>	<b>1064.66</b>	---	---	---	---
2 1/2"	2 1/2" - 8 NPTF	<b>20HF20</b>	<b>1156.51</b>	---	---	---	---	---	---
	3" - 8 NPTF	<b>20HF24</b>	<b>1213.41</b>	---	---	---	---	---	---

H-Series ISO-B Industrial Interchange High Volume Female Threaded Plugs



steel



brass



303 stainless

Body Size	Threads	Steel		Brass		303 Stainless Steel		316 Stainless Steel	
		Part #	Price/E	Part #	Price/E	Part #	Price/E	Part #	Price/E
1 1/2"	1 1/4" - 11 1/2 NPTF	<b>H10F10</b>	<b>\$329.04</b>	<b>H10F10-B</b>	<b>\$268.86</b>	<b>H10F10-S</b>	<b>\$675.78</b>	---	---
	1 1/4" - 11 BSPP	<b>H10BF10</b>	<b>376.44</b>	---	---	---	---	---	---
1 1/2"	1 1/4" - 11 1/2 NPTF	<b>H12F10</b>	<b>370.66</b>	<b>H12F10-B</b>	<b>335.40</b>	<b>H12F10-S</b>	<b>926.63</b>	---	---
	1 1/8" - 12 ORB	<b>H12OF10</b>	<b>368.79</b>	---	---	---	---	---	---
	1 1/2" - 11 1/2 NPTF	<b>H12F12</b>	<b>370.66</b>	<b>H12F12-B</b>	<b>335.40</b>	<b>H12F12-S</b>	<b>926.63</b>	<b>H12F12-SS</b>	<b>\$1788.09</b>
	1 1/2" - 11 BSPP	<b>H12BF12</b>	<b>380.19</b>	<b>H12BF12-B</b>	<b>335.40</b>	<b>H12BF12-S</b>	<b>926.63</b>	<b>H12BF12-SS</b>	<b>1788.09</b>
2 1/2"	1 1/8" - 12 ORB	<b>H12OF12</b>	<b>368.79</b>	---	---	---	---	---	---
	2" - 11 1/2 NPTF	<b>H20F16</b>	<b>918.41</b>	<b>H20F16-B</b>	<b>806.71</b>	---	---	---	---
2 1/2"	2 1/2" - 8 NPTF	<b>H20F20</b>	<b>907.25</b>	---	---	---	---	---	---
	3" - 8 NPTF	<b>H20F24</b>	<b>957.65</b>	---	---	---	---	---	---

**H-Series ISO-B Industrial Interchange Steel Mill 'Slide Gate' Coupler**

Body Size	Female Threads	Steel	
		Part #	Price/E
1/2"	1/2" - 14 NPTF	<b>4HF4-HV</b>	<b>\$58.89</b>



**H-Series ISO-B Industrial Interchange Steel Mill 'Slide Gate' Plug**

Body Size	Female Threads	Steel	
		Part #	Price/E
1/2"	1/2" - 14 NPTF	<b>H4F4-HV</b>	<b>\$23.49</b>



**H-Series ISO-B Industrial Interchange Food Grade Silicone Flanged Couplers**

Body Size	Female Threads	303 Stainless Steel		316 Stainless Steel	
		Part #	Price/E	Part #	Price/E
1/2"	1/2" - 14 NPTF	<b>D-4HF4-S-FSB</b>	<b>\$155.57</b>	<b>D-4HF4-SS-FSB</b>	<b>\$309.71</b>



**H-Series ISO-B Industrial Interchange Food Grade Nylon Flanged Couplers**

Body Size	Female Threads	303 Stainless Steel		316 Stainless Steel	
		Part #	Price/E	Part #	Price/E
1/2"	1/2" - 14 NPTF	<b>D-4HF4-S-FNS</b>	<b>\$157.54</b>	<b>D-4HF4-SS-FNS</b>	<b>\$295.77</b>



**H-Series ISO-B Industrial Interchange Food Grade Plugs**

Body Size	Female Threads	Steel		303 Stainless Steel		316 Stainless Steel	
		Part #	Price/E	Part #	Price/E	Part #	Price/E
1/2"	1/2" - 14 NPTF	<b>D-H4F4-SV-8</b>	<b>\$31.36</b>	<b>D-H4F4-S</b>	<b>\$70.09</b>	<b>D-H4F4-SS</b>	<b>\$136.33</b>





### H-Series ISO-B Industrial Interchange Dust Caps / Plugs

Body Size	Previous Part #		Nitrile	
	Plugs	Caps	Part #	Price/E
1/8"	VHC002	---	<b>1HDP</b>	<b>\$3.16</b>
1/8"	---	---	<b>H1DC</b>	<b>3.16</b>
1/4"	16-002	17-002	<b>2HDP-H2DC</b>	<b>3.16</b>
3/8"	16-003	17-003	<b>3HDP-H3DC</b>	<b>3.51</b>
1/2"	16-004	17-004	<b>4HDP-H4DC</b>	<b>3.80</b>
3/4"	16-006	17-004	<b>6HDP-H6DC</b>	<b>8.52</b>
1"	16-008	17-008	<b>8HDP-H8DC<sup>1</sup></b>	<b>9.79</b>

<sup>1</sup> 8HDP-H8DC fits both 1" and 1 1/4" body sizes

### H-Series ISO-B Industrial Interchange Dust Plugs



Body Size	Previous Part #	Aluminum body with steel cable	
		Part #	Price/E
1/4"	16-002A	<b>2HDP-A</b>	<b>\$12.80</b>
3/8"	16-003A	<b>3HDP-A</b>	<b>14.07</b>
1/2"	16-004A	<b>4HDP-A</b>	<b>16.33</b>
3/4"	16-006A	<b>6HDP-A</b>	<b>22.57</b>
1"	16-008A	<b>8HDP-A</b>	<b>52.18</b>
1 1/2"	---	<b>12HDP-A</b>	<b>52.18</b>
2 1/2"	---	<b>20HDP-A</b>	<b>232.52</b>


### H-Series ISO-B Industrial Interchange Dust Caps



Body Size	Previous Part #	Aluminum body with steel cable	
		Part #	Price/E
1/4"	17-002A	<b>H2DC-A</b>	<b>\$12.80</b>
3/8"	17-003A	<b>H3DC-A</b>	<b>14.07</b>
1/2"	17-004A	<b>H4DC-A</b>	<b>16.33</b>
3/4"	17-006A	<b>H6DC-A</b>	<b>23.35</b>
1"	17-008A	<b>H8DC-A</b>	<b>56.30</b>
1 1/2"	---	<b>H12DC-A</b>	<b>58.16</b>
2 1/2"	---	<b>H20DC-A</b>	<b>239.57</b>

### H-Series Plug Profile Chart

### Industry/Competitor Interchange



ISO 7241-B  
Hansen HK  
Aeroquip FD45  
Parker 60

## H-Series ISO-B Industrial Interchange Coupler Seal Kits

Body Size	Coupler Style	Description	Nitrile	
			Part #	Price/E
1/8"	steel, 303 SS, 316 SS	O-ring and PTFE anti-extrusion ring	<b>1H-SKIT</b>	<b>\$2.21</b>
	brass	two O-rings	<b>1H-BSKIT</b>	<b>2.13</b>
1/4"	steel, 303 SS, 316 SS	O-ring and PTFE anti-extrusion ring	<b>2H-SKIT</b>	<b>4.39</b>
	brass	two O-rings	<b>2H-BSKIT</b>	<b>4.13</b>
3/8"	steel, 303 SS, 316 SS	O-ring and PTFE anti-extrusion ring	<b>3H-SKIT</b>	<b>4.60</b>
	brass	two O-rings	<b>3H-BSKIT</b>	<b>4.33</b>
1/2"	steel, 303 SS, 316 SS	O-ring and PTFE anti-extrusion ring	<b>4H-SKIT</b>	<b>5.42</b>
	brass	two O-rings	<b>4H-BSKIT</b>	<b>5.05</b>
3/4"	steel, 303 SS, 316 SS	O-ring and PTFE anti-extrusion ring	<b>6H-SKIT</b>	<b>7.42</b>
	brass	two O-rings	<b>6H-BSKIT</b>	<b>6.96</b>
1"	steel, 303 SS, 316 SS	O-ring and PTFE anti-extrusion ring	<b>8H-SKIT</b>	<b>9.42</b>
	brass	two O-rings	<b>8H-BSKIT</b>	<b>8.84</b>
1 1/4"	all	adapter / valve O-ring & two body O-rings	<b>10H-SKIT</b>	<b>11.31</b>
1 1/2"	all	adapter / valve O-ring & two body O-rings	<b>12H-SKIT</b>	<b>13.55</b>

Body Size	Coupler Style	Description	FKM	
			Part #	Price/E
1/8"	steel, 303 SS, 316 SS	O-ring and PTFE anti-extrusion ring	<b>F-1H-SKIT</b>	<b>\$4.01</b>
	brass	two O-rings	<b>F-1H-BSKIT</b>	<b>3.77</b>
1/4"	steel, 303 SS, 316 SS	O-ring and PTFE anti-extrusion ring	<b>F-2H-SKIT</b>	<b>6.40</b>
	brass	two O-rings	<b>F-2H-BSKIT</b>	<b>6.02</b>
3/8"	steel, 303 SS, 316 SS	O-ring and PTFE anti-extrusion ring	<b>F-3H-SKIT</b>	<b>6.80</b>
	brass	two O-rings	<b>F-3H-BSKIT</b>	<b>6.40</b>
1/2"	steel, 303 SS, 316 SS	O-ring and PTFE anti-extrusion ring	<b>F-4H-SKIT</b>	<b>7.81</b>
	brass	two O-rings	<b>F-4H-BSKIT</b>	<b>7.33</b>
3/4"	steel, 303 SS, 316 SS	O-ring and PTFE anti-extrusion ring	<b>F-6H-SKIT</b>	<b>10.00</b>
	brass	two O-rings	<b>F-6H-BSKIT</b>	<b>9.40</b>
1"	steel, 303 SS, 316 SS	O-ring and PTFE anti-extrusion ring	<b>F-8H-SKIT</b>	<b>12.22</b>
	brass	two O-rings	<b>F-8H-BSKIT</b>	<b>11.45</b>
1 1/4"	all	adapter / valve O-ring & two body O-rings	<b>F-10H-SKIT</b>	<b>14.63</b>
1 1/2"	all	adapter / valve O-ring & two body O-rings	<b>F-12H-SKIT</b>	<b>17.57</b>

Body Size	Coupler Style	Description	EPDM	
			Part #	Price/E
1/8"	steel, 303 SS, 316 SS	O-ring and PTFE anti-extrusion ring	<b>P-1H-SKIT</b>	<b>\$3.02</b>
	brass	two O-rings	<b>P-1H-BSKIT</b>	<b>2.81</b>
1/4"	steel, 303 SS, 316 SS	O-ring and PTFE anti-extrusion ring	<b>P-2H-SKIT</b>	<b>5.99</b>
	brass	two O-rings	<b>P-2H-BSKIT</b>	<b>5.64</b>
3/8"	steel, 303 SS, 316 SS	O-ring and PTFE anti-extrusion ring	<b>P-3H-SKIT</b>	<b>6.40</b>
	brass	two O-rings	<b>P-3H-BSKIT</b>	<b>6.02</b>
1/2"	steel, 303 SS, 316 SS	O-ring and PTFE anti-extrusion ring	<b>P-4H-SKIT</b>	<b>7.42</b>
	brass	two O-rings	<b>P-4H-BSKIT</b>	<b>6.96</b>
3/4"	steel, 303 SS, 316 SS	O-ring and PTFE anti-extrusion ring	<b>P-6H-SKIT</b>	<b>9.61</b>
	brass	two O-rings	<b>P-6H-BSKIT</b>	<b>9.02</b>
1"	steel, 303 SS, 316 SS	O-ring and PTFE anti-extrusion ring	<b>P-8H-SKIT</b>	<b>11.78</b>
	brass	two O-rings	<b>P-8H-BSKIT</b>	<b>11.08</b>
1 1/4"	all	adapter / valve O-ring & two body O-rings	<b>P-10H-SKIT</b>	<b>14.18</b>
1 1/2"	all	adapter / valve O-ring & two body O-rings	<b>P-12H-SKIT</b>	<b>16.85</b>

## H-Series ISO-B Industrial Interchange Repair Kits

Hydraulic Fittings

Body Size	Coupler Style	Seal Material	Description	Nitrile	
				Part #	Price/E
1/4"	steel	nitrile	steel valve assembly and retaining ring	<b>2H-RKIT</b>	<b>\$5.91</b>
	brass	nitrile	brass valve assembly and retaining ring	<b>2H-BRKIT</b>	<b>7.00</b>
	303 stainless	nitrile	303 SS valve assembly and retaining ring	<b>2H-SRKIT</b>	<b>10.34</b>
	316 stainless	nitrile	316 SS valve assembly and retaining ring	<b>2H-SSRKIT</b>	<b>14.85</b>
3/8"	steel	nitrile	steel valve assembly and retaining ring	<b>3H-RKIT</b>	<b>7.85</b>
	brass	nitrile	brass valve assembly and retaining ring	<b>3H-BRKIT</b>	<b>9.14</b>
	303 stainless	nitrile	303 SS valve assembly and retaining ring	<b>3H-SRKIT</b>	<b>14.02</b>
	316 stainless	nitrile	316 SS valve assembly and retaining ring	<b>3H-SSRKIT</b>	<b>18.50</b>
1/2"	steel	nitrile	steel valve assembly and retaining ring	<b>4H-RKIT</b>	<b>10.73</b>
	brass	nitrile	brass valve assembly and retaining ring	<b>4H-BRKIT</b>	<b>15.67</b>
	303 stainless	nitrile	303 SS valve assembly and retaining ring	<b>4H-SRKIT</b>	<b>19.03</b>
	316 stainless	nitrile	316 SS valve assembly and retaining ring	<b>4H-SSRKIT</b>	<b>32.10</b>
3/4"	steel	nitrile	steel valve assembly and retaining ring	<b>6H-RKIT</b>	<b>12.13</b>
	brass	nitrile	brass valve assembly and retaining ring	<b>6H-BRKIT</b>	<b>17.32</b>
	303 stainless	nitrile	303 SS valve assembly and retaining ring	<b>6H-SRKIT</b>	<b>18.94</b>
	316 stainless	nitrile	316 SS valve assembly and retaining ring	<b>6H-SSRKIT</b>	<b>81.12</b>
1"	steel	nitrile	steel valve assembly and retaining ring	<b>8H-RKIT</b>	<b>17.05</b>
	brass	nitrile	brass valve assembly and retaining ring	<b>8H-BRKIT</b>	<b>30.58</b>
	303 stainless	nitrile	303 SS valve assembly and retaining ring	<b>8H-SRKIT</b>	<b>49.37</b>
	316 stainless	nitrile	316 SS valve assembly and retaining ring	<b>8H-SSRKIT</b>	<b>87.60</b>
1 1/4"	steel	nitrile	steel valve assembly and adapter O-ring	<b>10H-RKIT</b>	<b>20.89</b>
	brass	nitrile	brass valve assembly and adapter O-ring	<b>10H-BRKIT</b>	<b>37.12</b>
	303 stainless	nitrile	303 SS valve assembly and adapter O-ring	<b>10H-SRKIT</b>	<b>59.28</b>
	316 stainless	nitrile	316 SS valve assembly and adapter O-ring	<b>10H-SSRKIT</b>	<b>109.49</b>
1 1/2"	steel	nitrile	steel valve assembly and adapter O-ring	<b>12H-RKIT</b>	<b>26.59</b>
	brass	nitrile	brass valve assembly and adapter O-ring	<b>12H-BRKIT</b>	<b>45.88</b>
	303 stainless	nitrile	303 SS valve assembly and adapter O-ring	<b>12H-SRKIT</b>	<b>68.14</b>
	316 stainless	nitrile	316 SS valve assembly and adapter O-ring	<b>12H-SSRKIT</b>	<b>131.40</b>





HT-Series Hydraulic Couplings

Features:

- minimizes fluid loss resulting in a cleaner, safer work environment
- Automatic, push-to-connect couplings provide high flow with low pressure drop assuring maximum hydraulic tool performance.
- To reduce the possibility of accidental disconnect, the sleeve lock safety feature requires turning the collar to unlock the coupling.
- Contact Dixon® for pressure ratings and other technical information.
- conforms to ISO16028 interchange standard interchangeable with Aeroquip FD89, Parker FEM, Snap-tite 74, Faster FFH/2FFN/2FFI, Stucchi A/FIRG and Holmbury Series A

HT-Series Flushface Female Threaded Couplers

Body Size	Threads	Steel		316 Stainless Steel	
		Part #	Price/E	Part #	Price/E
1/4"	1/4" - 18 NPTF	<b>2HTF2</b>	<b>\$77.10</b>	---	---
	1/4" - 19 BSPP	<b>2HTBF2</b>	<b>77.10</b>	---	---
	9/16" - 18 ORB	<b>2HTOF3</b>	<b>80.95</b>	---	---
3/8"	3/8" - 18 NPTF	<b>3HTF3</b>	<b>76.45</b>	<b>3HTF3-SS</b>	<b>\$318.81</b>
	3/8" - 19 BSPP	<b>3HTBF3</b>	<b>76.45</b>	<b>3HTBF3-SS</b>	<b>318.81</b>
	9/16" - 18 ORB	<b>3HTOF3</b>	<b>76.45</b>	---	---
	1/2" - 14 NPTF	<b>3HTF4</b>	<b>76.45</b>	<b>3HTF4-SS</b>	<b>318.81</b>
	1/2" - 14 BSPP	<b>3HTBF4</b>	<b>76.45</b>	<b>3HTBF4-SS</b>	<b>318.81</b>
	3/4" - 16 ORB	<b>3HTOF4</b>	<b>76.45</b>	---	---
1/2"	1/2" - 14 NPTF	<b>4HTF4</b>	<b>92.66</b>	<b>4HTF4-SS</b>	<b>360.92</b>
	1/2" - 14 BSPP	<b>4HTBF4</b>	<b>92.66</b>	<b>4HTBF4-SS</b>	<b>360.92</b>
	3/4" - 16 ORB	<b>4HTOF4</b>	<b>98.46</b>	---	---
	7/8" - 14 ORB	<b>4HTOF5</b>	<b>98.46</b>	---	---
	3/4" - 14 NPTF	<b>4HTF6</b>	<b>98.46</b>	<b>4HTF6-SS</b>	<b>384.98</b>
	3/4" - 14 BSPP	<b>4HTBF6</b>	<b>98.46</b>	<b>4HTBF6-SS</b>	<b>384.98</b>
	1-1/16" - 12 ORB	<b>4HTOF6</b>	<b>98.46</b>	---	---
5/8"	7/8" - 14 ORB	<b>5HTOF5</b>	<b>139.00</b>	---	---
	3/4" - 14 NPTF	<b>5HTF6</b>	<b>133.20</b>	<b>5HTF6-SS</b>	<b>505.28</b>
	3/4" - 14 BSPP	<b>5HTBF6</b>	<b>133.20</b>	<b>5HTBF6-SS</b>	<b>505.28</b>
	1-1/16" - 12 ORB	<b>5HTOF6</b>	<b>139.00</b>	---	---
3/4"	7/8" - 14 ORB	<b>6HTOF5</b>	<b>202.42</b>	---	---
	3/4" - 14 NPTF	<b>6HTF6</b>	<b>208.49</b>	<b>6HTF6-SS</b>	<b>661.68</b>
	3/4" - 14 BSPP	<b>6HTBF6</b>	<b>208.49</b>	<b>6HTBF6-SS</b>	<b>661.68</b>
	1-1/16" - 12 ORB	<b>6HTOF6</b>	<b>208.49</b>	---	---
	1" - 11 1/2 NPTF	<b>6HTF8</b>	<b>208.49</b>	<b>6HTF8-SS</b>	<b>661.68</b>
	1" - 11 BSPP	<b>6HTBF8</b>	<b>208.49</b>	<b>6HTBF8-SS</b>	<b>661.68</b>
	1-5/16" - 12 ORB	<b>6HTOF8</b>	<b>208.49</b>	---	---
1"	1" - 11 1/2 NPTF	<b>8HTF8</b>	<b>289.57</b>	<b>8HTF8-SS</b>	<b>1142.90</b>
	1" - 11 BSPP	<b>8HTBF8</b>	<b>289.57</b>	<b>8HTBF8-SS</b>	<b>1142.90</b>
	1-5/16" - 12 ORB	<b>8HTOF8</b>	<b>289.57</b>	---	---
	1 1/4" - 11 1/2 NPTF	<b>8HTF10</b>	<b>301.15</b>	<b>8HTF10-SS</b>	<b>1203.06</b>
	1 1/4" - 11 BSPP	<b>8HTBF10</b>	<b>301.15</b>	<b>8HTBF10-SS</b>	<b>1203.06</b>
1 1/2"	1 1/2" - 11 1/2 NPTF	<b>12HTF12</b>	<b>1098.63</b>	---	---
	1 1/2" - 11 BSPP	<b>12HTBF12</b>	<b>1098.63</b>	---	---
	1 7/8" - 12 ORB	<b>12HTOF12</b>	<b>1153.56</b>	---	---
2"	2" - 11 1/2 NPTF	<b>16HTF16</b>	<b>1318.35</b>	---	---
	2" - 11 BSPP	<b>16HTBF16</b>	<b>1318.35</b>	---	---
	2 1/2" - 12 ORB	<b>16HTOF16</b>	<b>1384.26</b>	---	---



steel



316 stainless



HT-Series Flushface Male Threaded Couplers

Body Size	Threads	Steel	
		Part #	Price/E
3/8"	3/8" - 18 NPTF	<b>3HTM3</b>	<b>\$81.08</b>
	1/2" - 14 NPTF	<b>3HTM4</b>	<b>81.08</b>
	9/16" - 18 ORB	<b>3HTOM3</b>	<b>81.08</b>
	3/4" - 16 ORB	<b>3HTOM4</b>	<b>81.08</b>
1/2"	1/2" - 14 NPTF	<b>4HTM4</b>	<b>98.46</b>



4HTM4



3HTOM4

HT-Series Flushface Female Threaded Plugs

Body Size	Threads	Steel		316 Stainless Steel	
		Part #	Price/E	Part #	Price/E
1/4"	1/4" - 18 NPTF	<b>HT2F2</b>	<b>\$31.32</b>	---	---
	1/4" - 19 BSPP	<b>HT2BF2</b>	<b>31.32</b>	---	---
	9/16" - 18 ORB	<b>HT2OF3</b>	<b>32.88</b>	---	---
3/8"	3/8" - 18 NPTF	<b>HT3F3</b>	<b>32.43</b>	<b>HT3F3-SS</b>	<b>\$126.33</b>
	3/8" - 19 BSPP	<b>HT3BF3</b>	<b>32.43</b>	<b>HT3BF3-SS</b>	<b>126.33</b>
	9/16" - 18 ORB	<b>HT3OF3</b>	<b>32.43</b>	---	---
	1/2" - 14 NPTF	<b>HT3F4</b>	<b>32.43</b>	<b>HT3F4-SS</b>	<b>126.33</b>
	1/2" - 14 BSPP	<b>HT3BF4</b>	<b>32.43</b>	<b>HT3BF4-SS</b>	<b>126.33</b>
	3/4" - 16 ORB	<b>HT3OF4</b>	<b>32.43</b>	---	---
1/2"	1/2" - 14 NPTF	<b>HT4F4</b>	<b>52.12</b>	<b>HT4F4-SS</b>	<b>216.55</b>
	1/2" - 14 BSPP	<b>HT4BF4</b>	<b>52.12</b>	<b>HT4BF4-SS</b>	<b>216.55</b>
	3/4" - 16 ORB	<b>HT4OF4</b>	<b>57.92</b>	---	---
	7/8" - 14 ORB	<b>HT4OF5</b>	<b>57.92</b>	---	---
	3/4" - 14 NPTF	<b>HT4F6</b>	<b>57.92</b>	<b>HT4F6-SS</b>	<b>240.61</b>
	3/4" - 14 BSPP	<b>HT4BF6</b>	<b>57.92</b>	<b>HT4BF6-SS</b>	<b>240.61</b>
	1-1/16" - 12 ORB	<b>HT4OF6</b>	<b>57.92</b>	---	---
5/8"	7/8" - 14 ORB	<b>HT5OF5</b>	<b>74.13</b>	---	---
	3/4" - 14 NPTF	<b>HT5F6</b>	<b>74.13</b>	<b>HT5F6-SS</b>	<b>288.74</b>
	3/4" - 14 BSPP	<b>HT5BF6</b>	<b>74.13</b>	<b>HT5BF6-SS</b>	<b>288.74</b>
	1-1/16" - 12 ORB	<b>HT5OF6</b>	<b>74.13</b>	---	---
3/4"	7/8" - 14 ORB	<b>HT6OF5</b>	<b>92.22</b>	---	---
	3/4" - 14 NPTF	<b>HT6F6</b>	<b>94.98</b>	<b>HT6F6-SS</b>	<b>445.14</b>
	3/4" - 14 BSPP	<b>HT6BF6</b>	<b>94.98</b>	<b>HT6BF6-SS</b>	<b>445.14</b>
	1-1/16" - 12 ORB	<b>HT6OF6</b>	<b>94.98</b>	---	---
	1" - 11 1/2 NPTF	<b>HT6F8</b>	<b>94.98</b>	<b>HT6F8-SS</b>	<b>445.14</b>
	1" - 11 BSPP	<b>HT6BF8</b>	<b>94.98</b>	<b>HT6BF8-SS</b>	<b>445.14</b>
	1-5/16" - 12 ORB	<b>HT6OF8</b>	<b>94.98</b>	---	---
1"	1" - 11 1/2 NPTF	<b>HT8F8</b>	<b>179.54</b>	<b>HT8F8-SS</b>	<b>643.64</b>
	1" - 11 BSPP	<b>HT8BF8</b>	<b>179.54</b>	<b>HT8BF8-SS</b>	<b>643.64</b>
	1-5/16" - 12 ORB	<b>HT8OF8</b>	<b>179.54</b>	---	---
	1 1/4" - 11 1/2 NPTF	<b>HT8F10</b>	<b>179.54</b>	<b>HT8F10-SS</b>	<b>643.64</b>
	1 1/4" - 11 BSPP	<b>HT8BF10</b>	<b>179.54</b>	<b>HT8BF10-SS</b>	<b>643.64</b>
	1 5/8" - 12 ORB	<b>HT8OF10</b>	<b>179.54</b>	---	---
1 1/2"	1 1/2" - 11 1/2 NPTF	<b>HT12F12</b>	<b>590.39</b>	---	---
	1 1/2" - 11 BSPP	<b>HT12BF12</b>	<b>590.39</b>	---	---
	1 7/8" - 12 ORB	<b>HT12OF12</b>	<b>619.91</b>	---	---
2"	2" - 11 1/2 NPTF	<b>HT16F16</b>	<b>708.46</b>	---	---
	2" - 11 BSPP	<b>HT16BF16</b>	<b>708.46</b>	---	---
	2 1/2" - 12 ORB	<b>HT16OF16</b>	<b>743.89</b>	---	---



steel



316 stainless



HT-Series Flushface Male Threaded Plugs



HT4M4



HT30M4

Body Size	Threads	Steel	
		Part #	Price/E
3/8"	3/8" - 18 NPTF	<b>HT3M3</b>	<b>\$37.07</b>
	1/2" - 14 NPTF	<b>HT3M4</b>	<b>37.07</b>
	9/16" - 18 ORB	<b>HT3OM3</b>	<b>37.07</b>
	3/4" - 16 ORB	<b>HT3OM4</b>	<b>37.07</b>
1/2"	1/2" - 14 NPTF	<b>HT4M4</b>	<b>63.71</b>

HT-Series Flushface Male Threaded Bulkhead Couplers

Body Size	Threads	Steel	
		Part #	Price/E
1/2"	7/8" - 14 JIC BH	<b>4HTJB5</b>	<b>\$101.93</b>
	1" - 14 ORFS BH	<b>4HTRB5</b>	<b>101.93</b>
	1-1/16" - 12 JIC BH	<b>4HTJB6</b>	<b>101.93</b>



HT-Series Flushface Male Threaded Bulkhead Plugs

Body Size	Threads	Steel	
		Part #	Price/E
1/2"	7/8" - 14 JIC BH	<b>HT4JB5</b>	<b>\$63.71</b>
	1" - 14 ORFS BH	<b>HT4RB5</b>	<b>63.71</b>
	1-1/16" - 12 JIC BH	<b>HT4JB6</b>	<b>69.49</b>



HT-Series Flushface Dust Plugs

Body Size	Nitrile	
	Part #	Price/E
1/4"	<b>2HTDP</b>	<b>\$7.70</b>
3/8"	<b>3HTDP</b>	<b>8.58</b>
1/2"	<b>4HTDP</b>	<b>11.36</b>
5/8"	<b>5HTDP</b>	<b>13.37</b>
3/4"	<b>6HTDP</b>	<b>14.37</b>
1"	<b>8HTDP</b>	<b>16.49</b>



HT-Series Flushface Dust Caps


Body Size	Nitrile	
	Part #	Price/E
1/4"	<b>HT2DC</b>	<b>\$7.70</b>
3/8"	<b>HT3DC</b>	<b>8.58</b>
1/2"	<b>HT4DC</b>	<b>11.36</b>
5/8"	<b>HT5DC</b>	<b>13.37</b>
3/4"	<b>HT6DC</b>	<b>14.37</b>
1"	<b>HT8DC</b>	<b>16.49</b>



HT-Series Plug Profile Chart

Industry/Competitor Interchange

Parker FEM  
Stucchi A/FIRG  
Faster FFH



## HT-Series Flushface Interchange Coupler Bulkhead Kits

Hydraulic Fittings

Body Size	Mounting Hole	Description	Steel	
			Part #	Price/E
1/4"	1.125"	Two 360° retaining rings	<b>2HT-BMK</b>	<b>\$4.32</b>
3/8"	1.250"	Two 360° retaining rings	<b>3HT-BMK</b>	<b>4.73</b>
1/2"	1.560"	Two 360° retaining rings	<b>4HT-BMK</b>	<b>5.17</b>
5/8"	1.685"	Two 360° retaining rings	<b>5HT-BMK</b>	<b>5.23</b>
3/4"	1.870"	Two 360° retaining rings	<b>6HT-BMK</b>	<b>5.84</b>
1"	2.310"	Two 360° retaining rings	<b>8HT-BMK</b>	<b>7.20</b>

## HT-Series Flushface Interchange Coupler Seal Kits

Body Size	Coupler Style	Description	Nitrile	
			Part #	Price/E
1/4"	all	Stem/adapter/gland O-ring, gland B.U.	<b>2HT-SKIT</b>	<b>\$4.88</b>
3/8"	all	Stem/adapter/gland O-ring, gland B.U.	<b>3HT-SKIT</b>	<b>5.47</b>
1/2"	all	Stem/adapter/gland O-ring, gland B.U.	<b>4HT-SKIT</b>	<b>5.95</b>
5/8"	all	Stem/adapter/gland O-ring, gland B.U.	<b>5HT-SKIT</b>	<b>6.37</b>
3/4"	all	Stem/adapter/gland O-ring, gland B.U.	<b>6HT-SKIT</b>	<b>6.52</b>
1"	all	Stem/adapter/gland O-ring, gland B.U.	<b>8HT-SKIT</b>	<b>7.68</b>

## HT-Series Flushface Interchange Nipple Seal Kits

Body Size	Nipple Style	Description	Nitrile	
			Part #	Price/E
1/4"	all	Main valve seal and adapter O-ring	<b>HT2-SKIT-V2</b>	<b>\$5.69</b>
3/8"	all	Main valve seal and adapter O-ring	<b>HT3-SKIT-V2</b>	<b>6.80</b>
1/2"	all	Main valve seal and adapter O-ring	<b>HT4-SKIT-V2</b>	<b>7.07</b>
5/8"	all	Main valve seal and adapter O-ring	<b>HT5-SKIT-V2</b>	<b>7.52</b>
3/4"	all	Main valve seal and adapter O-ring	<b>HT6-SKIT-V2</b>	<b>9.17</b>
1"	all	Main valve seal and adapter O-ring	<b>HT8-SKIT-V2</b>	<b>9.73</b>

## HTE-Series Hydraulic Couplings

**Features:**

- non-linear connection force at all pressures
- no maximum connection-pressure restrictions
- head pressure or valve bleed-by has minimal effect on connection force
- less susceptible to system contamination
- design is scalable performing similarly in all sizes
- smooth connection action
- pressure rating **5000 PSI at 70°F (21°C)**

**HTE-Series Connect Under Pressure Flushface Female Threaded Plug****Feature:**

- for use with HT series couplers

Body Size	Threads	Part #	Price/E
3/8"	1/2"-14 NPTF	<b>HTE3F4</b>	<b>\$71.50</b>
	1/2"-14 BSPP	<b>HTE3BF4</b>	<b>75.65</b>
	3/4"-16 ORB	<b>HTE3OF4</b>	<b>73.08</b>
1/2"	1/2"-14 NPTF	<b>HTE4F4</b>	<b>84.81</b>
	1/2"-14 BSPP	<b>HTE4BF4</b>	<b>88.97</b>
	3/4"-16 ORB	<b>HTE4OF4</b>	<b>88.08</b>
	7/8"-14 ORB	<b>HTE4OF5</b>	<b>88.08</b>
	3/4"-14 NPTF	<b>HTE4F6</b>	<b>86.39</b>
	3/4"-14 BSPP	<b>HTE4BF6</b>	<b>89.33</b>
	1-1/16"-12 ORB	<b>HTE4OF6</b>	<b>88.08</b>
5/8"	7/8"-14 ORB	<b>HTE5OF5</b>	<b>146.47</b>
	3/4"-14 NPTF	<b>HTE5F6</b>	<b>145.00</b>
	3/4"-14 BSPP	<b>HTE5BF6</b>	<b>150.68</b>
	1-1/16"-12 ORB	<b>HTE5OF6</b>	<b>146.47</b>
3/4"	3/4"-14 NPTF	<b>HTE6F6</b>	<b>171.63</b>
	3/4"-14 BSPP	<b>HTE6BF6</b>	<b>171.63</b>
	1-1/16"-12 ORB	<b>HTE6OF6</b>	<b>173.09</b>
	1"-11 1/2 NPTF	<b>HTE6F8</b>	<b>171.63</b>
	1"-11 BSPP	<b>HTE6BF8</b>	<b>182.97</b>
	1-5/16"-12 ORB	<b>HTE6OF8</b>	<b>173.09</b>
1"	1"-11 1/2 NPTF	<b>HTE8F8</b>	<b>370.17</b>
	1"-11 BSPP	<b>HTE8BF8</b>	<b>370.17</b>
	1-5/16"-12 ORB	<b>HTE8OF8</b>	<b>370.17</b>
	1 1/4"-11 1/2 NPTF	<b>HTE8F10</b>	<b>370.17</b>
	1 1/4"-11 BSPP	<b>HTE8BF10</b>	<b>370.17</b>
	1 5/8"-12 ORB	<b>HTE8OF10</b>	<b>370.17</b>



## HS-Series Hydraulic Couplings

**Applications:**

- designed exclusively for steam applications

**Features:**

- coupler has a large plated steel sleeve designed for easier gripping with gloves
- special high-temp EPDM O-rings designed for steam service
- rated to **200 PSI** gauge saturated steam **388°F (198°C)**



**Warning: Do Not Disconnect Under Pressure!**

### HS-Series ISO-B Steam Interchange Female Threaded Couplers



brass



303 stainless

Body Size	Threads	Previous Part #	Brass		303 Stainless Steel	
			Part #	Price/E	Part #	Price/E
1/4"	1/4" - 18 NPTF	B16-200S	<b>2HSF2-B</b>	<b>\$44.92</b>	<b>2HSF2-S</b>	<b>\$91.85</b>
	1/4" - 19 BSPP	---	<b>2HSBF2-B</b>	<b>44.92</b>	<b>2HSBF2-S</b>	<b>91.85</b>
3/8"	3/8" - 18 NPTF	B16-300S	<b>3HSF3-B</b>	<b>48.39</b>	<b>3HSF3-S</b>	<b>113.39</b>
	3/8" - 19 BSPP	---	<b>3HSBF3-B</b>	<b>48.39</b>	<b>3HSBF3-S</b>	<b>113.39</b>
1/2"	1/2" - 14 NPTF	B16-400S	<b>4HSF4-B</b>	<b>67.52</b>	<b>4HSF4-S</b>	<b>171.42</b>
	1/2" - 14 BSPP	---	<b>4HSBF4-B</b>	<b>67.52</b>	<b>4HSBF4-S</b>	<b>171.42</b>
3/4"	3/4" - 14 NPTF	B16-600S	<b>6HSF6-B</b>	<b>105.71</b>	<b>6HSF6-S</b>	<b>271.58</b>
	3/4" - 14 BSPP	---	<b>6HSBF6-B</b>	<b>105.71</b>	<b>6HSBF6-S</b>	<b>271.58</b>
1"	1" - 11 1/2 NPTF	B16-800S	<b>8HSF8-B</b>	<b>171.63</b>	<b>8HSF8-S</b>	<b>464.48</b>
	1" - 11 BSPP	---	<b>8HSBF8-B</b>	<b>171.63</b>	<b>8HSBF8-S</b>	<b>464.48</b>
1 1/2"	1 1/2" - NPTF	B16-1200S	<b>PS-12HF12-B</b>	<b>458.94</b>	---	---

### HS-Series ISO-B Steam Interchange Female Threaded Plugs



steel



brass



303 stainless

Body Size	Threads	Steel		Previous Part #	Brass		303 Stainless Steel	
		Part #	Price/E		Part #	Price/E	Part #	Price/E
1/4"	1/4" - 18 NPTF	<b>HS2F2</b>	<b>\$14.28</b>	B17-200S	<b>HS2F2-B</b>	<b>\$13.87</b>	<b>HS2F2-S</b>	<b>\$30.91</b>
	1/4" - 19 BSPP	<b>HS2BF2</b>	<b>14.28</b>	---	<b>HS2BF2-B</b>	<b>13.87</b>	<b>HS2BF2-S</b>	<b>30.91</b>
3/8"	3/8" - 18 NPTF	<b>HS3F3</b>	<b>19.17</b>	B17-300S	<b>HS3F3-B</b>	<b>19.63</b>	<b>HS3F3-S</b>	<b>49.70</b>
	3/8" - 19 BSPP	<b>HS3BF3</b>	<b>19.17</b>	---	<b>HS3BF3-B</b>	<b>19.63</b>	<b>HS3BF3-S</b>	<b>49.70</b>
1/2"	1/2" - 14 NPTF	<b>HS4F4</b>	<b>26.67</b>	B17-400S	<b>HS4F4-B</b>	<b>24.67</b>	<b>HS4F4-S</b>	<b>78.44</b>
	1/2" - 14 BSPP	<b>HS4BF4</b>	<b>26.67</b>	---	<b>HS4BF4-B</b>	<b>24.67</b>	<b>HS4BF4-S</b>	<b>78.44</b>
3/4"	3/4" - 14 NPTF	<b>HS6F6</b>	<b>41.86</b>	B17-600S	<b>HS6F6-B</b>	<b>43.32</b>	<b>HS6F6-S</b>	<b>123.83</b>
	3/4" - 14 BSPP	<b>HS6BF6</b>	<b>41.86</b>	---	<b>HS6BF6-B</b>	<b>43.32</b>	<b>HS6BF6-S</b>	<b>123.83</b>
1"	1" - 11 1/2 NPTF	<b>HS8F8</b>	<b>55.22</b>	B17-800S	<b>HS8F8-B</b>	<b>56.64</b>	<b>HS8F8-S</b>	<b>196.12</b>
	1" - 11 BSPP	<b>HS8BF8</b>	<b>55.22</b>	---	<b>HS8BF8-B</b>	<b>56.64</b>	<b>HS8BF8-S</b>	<b>196.12</b>
1 1/2"	1 1/2" - NPTF	---	---	B17-1200S	<b>PS-H12F12-B</b>	<b>355.40</b>	---	---

V-Series Hydraulic Couplings

Features:

- general purpose hydraulic quick-connect provides superior flow characteristics with built-in reliability
- V Series interchangeable with Snap-tite H Series, see Hydraulic Profile Chart on page H-21
- Buna-N seal standard, contact Dixon® for additional seal material options.
- Contact Dixon® for pressure ratings and other technical information.

V-Series Snap-Tite H/H Interchange Valved Female Threaded Couplers

Body Size	Threads	Previous Part #	Steel		Previous Part #	Brass	
			Part #	Price/E		Part #	Price/E
1/4"	1/8" - 27 NPTF	---	<b>2VF1</b>	<b>\$25.60</b>	---	---	---
	1/4" - 18 NPTF	VHC200	<b>2VF2</b>	<b>24.39</b>	VHC200B	<b>2VF2-B</b>	<b>\$30.55</b>
	1/4" - 19 BSPP	---	<b>2VBF2</b>	<b>24.39</b>	---	<b>2VBF2-B</b>	<b>30.55</b>
	7/16" - 20 ORB	---	<b>2VOF2</b>	<b>25.41</b>	---	---	---
3/8"	3/8" - 18 NPTF	VHC300	<b>3VF3</b>	<b>33.27</b>	VHC300B	<b>3VF3-B</b>	<b>39.72</b>
	3/8" - 19 BSPP	---	<b>3VBF3</b>	<b>33.27</b>	---	<b>3VBF3-B</b>	<b>39.73</b>
	9/16" - 18 ORB	---	<b>3VOF3</b>	<b>35.97</b>	---	---	---
	1/2" - 14 NPTF	---	<b>3VF4</b>	<b>42.75</b>	---	---	---
1/2"	1/2" - 14 NPTF	VHC400	<b>4VF4</b>	<b>40.44</b>	VHC400B	<b>4VF4-B</b>	<b>58.18</b>
	1/2" - 14 BSPP	---	<b>4VBF4</b>	<b>40.44</b>	---	<b>4VBF4-B</b>	<b>58.20</b>
	3/4" - 16 ORB	---	<b>4VOF4</b>	<b>43.51</b>	---	---	---
	3/4" - 14 NPTF	---	<b>4VF6</b>	<b>48.41</b>	---	---	---
3/4"	3/4" - 14 NPTF	VHC600	<b>6VF6</b>	<b>62.58</b>	VHC600B	<b>6VF6-B</b>	<b>90.33</b>
	3/4" - 14 BSPP	---	<b>6VBF6</b>	<b>62.58</b>	---	<b>6VBF6-B</b>	<b>90.33</b>
	1-1/16" - 12 ORB	---	<b>6VOF6</b>	<b>73.01</b>	---	---	---
1"	1" - 11 1/2 NPTF	VHC800	<b>8VF8</b>	<b>97.23</b>	---	<b>8VF8-B</b>	<b>140.99</b>
	1" - 11 BSPP	---	<b>8VBF8</b>	<b>97.12</b>	---	<b>8VBF8-B</b>	<b>140.99</b>
	1-5/16" - 12 ORB	---	<b>8VOF8</b>	<b>115.12</b>	---	---	---
1 1/4"	1 1/4" - 11 1/2 NPTF	VHC1000	<b>10VF10</b>	<b>230.41</b>	---	<b>10VF10-B</b>	<b>289.79</b>
	1 1/4" - 11 BSPP	---	<b>10VBF10</b>	<b>230.41</b>	---	<b>10VBF10-B</b>	<b>289.79</b>
	1 5/8" - 12 ORB	---	<b>10VOF10</b>	<b>267.81</b>	---	---	---
1 1/2"	1 1/2" - 11 1/2 NPTF	VHC1200	<b>12VF12</b>	<b>318.61</b>	---	<b>12VF12-B</b>	<b>402.31</b>
	1 1/2" - 11 BSPP	---	<b>12VBF12</b>	<b>318.61</b>	---	<b>12VBF12-B</b>	<b>402.31</b>
	1 7/8" - 12 ORB	---	<b>12VOF12</b>	<b>377.35</b>	---	---	---
2"	2" - 11 1/2 NPTF	VHC1600	<b>16VF16</b>	<b>605.88</b>	---	<b>16VF16-B</b>	<b>852.55</b>
	2" - 11 BSPP	---	<b>16VBF16</b>	<b>663.75</b>	---	<b>16VBF16-B</b>	<b>852.55</b>



steel



brass

Body Size	Threads	Previous Part #	316 Stainless Steel	
			Part #	Price/E
1/4"	1/4" - 18 NPTF	VHC200SS	<b>2VF2-SS</b>	<b>\$104.32</b>
	1/4" - 19 BSPP	---	<b>2VBF2-SS</b>	<b>104.32</b>
3/8"	3/8" - 18 NPTF	---	<b>3VF3-SS</b>	<b>149.79</b>
	3/8" - 19 BSPP	---	<b>3VBF3-SS</b>	<b>149.79</b>
1/2"	1/2" - 14 NPTF	VHC400SS	<b>4VF4-SS</b>	<b>206.42</b>
	1/2" - 14 BSPP	---	<b>4VBF4-SS</b>	<b>206.42</b>
3/4"	3/4" - 14 NPTF	VHC600SS	<b>6VF6-SS</b>	<b>295.52</b>
	3/4" - 14 BSPP	---	<b>6VBF6-SS</b>	<b>295.52</b>
1"	1" - 11 1/2 NPTF	---	<b>8VF8-SS</b>	<b>455.47</b>
	1" - 11 BSPP	---	<b>8VBF8-SS</b>	<b>455.47</b>
1 1/4"	1 1/4" - 11 1/2 NPTF	---	<b>10VF10-SS</b>	<b>752.83</b>
	1 1/4" - 11 BSPP	---	<b>10VBF10-SS</b>	<b>796.86</b>
1 1/2"	1 1/2" - 11 1/2 NPTF	---	<b>12VF12-SS</b>	<b>1022.29</b>
	1 1/2" - 11 BSPP	---	<b>12VBF12-SS</b>	<b>1082.13</b>
2"	2" - 11 1/2 NPTF	---	<b>16VF16-SS</b>	<b>1832.84</b>
	2" - 11 BSPP	---	<b>16VBF16-SS</b>	<b>1940.06</b>



V-Series Snap-Tite H/IH Interchange Valved Male Threaded Couplers

Hydraulic Fittings



steel



brass



316 stainless



steel - JIC

Body Size	Threads	Steel		Brass		316 Stainless Steel	
		Part #	Price/E	Part #	Price/E	Part #	Price/E
1/4"	1/8" - 27 NPTF	<b>2VM1</b>	\$27.66	---	---	---	---
	1/4" - 18 NPTF	<b>2VM2</b>	25.75	<b>2VM2-B</b>	\$31.32	<b>2VM2-SS</b>	\$118.42
	7/16" - 20 JIC	<b>2VJM2</b>	26.79	---	---	---	---
3/8"	3/8" - 18 NPTF	<b>3VM3</b>	37.36	<b>3VM3-B</b>	40.61	<b>3VM3-SS</b>	161.46
	9/16" - 18 JIC	<b>3VJM3</b>	41.10	---	---	---	---
1/2"	1/2" - 14 NPTF	<b>4VM4</b>	42.49	<b>4VM4-B</b>	59.30	<b>4VM4-SS</b>	240.57
	3/4" - 16 JIC	<b>4VJM4</b>	50.14	---	---	---	---
3/4"	3/4" - 14 NPTF	<b>6VM6</b>	64.99	<b>6VM6-B</b>	90.33	<b>6VM6-SS</b>	371.04
	1-1/16" - 12 JIC	<b>6VJM6</b>	72.14	---	---	---	---
1"	1" - 11 1/2 NPTF	<b>8VM8</b>	109.31	<b>8VM8-B</b>	172.95	<b>8VM8-SS</b>	491.14
	1-5/16" - 12 JIC	<b>8VJM8</b>	120.90	---	---	---	---
1 1/4"	1 1/4" - 11 1/2 NPTF	<b>10VM10</b>	257.93	<b>10VM10-B</b>	361.02	<b>10VM10-SS</b>	837.56
	1 5/8" - 12 JIC	<b>10VJM10</b>	281.24	---	---	---	---
1 1/2"	1 1/2" - 11 1/2 NPTF	<b>12VM12</b>	364.68	<b>12VM12-B</b>	509.11	<b>12VM12-SS</b>	1244.45
	2" - 11 1/2 NPTF	<b>16VM16</b>	675.32	<b>16VM16-B</b>	898.96	<b>16VM16-SS</b>	1940.06

V-Series Snap-Tite H/IH Interchange Valved Male Threaded Plugs



steel



brass



316 stainless



steel

Body Size	Threads	Steel		Brass		316 Stainless Steel	
		Part #	Price/E	Part #	Price/E	Part #	Price/E
1/4"	1/8" - 27 NPTF	<b>V2M1</b>	\$20.10	---	---	---	---
	1/4" - 18 NPTF	<b>V2M2</b>	18.08	<b>V2M2-B</b>	\$22.97	<b>V2M2-SS</b>	\$86.84
	7/16" - 20 JIC	<b>V2JM2</b>	\$22.53	---	---	---	---
3/8"	3/8" - 18 NPTF	<b>V3M3</b>	22.53	<b>V3M3-B</b>	31.88	<b>V3M3-SS</b>	118.59
	9/16" - 18 JIC	<b>V3JM3</b>	28.99	---	---	---	---
1/2"	1/2" - 14 NPTF	<b>V4M4</b>	26.96	<b>V4M4-B</b>	42.45	<b>V4M4-SS</b>	181.16
	3/4" - 16 JIC	<b>V4JM4</b>	34.63	---	---	---	---
3/4"	3/4" - 14 NPTF	<b>V6M6</b>	39.74	<b>V6M6-B</b>	58.94	<b>V6M6-SS</b>	278.02
	1-1/16" - 12 JIC	<b>V6JM6</b>	46.92	---	---	---	---
1"	1" - 11 1/2 NPTF	<b>V8M8</b>	71.82	<b>V8M8-B</b>	114.65	<b>V8M8-SS</b>	366.04
	1-5/16" - 12 JIC	<b>V8JM8</b>	89.03	---	---	---	---
1 1/4"	1 1/4" - 11 1/2 NPTF	<b>V10M10</b>	214.58	<b>V10M10-B</b>	276.11	<b>V10M10-SS</b>	671.14
	1 5/8" - 12 JIC	<b>V10JM10</b>	266.24	---	---	---	---
1 1/2"	1 1/2" - 11 1/2 NPTF	<b>V12M12</b>	275.83	<b>V12M12-B</b>	378.43	<b>V12M12-SS</b>	935.09
	2" - 11 1/2 NPTF	<b>V16M16</b>	507.46	<b>V16M16-B</b>	745.66	<b>V16M16-SS</b>	889.29



## V-Series Snap-Tite H/IH Interchange Valved Female Threaded Plugs

Body Size	Threads	Previous Part #	Steel		Previous Part #	Brass	
			Part #	Price/E		Part #	Price/E
1/4"	1/8" - 27 NPTF	---	<b>V2F1</b>	<b>\$18.08</b>	---	---	---
	1/4" - 18 NPTF	VHN200	<b>V2F2</b>	<b>16.72</b>	VHN200B	<b>V2F2-B</b>	<b>\$21.77</b>
	1/4" - 19 BSPP	---	<b>V2BF2</b>	<b>16.72</b>	---	<b>V2BF2-B</b>	<b>21.77</b>
	7/16" - 20 ORB	---	<b>V2OF2</b>	<b>18.78</b>	---	---	---
3/8"	3/8" - 18 NPTF	VHN300	<b>V3F3</b>	<b>20.85</b>	VHN300B	<b>V3F3-B</b>	<b>30.55</b>
	3/8" - 19 BSPP	---	<b>V3BF3</b>	<b>20.84</b>	---	<b>V3BF3-B</b>	<b>30.55</b>
	9/16" - 18 ORB	---	<b>V3OF3</b>	<b>23.53</b>	---	---	---
	1/2" - 14 NPTF	---	<b>V3F4</b>	<b>29.57</b>	---	---	---
1/2"	1/2" - 14 NPTF	VHN400	<b>V4F4</b>	<b>24.91</b>	VHN400B	<b>V4F4-B</b>	<b>40.62</b>
	1/2" - 14 BSPP	---	<b>V4BF4</b>	<b>24.92</b>	---	<b>V4BF4-B</b>	<b>40.62</b>
	3/4" - 16 ORB	---	<b>V4OF4</b>	<b>27.97</b>	---	---	---
	3/4" - 14 NPTF	---	<b>V4F6</b>	<b>41.40</b>	---	---	---
3/4"	3/4" - 14 NPTF	VHN600	<b>V6F6</b>	<b>37.36</b>	VHN600B	<b>V6F6-B</b>	<b>52.54</b>
	3/4" - 14 BSPP	---	<b>V6BF6</b>	<b>37.36</b>	---	<b>V6BF6-B</b>	<b>52.54</b>
	1-1/16" - 12 ORB	---	<b>V6OF6</b>	<b>47.75</b>	---	---	---
1"	1" - 11 1/2 NPTF	VHN800	<b>V8F8</b>	<b>59.70</b>	---	<b>V8F8-B</b>	<b>101.47</b>
	1" - 11 BSPP	---	<b>V8BF8</b>	<b>59.70</b>	---	<b>V8BF8-B</b>	<b>101.46</b>
	1-5/16" - 12 ORB	---	<b>V8OF8</b>	<b>70.67</b>	---	---	---
1 1/4"	1 1/4" - 11 1/2 NPTF	VHN1000	<b>V10F10</b>	<b>187.11</b>	---	<b>V10F10-B</b>	<b>204.90</b>
	1 1/4" - 11 BSPP	---	<b>V10BF10</b>	<b>187.11</b>	---	<b>V10BF10-B</b>	<b>195.14</b>
	1 5/8" - 12 ORB	---	<b>V10OF10</b>	<b>209.99</b>	---	---	---
1 1/2"	1 1/2" - 11 1/2 NPTF	VHN1200	<b>V12F12</b>	<b>229.77</b>	---	<b>V12F12-B</b>	<b>271.65</b>
	1 1/2" - 11 BSPP	---	<b>V12BF12</b>	<b>229.77</b>	---	<b>V12BF12-B</b>	<b>271.65</b>
	1 7/8" - 12 ORB	---	<b>V12OF12</b>	<b>268.10</b>	---	---	---
2"	2" - 11 1/2 NPTF	VHN1600	<b>V16F16</b>	<b>438.03</b>	---	<b>V16F16-B</b>	<b>576.59</b>
	2" - 11 BSPP	---	<b>V16BF16</b>	<b>479.90</b>	---	<b>V16BF16-B</b>	<b>576.59</b>



steel



brass

Body Size	Threads	Previous Part #	316 Stainless Steel	
			Part #	Price/E
1/4"	1/4" - 18 NPTF	VHN200SS	<b>V2F2-SS</b>	<b>\$72.77</b>
	1/4" - 19 BSPP	---	<b>V2BF2-SS</b>	<b>72.77</b>
3/8"	3/8" - 18 NPTF	---	<b>V3F3-SS</b>	<b>106.93</b>
	3/8" - 19 BSPP	---	<b>V3BF3-SS</b>	<b>106.93</b>
1/2"	1/2" - 14 NPTF	VHN400SS	<b>V4F4-SS</b>	<b>147.03</b>
	1/2" - 14 BSPP	---	<b>V4BF4-SS</b>	<b>147.03</b>
3/4"	3/4" - 14 NPTF	VHN600SS	<b>V6F6-SS</b>	<b>202.48</b>
	3/4" - 14 BSPP	---	<b>V6BF6-SS</b>	<b>202.48</b>
1"	1" - 11 1/2 NPTF	---	<b>V8F8-SS</b>	<b>330.38</b>
	1" - 11 BSPP	---	<b>V8BF8-SS</b>	<b>330.38</b>
1 1/4"	1 1/4" - 11 1/2 NPTF	---	<b>V10F10-SS</b>	<b>548.66</b>
	1 1/4" - 11 BSPP	---	<b>V10BF10-SS</b>	<b>548.67</b>
1 1/2"	1 1/2" - 11 1/2 NPTF	---	<b>V12F12-SS</b>	<b>765.07</b>
	1 1/2" - 11 BSPP	---	<b>V12BF12-SS</b>	<b>765.07</b>
2"	2" - 11 1/2 NPTF	---	<b>V16F16-SS</b>	<b>1418.38</b>
	2" - 11 BSPP	---	<b>V16BF16-SS</b>	<b>1501.38</b>



## V-Series Snap-Tite H/IH Interchange Unvalved Female Threaded Couplers

Hydraulic Fittings



steel



brass

Body Size	Threads	Previous Part #	Steel		Brass	
			Part #	Price/E	Part #	Price/E
1/4"	1/4" - 18 NPTF	---	<b>2VF2-E</b>	<b>\$14.83</b>	<b>2VF2-B-E</b>	<b>\$17.10</b>
	1/4" - 19 BSPP	---	<b>2VBF2-E</b>	<b>15.97</b>	<b>2VBF2-B-E</b>	<b>16.28</b>
3/8"	3/8" - 18 NPTF	---	<b>3VF3-E</b>	<b>21.64</b>	<b>3VF3-B-E</b>	<b>28.33</b>
	3/8" - 19 BSPP	---	<b>3VBF3-E</b>	<b>21.64</b>	<b>3VBF3-B-E</b>	<b>28.33</b>
1/2"	1/2" - 14 NPTF	VHC400NV	<b>4VF4-E</b>	<b>27.30</b>	<b>4VF4-B-E</b>	<b>33.81</b>
	1/2" - 14 BSPP	---	<b>4VBF4-E</b>	<b>27.30</b>	<b>4VBF4-B-E</b>	<b>32.21</b>
3/4"	3/4" - 14 NPTF	VHC600NV	<b>6VF6-E</b>	<b>41.83</b>	<b>6VF6-B-E</b>	<b>48.06</b>
	3/4" - 14 BSPP	---	<b>6VBF6-E</b>	<b>41.83</b>	<b>6VBF6-B-E</b>	<b>48.05</b>
1"	1" - 11 1/2 NPTF	---	<b>8VF8-E</b>	<b>53.93</b>	<b>8VF8-B-E</b>	<b>79.05</b>
	1" - 11 BSPP	---	<b>8VBF8-E</b>	<b>53.93</b>	<b>8VBF8-B-E</b>	<b>75.28</b>
1 1/4"	1 1/4" - 11 1/2 NPTF	---	<b>10VF10-E</b>	<b>109.70</b>	<b>10VF10-B-E</b>	<b>140.10</b>
	1 1/4" - 11 BSPP	---	<b>10VBF10-E</b>	<b>109.70</b>	<b>10VBF10-B-E</b>	<b>140.12</b>
1 1/2"	1 1/2" - 11 1/2 NPTF	---	<b>12VF12-E</b>	<b>166.67</b>	<b>12VF12-B-E</b>	<b>308.65</b>
2"	2" - 11 1/2 NPTF	---	<b>16VF16-E</b>	<b>258.25</b>	<b>16VF16-B-E</b>	<b>715.60</b>

Body Size	Threads	316 Stainless Steel	
		Part #	Price/E
1/4"	1/4" - 18 NPTF	<b>2VF2-SS-E</b>	<b>\$66.68</b>
	1/4" - 19 BSPP	<b>2VBF2-SS-E</b>	<b>66.69</b>
3/8"	3/8" - 18 NPTF	<b>3VF3-SS-E</b>	<b>85.35</b>
	3/8" - 19 BSPP	<b>3VBF3-SS-E</b>	<b>85.35</b>
1/2"	1/2" - 14 NPTF	<b>4VF4-SS-E</b>	<b>108.05</b>
	1/2" - 14 BSPP	<b>4VBF4-SS-E</b>	<b>108.05</b>
3/4"	3/4" - 14 NPTF	<b>6VF6-SS-E</b>	<b>172.05</b>
	3/4" - 14 BSPP	<b>6VBF6-SS-E</b>	<b>172.05</b>
1"	1" - 11 1/2 NPTF	<b>8VF8-SS-E</b>	<b>235.57</b>
	1" - 11 BSPP	<b>8VBF8-SS-E</b>	<b>235.57</b>
1 1/4"	1 1/4" - 11 1/2 NPTF	<b>10VF10-SS-E</b>	<b>362.31</b>
	1 1/4" - 11 BSPP	<b>10VBF10-SS-E</b>	<b>383.50</b>
1 1/2"	1 1/2" - 11 1/2 NPTF	<b>12VF12-SS-E</b>	<b>652.20</b>
2"	2" - 11 1/2 NPTF	<b>16VF16-SS-E</b>	<b>790.50</b>



V-Series Snap-Tite H/IH Interchange Unvalved Male Threaded Couplers

Hydraulic Fittings

Body Size	Threads	Steel		Brass		316 Stainless Steel	
		Part #	Price/E	Part #	Price/E	Part #	Price/E
1/4"	1/4" - 18 NPTF	<b>2VM2-E</b>	<b>\$16.76</b>	<b>2VM2-B-E</b>	<b>\$17.10</b>	<b>2VM2-SS-E</b>	<b>\$74.08</b>
3/8"	3/8" - 18 NPTF	<b>3VM3-E</b>	<b>24.46</b>	<b>3VM3-B-E</b>	<b>28.33</b>	<b>3VM3-SS-E</b>	<b>94.89</b>
1/2"	1/2" - 14 NPTF	<b>4VM4-E</b>	<b>30.80</b>	<b>4VM4-B-E</b>	<b>33.81</b>	<b>4VM4-SS-E</b>	<b>120.06</b>
3/4"	3/4" - 14 NPTF	<b>6VM6-E</b>	<b>47.15</b>	<b>6VM6-B-E</b>	<b>48.05</b>	<b>6VM6-SS-E</b>	<b>191.25</b>
1"	1" - 11 1/2 NPTF	<b>8VM8-E</b>	<b>60.82</b>	<b>8VM8-B-E</b>	<b>79.05</b>	<b>8VM8-SS-E</b>	<b>261.81</b>
1 1/4"	1 1/4" - 11 1/2 NPTF	<b>10VM10-E</b>	<b>123.71</b>	---	---	<b>10VM10-SS-E</b>	<b>402.69</b>
1 1/2"	1 1/2" - 11 1/2 NPTF	<b>12VM12-E</b>	<b>187.95</b>	---	---	<b>12VM12-SS-E</b>	<b>793.92</b>
2"	2" - 11 1/2 NPTF	<b>16VM16-E</b>	<b>319.02</b>	---	---	<b>16VM16-SS-E</b>	<b>878.56</b>



steel



brass



316 stainless

V-Series Snap-Tite H/IH Interchange Unvalved Male Threaded Plugs

Body Size	Threads	Steel		Brass		316 Stainless Steel	
		Part #	Price/E	Part #	Price/E	Part #	Price/E
1/4"	1/4" - 18 NPTF	<b>V2M2-E</b>	<b>\$7.33</b>	<b>V2M2-B-E</b>	<b>\$8.02</b>	<b>V2M2-SS-E</b>	<b>\$23.75</b>
3/8"	3/8" - 18 NPTF	<b>V3M3-E</b>	<b>8.18</b>	<b>V3M3-B-E</b>	<b>9.81</b>	<b>V3M3-SS-E</b>	<b>34.52</b>
1/2"	1/2" - 14 NPTF	<b>V4M4-E</b>	<b>9.72</b>	<b>V4M4-B-E</b>	<b>11.93</b>	<b>V4M4-SS-E</b>	<b>43.07</b>
3/4"	3/4" - 14 NPTF	<b>V6M6-E</b>	<b>14.51</b>	<b>V6M6-B-E</b>	<b>24.04</b>	<b>V6M6-SS-E</b>	<b>90.14</b>
1"	1" - 11 1/2 NPTF	<b>V8M8-E</b>	<b>29.88</b>	<b>V8M8-B-E</b>	<b>36.51</b>	<b>V8M8-SS-E</b>	<b>142.99</b>
1 1/4"	1 1/4" - 11 1/2 NPTF	<b>V10M10-E</b>	<b>64.11</b>	---	---	<b>V10M10-SS-E</b>	<b>227.97</b>
1 1/2"	1 1/2" - 11 1/2 NPTF	<b>V12M12-E</b>	<b>100.06</b>	---	---	<b>V12M12-SS-E</b>	<b>328.62</b>
2"	2" - 11 1/2 NPTF	<b>V16M16-E</b>	<b>160.60</b>	---	---	<b>V16M16-SS-E</b>	<b>454.03</b>



steel



brass



316 stainless

## V-Series Snap-Tite H/H Interchange Unvalved Female Threaded Plugs

Hydraulic Fittings



steel



brass

Body Size	Threads	Previous Part #	Steel		Brass	
			Part #	Price/E	Part #	Price/E
1/4"	1/4" - 18 NPTF	---	<b>V2F2-E</b>	<b>\$7.33</b>	<b>V2F2-B-E</b>	<b>\$8.02</b>
	1/4" - 19 BSPP	---	<b>V2BF2-E</b>	<b>7.33</b>	<b>V2BF2-B-E</b>	<b>8.01</b>
3/8"	3/8" - 18 NPTF	---	<b>V3F3-E</b>	<b>8.18</b>	<b>V3F3-B-E</b>	<b>9.81</b>
	3/8" - 19 BSPP	---	<b>V3BF3-E</b>	<b>8.17</b>	<b>V3BF3-B-E</b>	<b>9.81</b>
1/2"	1/2" - 14 NPTF	VHN400NV	<b>V4F4-E</b>	<b>10.20</b>	<b>V4F4-B-E</b>	<b>11.93</b>
	1/2" - 14 BSPP	---	<b>V4BF4-E</b>	<b>10.20</b>	<b>V4BF4-B-E</b>	<b>11.93</b>
3/4"	3/4" - 14 NPTF	VHN600NV	<b>V6F6-E</b>	<b>14.51</b>	<b>V6F6-B-E</b>	<b>20.84</b>
	3/4" - 14 BSPP	---	<b>V6BF6-E</b>	<b>14.51</b>	<b>V6BF6-B-E</b>	<b>20.84</b>
1"	1" - 11 1/2 NPTF	---	<b>V8F8-E</b>	<b>25.94</b>	<b>V8F8-B-E</b>	<b>27.06</b>
	1" - 11 BSPP	---	<b>V8BF8-E</b>	<b>25.93</b>	<b>V8BF8-B-E</b>	<b>27.06</b>
1 1/4"	1 1/4" - 11 1/2 NPTF	---	<b>V10F10-E</b>	<b>50.63</b>	<b>V10F10-B-E</b>	<b>49.69</b>
	1 1/4" - 11 BSPP	---	<b>V10BF10-E</b>	<b>50.63</b>	<b>V10BF10-B-E</b>	<b>49.68</b>
1 1/2"	1 1/2" - 11 1/2 NPTF	---	<b>V12F12-E</b>	<b>86.49</b>	<b>V12F12-B-E</b>	<b>137.76</b>
2"	2" - 11 1/2 NPTF	---	<b>V16F16-E</b>	<b>114.28</b>	<b>V16F16-B-E</b>	<b>169.26</b>



Body Size	Threads	316 Stainless Steel	
		Part #	Price/E
1/4"	1/4" - 18 NPTF	<b>V2F2-SS-E</b>	<b>\$23.75</b>
	1/4" - 19 BSPP	<b>V2BF2-SS-E</b>	<b>23.75</b>
3/8"	3/8" - 18 NPTF	<b>V3F3-SS-E</b>	<b>34.52</b>
	3/8" - 19 BSPP	<b>V3BF3-SS-E</b>	<b>34.52</b>
1/2"	1/2" - 14 NPTF	<b>V4F4-SS-E</b>	<b>43.07</b>
	1/2" - 14 BSPP	<b>V4BF4-SS-E</b>	<b>43.07</b>
3/4"	3/4" - 14 NPTF	<b>V6F6-SS-E</b>	<b>60.85</b>
	3/4" - 14 BSPP	<b>V6BF6-SS-E</b>	<b>60.85</b>
1"	1" - 11 1/2 NPTF	<b>V8F8-SS-E</b>	<b>116.37</b>
	1" - 11 BSPP	<b>V8BF8-SS-E</b>	<b>116.37</b>
1 1/4"	1 1/4" - 11 1/2 NPTF	<b>V10F10-SS-E</b>	<b>205.12</b>
	1 1/4" - 11 BSPP	<b>V10BF10-SS-E</b>	<b>205.12</b>
1 1/2"	1 1/2" - 11 1/2 NPTF	<b>V12F12-SS-E</b>	<b>295.66</b>
2"	2" - 11 1/2 NPTF	<b>V16F16-SS-E</b>	<b>408.51</b>

V-Series Snap-Tite H/IH Interchange Dust Caps / Plugs

Body Size	Previous Part #	Nitrile	
		Part #	Price/E
1/4"	VHC002	<b>1HDP</b>	<b>\$3.16</b>
1/4"	VHN002	<b>V2DC</b>	<b>3.16</b>
3/8"	---	<b>3VDP-V3DC</b>	<b>3.51</b>
1/2"	VHCN003	<b>3KDP-K3DC</b>	<b>3.51</b>
3/4"	VHCN006	<b>6VDP-V6DC</b>	<b>8.52</b>
1"	VHCN008	<b>8VDP-V8DC</b>	<b>10.53</b>



V-Series Snap-Tite H/IH Interchange Dust Plugs

Body Size	Previous Part #	Aluminum body with steel cable	
		Part #	Price/E
1/4"	---	<b>2VDP-A</b>	<b>\$10.12</b>
3/8"	---	<b>3VDP-A</b>	<b>10.88</b>
1/2"	---	<b>4VDP-A</b>	<b>11.56</b>
3/4"	---	<b>6VDP-A</b>	<b>15.60</b>
1"	---	<b>8VDP-A</b>	<b>17.38</b>
1 1/4"	VHC010	<b>10VDP-A</b>	<b>25.81</b>
1 1/2"	VHC012	<b>12VDP-A</b>	<b>52.80</b>
2"	VHC016	<b>16VDP-A</b>	<b>90.07</b>



V-Series Snap-Tite H/IH Interchange Dust Caps


Body Size	Previous Part #	Aluminum body with steel cable	
		Part #	Price/E
1/4"	---	<b>V2DC-A</b>	<b>\$10.12</b>
3/8"	---	<b>V3DC-A</b>	<b>10.71</b>
1/2"	---	<b>V4DC-A</b>	<b>14.77</b>
3/4"	---	<b>V6DC-A</b>	<b>18.55</b>
1"	---	<b>V8DC-A</b>	<b>25.31</b>
1 1/4"	VHN010	<b>V10DC-A</b>	<b>32.05</b>
1 1/2"	VHN012	<b>V12DC-A</b>	<b>61.57</b>
2"	VHN016	<b>V16DC-A</b>	<b>77.44</b>



V-Series Plug Profile Chart

Industry/Competitor Interchange

Snap-tite H  
Faster TNV



## V-Series Snap-Tite H/IH Interchange Coupler Seal Kits

Hydraulic Fittings

Body Size	Coupler Style	Description	Nitrile	
			Part #	Price/E
1/4"	all	body / adapter O-rings and PTFE back-up	<b>2V-SKIT</b>	<b>\$5.05</b>
3/8"	all	body / adapter O-rings and PTFE back-up	<b>3V-SKIT</b>	<b>5.30</b>
1/2"	all	body / adapter O-rings and PTFE back-up	<b>4V-SKIT</b>	<b>6.21</b>
3/4"	all	body / adapter O-rings and PTFE back-up	<b>6V-SKIT</b>	<b>8.52</b>
1"	all	body / adapter O-rings and PTFE back-up	<b>8V-SKIT</b>	<b>10.84</b>
1 1/4"	all	body / adapter/valve O-rings and back-up	<b>10V-SKIT</b>	<b>13.01</b>
1 1/2"	all	body / adapter/valve O-rings and back-up	<b>12V-SKIT</b>	<b>15.59</b>
2"	all	body / adapter/valve O-rings and back-up	<b>16V-SKIT</b>	<b>16.72</b>

Body Size	Coupler Style	Description	FKM	
			Part #	Price/E
1/4"	all	body / adapter O-rings and PTFE back-up	<b>F-2V-SKIT</b>	<b>\$7.36</b>
3/8"	all	body / adapter O-rings and PTFE back-up	<b>F-3V-SKIT</b>	<b>7.83</b>
1/2"	all	body / adapter O-rings and PTFE back-up	<b>F-4V-SKIT</b>	<b>8.99</b>
3/4"	all	body / adapter O-rings and PTFE back-up	<b>F-6V-SKIT</b>	<b>11.51</b>
1"	all	body / adapter O-rings and PTFE back-up	<b>F-8V-SKIT</b>	<b>14.06</b>
1 1/4"	all	body / adapter/valve O-rings and back-up	<b>F-10V-SKIT</b>	<b>16.83</b>
1 1/2"	all	body / adapter/valve O-rings and back-up	<b>F-12V-SKIT</b>	<b>20.20</b>
2"	all	body / adapter/valve O-rings and back-up	<b>F-16V-SKIT</b>	<b>21.27</b>

Body Size	Coupler Style	Description	EPDM	
			Part #	Price/E
1/4"	all	body / adapter O-rings and PTFE back-up	<b>P-2V-SKIT</b>	<b>\$3.47</b>
3/8"	all	body / adapter O-rings and PTFE back-up	<b>P-3V-SKIT</b>	<b>6.88</b>
1/2"	all	body / adapter O-rings and PTFE back-up	<b>P-4V-SKIT</b>	<b>7.36</b>
3/4"	all	body / adapter O-rings and PTFE back-up	<b>P-6V-SKIT</b>	<b>8.52</b>
1"	all	body / adapter O-rings and PTFE back-up	<b>P-8V-SKIT</b>	<b>11.05</b>
1 1/4"	all	body / adapter/valve O-rings and back-up	<b>P-10V-SKIT</b>	<b>13.55</b>
1 1/2"	all	body / adapter/valve O-rings and back-up	<b>P-12V-SKIT</b>	<b>16.58</b>
2"	all	body / adapter/valve O-rings and back-up	<b>P-16V-SKIT</b>	<b>19.37</b>

## V-Series Snap-Tite H/IH Interchange Coupler Repair Kits

Body Size	Coupler Material	Seal Material	Description	Part #	Price/E
¼"	steel	nitrile	steel valve assembly and adapter O-ring	<b>2V-RKIT</b>	<b>\$5.91</b>
	brass	nitrile	brass valve assembly and adapter O-ring	<b>2V-BRKIT</b>	<b>7.00</b>
	316 stainless	nitrile	316 SS valve assembly and adapter O-ring	<b>2V-SSRKIT</b>	<b>14.85</b>
⅜"	steel	nitrile	steel valve assembly and adapter O-ring	<b>3V-RKIT</b>	<b>7.85</b>
	brass	nitrile	brass valve assembly and adapter O-ring	<b>3V-BRKIT</b>	<b>8.87</b>
	316 stainless	nitrile	316 SS valve assembly and adapter O-ring	<b>3V-SSRKIT</b>	<b>18.50</b>
½"	steel	nitrile	steel valve assembly and adapter O-ring	<b>4V-RKIT</b>	<b>13.32</b>
	brass	nitrile	brass valve assembly and adapter O-ring	<b>4V-BRKIT</b>	<b>17.73</b>
	316 stainless	nitrile	316 SS valve assembly and adapter O-ring	<b>4V-SSRKIT</b>	<b>42.80</b>
¾"	steel	nitrile	steel valve assembly and adapter O-ring	<b>6V-RKIT</b>	<b>19.94</b>
	brass	nitrile	brass valve assembly and adapter O-ring	<b>6V-BRKIT</b>	<b>31.35</b>
	316 stainless	nitrile	316 SS valve assembly and adapter O-ring	<b>6V-SSRKIT</b>	<b>75.66</b>
1"	steel	nitrile	steel valve assembly and adapter O-ring	<b>8V-RKIT</b>	<b>33.25</b>
	brass	nitrile	brass valve assembly and adapter O-ring	<b>8V-BRKIT</b>	<b>49.76</b>
	316 stainless	nitrile	316 SS valve assembly and adapter O-ring	<b>8V-SSRKIT</b>	<b>120.13</b>
1¼"	steel	nitrile	steel valve assembly and adapter O-ring	<b>140030-10</b>	<b>34.71</b>
	316 stainless	nitrile	316 SS valve assembly and adapter O-ring	<b>140032-10</b>	<b>109.32</b>
1½"	steel	nitrile	steel valve assembly and adapter O-ring	<b>140030-12</b>	<b>43.37</b>
	316 stainless	nitrile	316 SS valve assembly and adapter O-ring	<b>140032-12</b>	<b>120.78</b>
2"	steel	nitrile	steel valve assembly and adapter O-ring	<b>140030-16</b>	<b>54.24</b>
	316 stainless	nitrile	316 SS valve assembly and adapter O-ring	<b>140032-16</b>	<b>150.99</b>

## V-Series Snap-Tite H/IH Interchange Plug Repair Kits

Body Size	Coupler Material	Seal Material	Description	Part #	Price/E
¼"	steel	nitrile	steel valve assembly and adapter O-ring	<b>V2-RKIT</b>	<b>\$5.91</b>
	brass	nitrile	brass valve assembly and adapter O-ring	<b>V2-BRKIT</b>	<b>7.00</b>
	316 stainless	nitrile	316 SS valve assembly and adapter O-ring	<b>V2-SSRKIT</b>	<b>14.85</b>
⅜"	steel	nitrile	steel valve assembly and adapter O-ring	<b>V3-RKIT</b>	<b>7.85</b>
	brass	nitrile	brass valve assembly and adapter O-ring	<b>V3-BRKIT</b>	<b>9.14</b>
	316 stainless	nitrile	316 SS valve assembly and adapter O-ring	<b>V3-SSRKIT</b>	<b>18.50</b>
½"	steel	nitrile	steel valve assembly and adapter O-ring	<b>V4-RKIT</b>	<b>12.77</b>
	brass	nitrile	brass valve assembly and adapter O-ring	<b>V4-BRKIT</b>	<b>17.53</b>
	316 stainless	nitrile	316 SS valve assembly and adapter O-ring	<b>V4-SSRKIT</b>	<b>40.39</b>
¾"	steel	nitrile	steel valve assembly and adapter O-ring	<b>V6-RKIT</b>	<b>19.70</b>
	brass	nitrile	brass valve assembly and adapter O-ring	<b>V6-BRKIT</b>	<b>30.32</b>
	316 stainless	nitrile	316 SS valve assembly and adapter O-ring	<b>V6-SSRKIT</b>	<b>73.24</b>
1"	steel	nitrile	steel valve assembly and adapter O-ring	<b>V8-RKIT</b>	<b>28.87</b>
	brass	nitrile	brass valve assembly and adapter O-ring	<b>V8-BRKIT</b>	<b>37.13</b>
	316 stainless	nitrile	316 SS valve assembly and adapter O-ring	<b>V8-SSRKIT</b>	<b>89.67</b>
1¼"	steel	nitrile	steel valve assembly and adapter O-ring	<b>140030-10</b>	<b>34.71</b>
	316 stainless	nitrile	316 SS valve assembly and adapter O-ring	<b>140032-10</b>	<b>109.32</b>
1½"	steel	nitrile	steel valve assembly and adapter O-ring	<b>140030-12</b>	<b>43.37</b>
	316 stainless	nitrile	316 SS valve assembly and adapter O-ring	<b>140032-12</b>	<b>120.78</b>
2"	steel	nitrile	steel valve assembly and adapter O-ring	<b>140030-16</b>	<b>54.24</b>
	316 stainless	nitrile	316 SS valve assembly and adapter O-ring	<b>140032-16</b>	<b>150.99</b>



## K-Series Hydraulic Couplings

Hydraulic Fittings

**Features:**

- poppet style shut-off valves in both coupler and plug
- to connect, simply retract sleeve, insert plug, and release sleeve
- interchangeable with Aeroquip 5600, Parker 6600, and **ISO A interchange**, see Hydraulic Profile Chart on page H-25
- Contact Dixon® for pressure ratings and other technical information.

### K-Series ISO-A 5600 Interchange Female Threaded Couplers



4KF4 - steel



6KF6 - steel



10KF10 - steel

Body Size	Threads	Previous Part #	Steel		316 Stainless Steel	
			Part #	Price/E	Part #	Price/E
1/4"	1/8" - 27 NPTF	56-100	<b>2KF1</b>	<b>\$26.06</b>	---	---
	1/4" - 18 NPTF	56-200	<b>2KF2</b>	21.14	<b>2KF2-SS</b>	<b>\$153.99</b>
	1/4" - 19 BSPP	---	<b>2KBF2</b>	26.06	<b>2KBF2-SS</b>	153.99
	7/16" - 20 ORB	---	<b>2KOF2</b>	26.06	---	---
3/8"	3/8" - 18 NPTF	56-300	<b>3KF3</b>	28.38	<b>3KF3-SS</b>	205.64
	3/8" - 19 BSPP	---	<b>3KBF3</b>	33.01	<b>3KBF3-SS</b>	205.64
	9/16" - 18 ORB	---	<b>3KOF3</b>	33.01	---	---
1/2"	1/2" - 14 NPTF	56-400	<b>4KF4</b>	28.38	<b>4KF4-SS</b>	288.37
	1/2" - 14 BSPP	---	<b>4KBF4</b>	33.01	<b>4KBF4-SS</b>	288.37
	3/4" - 16 ORB	---	<b>4KOF4</b>	33.01	---	---
	7/8" - 14 ORB	---	<b>4KOF5</b>	34.75	---	---
	3/4" - 14 NPTF	56-600	<b>4KF6</b>	46.91	---	---
3/4"	3/4" - 14 NPTF	56-660	<b>6KF6</b>	55.60	<b>6KF6-SS</b>	435.63
	3/4" - 14 BSPP	---	<b>6KBF6</b>	69.49	<b>6KBF6-SS</b>	435.63
	1-1/16" - 12 ORB	---	<b>6KOF6</b>	69.49	---	---
1"	1" - 11 1/2 NPTF	56-800	<b>8KF8</b>	81.08	<b>8KF8-SS</b>	662.65
	1" - 11 BSPP	---	<b>8KBF8</b>	101.93	<b>8KBF8-SS</b>	662.65
	1-5/16" - 12 ORB	---	<b>8KOF8</b>	101.93	---	---
1 1/4"	1 1/4" - 11 1/2 NPT	---	<b>10KF10</b>	214.57	---	---
	1 1/4" - 11 BSPP	---	<b>10KBF10</b>	238.40	---	---
1 1/2"	1 1/2" - 11 1/2 NPT	---	<b>12KF12</b>	357.61	---	---
	1 1/2" - 11 BSPP	---	<b>12KBF12</b>	393.37	---	---
2"	2" - 11 1/2 NPT	---	<b>16KF16</b>	709.26	---	---
	2" - 11 BSPP	---	<b>16KBF16</b>	750.97	---	---

### K-Series ISO-A 5600 Interchange Female Threaded Plugs



K4F4 - steel



K6F6 - steel

Body Size	Threads	Previous Part #	Steel		316 Stainless Steel	
			Part #	Price/E	Part #	Price/E
1/4"	1/8" - 27 NPTF	57-100	<b>K2F1</b>	<b>\$14.13</b>	---	---
	1/4" - 18 NPTF	57-200	<b>K2F2</b>	9.56	<b>K2F2-SS</b>	<b>\$70.73</b>
	1/4" - 19 BSPP	---	<b>K2BF2</b>	14.13	<b>K2BF2-SS</b>	70.73
	7/16" - 20 ORB	---	<b>K2OF2</b>	14.13	---	---
3/8"	3/8" - 18 NPTF	57-300	<b>K3F3</b>	12.45	<b>K3F3-SS</b>	104.37
	3/8" - 19 BSPP	---	<b>K3BF3</b>	18.53	<b>K3BF3-SS</b>	104.37
	9/16" - 18 ORB	---	<b>K3OF3</b>	18.53	---	---
1/2"	1/2" - 14 NPTF	57-400	<b>K4F4</b>	13.32	<b>K4F4-SS</b>	134.98
	1/2" - 14 BSPP	---	<b>K4BF4</b>	19.12	<b>K4BF4-SS</b>	134.98
	3/4" - 16 ORB	---	<b>K4OF4</b>	19.12	---	---
	7/8" - 14 ORB	---	<b>K4OF5</b>	20.85	---	---
	3/4" - 14 NPTF	57-600	<b>K4F6</b>	25.48	---	---
3/4"	3/4" - 14 NPTF	57-660	<b>K6F6</b>	28.38	<b>K6F6-SS</b>	300.65
	3/4" - 14 BSPP	---	<b>K6BF6</b>	36.48	<b>K6BF6-SS</b>	300.65
	1-1/16" - 12 ORB	---	<b>K6OF6</b>	36.48	---	---
1"	1" - 11 1/2 NPTF	57-800	<b>K8F8</b>	44.01	<b>K8F8-SS</b>	300.65
	1" - 11 BSPP	---	<b>K8BF8</b>	50.96	<b>K8BF8-SS</b>	300.65
	1-5/16" - 12 ORB	---	<b>K8OF8</b>	50.96	---	---
1 1/4"	1 1/4" - 11 1/2 NPT	---	<b>K10F10</b>	122.78	---	---
	1 1/4" - 11 BSPP	---	<b>K10BF10</b>	143.05	---	---
1 1/2"	1 1/2" - 11 1/2 NPT	---	<b>K12F12</b>	184.76	---	---
	1 1/2" - 11 BSPP	---	<b>K12BF12</b>	220.52	---	---
2"	2" - 11 1/2 NPT	---	<b>K16F16</b>	345.69	---	---
	2" - 11 BSPP	---	<b>K16BF16</b>	387.41	---	---



**K-Series ISO-A 5600 Interchange Dust Caps / Plugs**

Body Size	Previous Part #	Nitrile	
		Part #	Price/E
1/4"	56-002 / 57-002	<b>2KDP-K2DC</b>	<b>\$3.16</b>
3/8"	56-003 / 57-003 / VHNC004	<b>3KDP-K3DC</b>	<b>3.51</b>
3/4"	56-006 / 57-006	<b>6KDP-K6DC</b>	<b>5.29</b>
1"	56-008 / 57-008	<b>8KDP-K8DC</b>	<b>6.68</b>



**K-Series ISO-A 5600 Interchange Dust Plugs**



Body Size	Color	Previous Part #	Nitrile	
			Part #	Price/E
1/2"	black	56-004	<b>4KDP</b>	<b>\$3.16</b>
	red	---	<b>4K-R-DP</b>	<b>3.16</b>
	orange	---	<b>4K-O-DP</b>	<b>3.16</b>
	yellow	---	<b>4K-Y-DP</b>	<b>3.16</b>
	green	---	<b>4K-G-DP</b>	<b>3.16</b>
	blue	---	<b>4K-B-DP</b>	<b>3.16</b>

**K-Series ISO-A 5600 Interchange Dust Caps**



Body Size	Color	Previous Part #	Nitrile	
			Part #	Price/E
1/2"	black	57-004	<b>K4DC</b>	<b>\$3.16</b>
	red	---	<b>K4-R-DC</b>	<b>3.16</b>
	orange	---	<b>K4-O-DC</b>	<b>3.16</b>
	yellow	---	<b>K4-Y-DC</b>	<b>3.16</b>
	green	---	<b>K4-G-DC</b>	<b>3.16</b>
	blue	---	<b>K4-B-DC</b>	<b>3.16</b>


**K-Series ISO-A 5600 Interchange Coupler Seal Kits**

Body Size	Coupler Style	Description	Nitrile	
			Part #	Price/E
1/4"	all	O-ring and PTFE anti-extrusion ring	<b>2K-SKIT</b>	<b>\$2.21</b>
3/8"	all	O-ring and PTFE anti-extrusion ring	<b>3K-SKIT</b>	<b>4.60</b>
1/2"	all	O-ring and PTFE anti-extrusion ring	<b>4K-SKIT</b>	<b>5.42</b>
3/4"	all	O-ring and PTFE anti-extrusion ring	<b>6K-SKIT</b>	<b>7.42</b>
1"	all	O-ring and PTFE anti-extrusion ring	<b>8K-SKIT</b>	<b>9.42</b>
1 1/4"	all	O-ring and PTFE anti-extrusion ring	<b>10K-SKIT</b>	<b>13.69</b>
1 1/2"	all	O-ring and PTFE anti-extrusion ring	<b>12K-SKIT</b>	<b>14.92</b>
2"	all	O-ring and PTFE anti-extrusion ring	<b>16K-SKIT</b>	<b>16.37</b>

**K-Series ISO-A 5600 Plug Profile Chart**

**Industry/Competitor Interchange**

ISO 7241-A  
Perfecting K Series  
Aeroquip 5600  
Parker 6600



## AG-Series Hydraulic Couplings

**Application:**

- used on construction equipment, farm implements and most other mobile equipment

**Features:**

- ball style shut-off valves in both the coupler and the plug
- interchangeable with Pioneer 4000 series, see Hydraulic Profile Chart on page H-27
- Contact Dixon® for pressure ratings and other technical information.

## AG-Series Agricultural Ball Couplers



Body Size	Female Threads	Previous Part #	Steel	
			Part #	Price/E
1/4"	1/4" - 18 NPTF	---	<b>2AGF2</b>	<b>\$24.43</b>
3/8"	3/8" - 18 NPTF	---	<b>3AGF3</b>	<b>25.63</b>
1/2"	1/2" - 14 NPTF	18-400	<b>4AGF4</b>	<b>29.20</b>
	1/2" - 14 BSPP	---	<b>4AGBF4</b>	<b>33.97</b>
	3/4" - 16 ORB	18-415	<b>4AGOF4</b>	<b>33.97</b>
	7/8" - 14 ORB	---	<b>4AGOF5</b>	<b>35.76</b>
3/4"	3/4" - 14 NPTF	18-600	<b>4AGF6</b>	<b>48.28</b>
	3/4" - 14 NPTF	18-660	<b>6AGF6</b>	<b>65.56</b>
1"	1" - 11 1/2 NPTF	---	<b>8AGF8</b>	<b>88.21</b>

## AG-Series Agricultural Poppet Valve Couplers



Body Size	Female Threads	Previous Part #	Steel	
			Part #	Price/E
1/4"	1/4" - 18 NPTF	18-200	<b>2AGF2-PV</b>	<b>\$24.43</b>
3/8"	3/8" - 18 NPTF	18-300	<b>3AGF3-PV</b>	<b>25.63</b>
1/2"	1/2" - 14 NPTF	---	<b>4AGF4-PV</b>	<b>27.55</b>
	1/2" - 14 BSPP	---	<b>4AGBF4-PV</b>	<b>32.05</b>
	3/4" - 16 ORB	---	<b>4AGOF4-PV</b>	<b>32.05</b>
	7/8" - 14 ORB	---	<b>4AGOF5-PV</b>	<b>33.73</b>
3/4"	3/4" - 14 NPTF	---	<b>4AGF6-PV</b>	<b>45.55</b>
	3/4" - 14 NPTF	---	<b>6AGF6-PV</b>	<b>65.56</b>
1"	1" - 11 1/2 NPTF	18-800	<b>8AGF8-PV</b>	<b>88.21</b>

## AG-Series Agricultural Push-Pull Ball Couplers



Body Size	Female Threads	Steel	
		Part #	Price/E
3/8"	3/8" - 18 NPTF	<b>NEW</b> <b>3AGF3-PS</b>	<b>\$37.38</b>
	1/2" - 14 NPTF	<b>4AGF4-PS</b>	<b>41.73</b>
1/2"	3/4" - 16 ORB	<b>4AGOF4-PS</b>	<b>43.15</b>
	7/8" - 14 ORB	<b>4AGOF5-PS</b>	<b>44.64</b>
	3/4" - 14 NPTF	<b>4AGF6-PS</b>	<b>44.65</b>
3/4"	3/4" - 14 NPTF	<b>NEW</b> <b>6AGF6-PS</b>	<b>95.31</b>

## AG-Series Agricultural Push-Pull Poppet Valve Couplers



Body Size	Female Threads	Steel	
		Part #	Price/E
3/8"	3/8" - 18 NPTF	<b>NEW</b> <b>3AGF3-PV-PS</b>	<b>\$37.38</b>
	1/2" - 14 NPTF	<b>4AGF4-PV-PS</b>	<b>41.73</b>
1/2"	3/4" - 16 ORB	<b>4AGOF4-PV-PS</b>	<b>43.15</b>
	7/8" - 14 ORB	<b>4AGOF5-PV-PS</b>	<b>44.65</b>
	3/4" - 14 NPTF	<b>4AGF6-PV-PS</b>	<b>42.91</b>
3/4"	3/4" - 14 NPTF	<b>NEW</b> <b>6AGF6-PV-PS</b>	<b>95.31</b>

**AG-Series Agricultural Ball Plugs**

Body Size	Female Threads	Previous Part #	Steel	
			Part #	Price/E
1/4"	1/4" - 18 NPTF	---	<b>AG2F2</b>	<b>\$9.84</b>
3/8"	3/8" - 18 NPTF	---	<b>AG3F3</b>	<b>11.92</b>
1/2"	1/2" - 14 NPTF	19-400	<b>AG4F4</b>	<b>12.51</b>
	1/2" - 14 BSPP	---	<b>AG4BF4</b>	<b>16.69</b>
	3/4" - 16 ORB	19-415	<b>AG4OF4</b>	<b>16.69</b>
	7/8" - 14 ORB	---	<b>AG4OF5</b>	<b>17.88</b>
	3/4" - 14 NPTF	19-600	<b>AG4F6</b>	<b>19.08</b>
3/4"	3/4" - 14 NPTF	19-660	<b>AG6F6</b>	<b>32.19</b>
1"	1" - 11 1/2 NPTF	---	<b>AG8F8</b>	<b>47.68</b>



**AG-Series Agricultural Poppet Valve Plugs**

Body Size	Female Threads	Previous Part #	Steel	
			Part #	Price/E
1/4"	1/4" - 18 NPTF	---	<b>AG2F2-PV</b>	<b>\$9.84</b>
3/8"	3/8" - 18 NPTF	---	<b>AG3F3-PV</b>	<b>11.92</b>
1/2"	1/2" - 14 NPTF	19-400	<b>AG4F4-PV</b>	<b>12.51</b>
	1/2" - 14 BSPP	---	<b>AG4BF4-PV</b>	<b>16.69</b>
	3/4" - 16 ORB	19-415	<b>AG4OF4-PV</b>	<b>16.69</b>
	7/8" - 14 ORB	---	<b>AG4OF5-PV</b>	<b>17.88</b>
	3/4" - 14 NPTF	19-600	<b>AG4F6-PV</b>	<b>19.08</b>
3/4"	3/4" - 14 NPTF	19-660	<b>AG6F6-PV</b>	<b>32.19</b>
1"	1" - 11 1/2 NPTF	---	<b>AG8F8-PV</b>	<b>47.68</b>



**AG-Series Agricultural Dust Plugs**

Body Size	Previous Part #	Elastomer	
		Part #	Price/E
1/4"	18-002	<b>2AGDP</b>	<b>\$4.35</b>
3/8"	18-003	<b>3AGDP</b>	<b>6.26</b>
1/2"	For 1/2" Please refer to the color coded K-Series Dust Plugs on pg. H-25		
3/4"	18-006	<b>6AGDP</b>	<b>9.45</b>
1"	18-008	<b>8AGDP</b>	<b>10.88</b>



**AG-Series Agricultural Dust Caps**


Body Size	Previous Part #	Elastomer	
		Part #	Price/E
1/4"	19-002	<b>AG2DC</b>	<b>\$4.56</b>
3/8"	19-003	<b>AG3DC</b>	<b>5.25</b>
1/2"	For 1/2" Please refer to the color coded K-Series Dust Caps on pg. H-25		
3/4"	19-006	<b>AG6DC</b>	<b>13.15</b>
1"	19-008	<b>AG8DC</b>	<b>15.07</b>



**AG-Series Plug Profile Chart**

**Industry/Competitor Interchange**

Parker/Pioneer 4000  
Safeway S20



## CM-Series Hydraulic Couplings

**Features:**

- interchangeable with Foster Series- FJT, Hansen Flo-Temp, Tomco MC-Series, Parker Moldmate, DME Jiffy-Tite
- temperature range **-90°F to 400°F (-68°C to 205°C)**
- Contact Dixon® for pressure ratings and other technical information.

**CM-Series Industrial Mold Interchange Plug Female NPTF**

steel



brass

Body Size	Threads	Steel		Brass	
		Part #	Price/E	Part #	Price/E
1/4"	1/8" - 27 NPTF	<b>CM2F1</b>	<b>\$1.96</b>	<b>CM2F1-B</b>	<b>\$2.08</b>
	1/4" - 18 NPTF	<b>CM2F2</b>	<b>2.07</b>	<b>CM2F2-B</b>	<b>2.22</b>
	3/8" - 18 NPTF	<b>CM2F3</b>	<b>2.59</b>	<b>CM2F3-B</b>	<b>3.05</b>
3/8"	1/4" - 18 NPTF	<b>CM3F2</b>	<b>2.61</b>	<b>CM3F2-B</b>	<b>2.67</b>
	3/8" - 18 NPTF	<b>CM3F3</b>	<b>3.38</b>	<b>CM3F3-B</b>	<b>3.97</b>
1/2"	1/2" - 14 NPTF	---	---	<b>CM4F4-B</b>	<b>7.64</b>
	3/4" - 14 NPTF	---	---	<b>CM4F6-B</b>	<b>10.73</b>

**CM-Series Industrial Mold Interchange Plug Male NPTF**

Body Size	Threads	Brass	
		Part #	Price/E
1/4"	1/8" - 27 NPTF	<b>CM2M1-B</b>	<b>\$1.57</b>
	1/4" - 18 NPTF	<b>CM2M2-B</b>	<b>1.96</b>
	3/8" - 18 NPTF	<b>CM2M3-B</b>	<b>2.34</b>
3/8"	1/4" - 18 NPTF	<b>CM3M2-B</b>	<b>2.15</b>
	3/8" - 18 NPTF	<b>CM3M3-B</b>	<b>2.34</b>
	1/2" - 14 NPTF	<b>CM3M4-B</b>	<b>3.93</b>
1/2"	1/2" - 14 NPTF	<b>CM4M4-B</b>	<b>4.56</b>
	3/4" - 14 NPTF	<b>CM4M6-B</b>	<b>6.95</b>

**CM-Series Industrial Mold Interchange Extension Plug Male NPTF**

Body Size	Threads	Brass	
		Part #	Price/E
1/4"	1/8" - 27 NPTF	<b>CM2M1-B-L2.5</b>	<b>\$9.70</b>
	1/8" - 27 NPTF	<b>CM2M1-B-L4</b>	<b>11.46</b>
	1/8" - 27 NPTF	<b>CM2M1-B-L5.5</b>	<b>15.58</b>
	1/4" - 18 NPTF	<b>CM2M2-B-L2.5</b>	<b>10.62</b>
	1/4" - 18 NPTF	<b>CM2M2-B-L4</b>	<b>12.55</b>
	1/4" - 18 NPTF	<b>CM2M2-B-L5.5</b>	<b>16.63</b>
	1/4" - 18 NPTF	<b>CM2M2-B-L7</b>	<b>19.71</b>
3/8"	1/8" - 27 NPTF	<b>CM3M1-B-L2.5</b>	<b>10.62</b>
	1/8" - 27 NPTF	<b>CM3M1-B-L4</b>	<b>12.55</b>
	1/8" - 27 NPTF	<b>CM3M1-B-L5.5</b>	<b>17.66</b>
	1/8" - 27 NPTF	<b>CM3M1-B-L7</b>	<b>19.71</b>
	1/4" - 18 NPTF	<b>CM3M2-B-L2.5</b>	<b>10.62</b>
	1/4" - 18 NPTF	<b>CM3M2-B-L4</b>	<b>12.55</b>
	1/4" - 18 NPTF	<b>CM3M2-B-L5.5</b>	<b>16.63</b>
	1/4" - 18 NPTF	<b>CM3M2-B-L7</b>	<b>19.71</b>
	1/4" - 18 NPTF	<b>CM3M2-B-L8.5</b>	<b>22.23</b>
	1/4" - 18 NPTF	<b>CM3M2-B-L11.5</b>	<b>26.09</b>

**CM-Series Industrial Mold Interchange Unvalved Coupler Female NPTF**

Body Size	Threads	Brass	
		Part #	Price/E
1/4"	1/8" - 27 NPTF	<b>2CMF1-B-E</b>	<b>\$8.77</b>
	1/4" - 18 NPTF	<b>2CMF2-B-E</b>	<b>9.03</b>
3/8"	1/4" - 18 NPTF	<b>3CMF2-B-E</b>	<b>10.88</b>
	3/8" - 18 NPTF	<b>3CMF3-B-E</b>	<b>11.37</b>
1/2"	1/2" - 14 NPTF	<b>4CMF4-B-E</b>	<b>25.59</b>



**CM-Series Industrial Mold Interchange Valved Coupler Female NPTF**

Body Size	Threads	Brass	
		Part #	Price/E
1/4"	1/8" - 27 NPTF	<b>2CMF1-B</b>	<b>\$9.89</b>
3/8"	1/4" - 18 NPTF	<b>3CMF2-B</b>	<b>14.38</b>



**CM-Series Industrial Mold Interchange Unvalved Coupler Hose Barb**

Body Size	Hose ID	Brass	
		Part #	Price/E
1/4"	1/4"	<b>2CMS2-B-E</b>	<b>\$10.11</b>
	5/16"	<b>2CMS2.5-B-E</b>	<b>10.11</b>
	3/8"	<b>2CMS3-B-E</b>	<b>10.11</b>
3/8"	3/8"	<b>3CMS3-B-E</b>	<b>13.02</b>
	1/2"	<b>3CMS4-B-E</b>	<b>13.02</b>
1/2"	1/2"	<b>4CMS4-B-E</b>	<b>29.76</b>
	3/4"	<b>4CMS6-B-E</b>	<b>29.76</b>



**CM-Series Industrial Mold Interchange Valved Coupler Hose Barb**

Body Size	Hose ID	Brass	
		Part #	Price/E
1/4"	1/4"	<b>2CMS2-B</b>	<b>\$11.59</b>
	5/16"	<b>2CMS2.5-B</b>	<b>11.68</b>
	3/8"	<b>2CMS3-B</b>	<b>17.17</b>
3/8"	3/8"	<b>3CMS3-B</b>	<b>17.50</b>
	1/2"	<b>3CMS4-B</b>	<b>17.50</b>



**CM-Series Industrial Mold Interchange Unvalved Coupler Push-Loc Barb**

Body Size	Hose ID	Brass	
		Part #	Price/E
1/4"	1/4"	<b>2CMB2-B-E</b>	<b>\$11.23</b>
	3/8"	<b>2CMB3-B-E</b>	<b>11.23</b>
3/8"	3/8"	<b>3CMB3-B-E</b>	<b>15.16</b>
	1/2"	<b>3CMB4-B-E</b>	<b>15.16</b>
1/2"	1/2"	<b>4CMB4-B-E</b>	<b>29.76</b>
	3/4"	<b>4CMB6-B-E</b>	<b>29.76</b>



## CM-Series Industrial Mold Interchange Valved Coupler Push-Loc Barb



Body Size	Hose ID	Brass	
		Part #	Price/E
1/4"	1/4"	<b>2CMB2-B</b>	<b>\$14.15</b>
	3/8"	<b>2CMB3-B</b>	<b>17.50</b>
3/8"	3/8"	<b>3CMB3-B</b>	<b>18.42</b>
	1/2"	<b>3CMB4-B</b>	<b>18.42</b>

## CM-Series Industrial Mold Interchange Unvalved Coupler 45° Hose Barb



Body Size	Hose ID	Brass	
		Part #	Price/E
1/4"	1/4"	<b>2CM4S2-B-E</b>	<b>\$14.81</b>
	5/16"	<b>2CM4S2.5-B-E</b>	<b>14.81</b>
	3/8"	<b>2CM4S3-B-E</b>	<b>14.81</b>
3/8"	3/8"	<b>3CM4S3-B-E</b>	<b>19.76</b>
	1/2"	<b>3CM4S4-B-E</b>	<b>19.76</b>
1/2"	1/2"	<b>4CM4S4-B-E</b>	<b>39.96</b>
	3/4"	<b>4CM4S6-B-E</b>	<b>39.96</b>

## CM-Series Industrial Mold Interchange Valved Coupler 45° Hose Barb



Body Size	Hose ID	Brass	
		Part #	Price/E
1/4"	1/4"	<b>2CM4S2-B</b>	<b>\$17.50</b>
	5/16"	<b>2CM4S2.5-B</b>	<b>17.50</b>
	3/8"	<b>2CM4S3-B</b>	<b>17.50</b>
3/8"	3/8"	<b>3CM4S3-B</b>	<b>24.70</b>
	1/2"	<b>3CM4S4-B</b>	<b>24.70</b>

## CM-Series Industrial Mold Interchange Unvalved Coupler 45° Push-Loc Barb



Body Size	Hose ID	Brass	
		Part #	Price/E
1/4"	1/4"	<b>2CM4B2-B-E</b>	<b>\$15.81</b>
	3/8"	<b>2CM4B3-B-E</b>	<b>15.81</b>
3/8"	3/8"	<b>3CM4B3-B-E</b>	<b>21.78</b>
	1/2"	<b>3CM4B4-B-E</b>	<b>21.78</b>
1/2"	1/2"	<b>4CM4B4-B-E</b>	<b>41.12</b>
	3/4"	<b>4CM4B6-B-E</b>	<b>43.44</b>

## CM-Series Industrial Mold Interchange Valved Coupler 45° Push-Loc Barb



Body Size	Hose ID	Brass	
		Part #	Price/E
1/4"	1/4"	<b>2CM4B2-B</b>	<b>\$18.86</b>
	3/8"	<b>2CM4B3-B</b>	<b>18.86</b>
3/8"	3/8"	<b>3CM4B3-B</b>	<b>28.53</b>
	1/2"	<b>3CM4B4-B</b>	<b>28.53</b>

## CM-Series Industrial Mold Interchange Unvalved Coupler 90° Hose Barb

Body Size	Hose ID	Brass	
		Part #	Price/E
1/4"	1/4"	<b>2CM9S2-B-E</b>	<b>\$14.81</b>
	5/16"	<b>2CM9S2.5-B-E</b>	<b>14.81</b>
	3/8"	<b>2CM9S3-B-E</b>	<b>14.81</b>
3/8"	3/8"	<b>3CM9S3-B-E</b>	<b>19.76</b>
	1/2"	<b>3CM9S4-B-E</b>	<b>19.76</b>
1/2"	1/2"	<b>4CM9S4-B-E</b>	<b>46.93</b>
	3/4"	<b>4CM9S6-B-E</b>	<b>47.54</b>



Hydraulic Fittings

## CM-Series Industrial Mold Interchange Valved Coupler 90° Hose Barb

Body Size	Hose ID	Brass	
		Part #	Price/E
1/4"	1/4"	<b>2CM9S2-B</b>	<b>\$19.76</b>
	5/16"	<b>2CM9S2.5-B</b>	<b>19.76</b>
	3/8"	<b>2CM9S3-B</b>	<b>19.76</b>
3/8"	3/8"	<b>3CM9S3-B</b>	<b>24.94</b>
	1/2"	<b>3CM9S4-B</b>	<b>24.94</b>



## CM-Series Industrial Mold Interchange Unvalved Coupler 90° Push-Loc Barb

Body Size	Hose ID	Brass	
		Part #	Price/E
1/4"	1/4"	<b>2CM9B2-B-E</b>	<b>\$15.81</b>
	3/8"	<b>2CM9B3-B-E</b>	<b>15.81</b>
3/8"	3/8"	<b>3CM9B3-B-E</b>	<b>21.78</b>
	1/2"	<b>3CM9B4-B-E</b>	<b>21.78</b>
1/2"	1/2"	<b>4CM9B4-B-E</b>	<b>39.96</b>
	3/4"	<b>4CM9B6-B-E</b>	<b>39.96</b>



## CM-Series Industrial Mold Interchange Valved Coupler 90° Push-Loc Barb

Body Size	Hose ID	Brass	
		Part #	Price/E
1/4"	1/4"	<b>2CM9B2-B</b>	<b>\$20.44</b>
	3/8"	<b>2CM9B3-B</b>	<b>20.44</b>
3/8"	3/8"	<b>3CM9B3-B</b>	<b>29.63</b>
	1/2"	<b>3CM9B4-B</b>	<b>29.63</b>



## CM-Series Industrial Mold Interchange Dust Plugs

Body Size	Lanyard	Brass	
		Part #	Price/E
1/4"	N/A	<b>2CMPC-B</b>	<b>\$4.49</b>
3/8"	N/A	<b>3CMPC-B</b>	<b>4.49</b>
1/2"	N/A	<b>4CMPC-B</b>	<b>9.96</b>



## CM-Series Industrial Mold Interchange Coupler Seal Kits

Body Size	Coupler Style	Seal Kit Contents	Silicone	
			Part #	Price/E
1/4"	all	body seal	<b>2CM-SKIT</b>	<b>\$1.76</b>
3/8"	all	body seal	<b>3CM-SKIT</b>	<b>2.01</b>
1/2"	all	body seal	<b>4CM-SKIT</b>	<b>3.38</b>



PD-Series Diagnostic Interchange Couplings

Features:

- interchangeable with ISO15171-1, Parker PD-Series, Aeroquip FD90, Tomco Series DK
- steel componentry is plated using ROHS Compliant Trivalent Chrome
- PTFE anti-extrusion ring protects main coupler O-ring from dynamic impulse pressure damage
- pressure rating **6000 PSI at 70°F (21°C)**

PD-Series Diagnostic Interchange Female NPT Couplers



Body Size	Threads	Steel	
		Part #	Price/E
1/8"	1/8" - 27 NPT	<b>1PDF1</b>	<b>\$48.52</b>
	1/4" - 18 NPT	<b>1PDF2</b>	<b>48.52</b>

PD-Series Diagnostic Interchange Male NPT Couplers



Body Size	Threads	Steel	
		Part #	Price/E
1/8"	1/4" - 18 NPT	<b>1PDM2</b>	<b>\$48.52</b>

PD-Series Diagnostic Interchange Female NPT Plugs



Body Size	Threads	Steel	
		Part #	Price/E
1/8"	1/8" - 27 NPT	<b>PD1F1</b>	<b>\$15.83</b>
	1/4" - 18 NPT	<b>PD1F2</b>	<b>11.92</b>

PD-Series Diagnostic Interchange Male Threaded Plugs



Body Size	Threads	Steel	
		Part #	Price/E
1/8"	1/8" - 27 NPT	<b>PD1M1</b>	<b>\$13.11</b>
	1/4" - 18 NPT	<b>PD1M2</b>	<b>11.92</b>
	7/16" - 20 ORB	<b>PD1OM2</b>	<b>12.81</b>
	9/16" - 18 ORB	<b>PD1OM3</b>	<b>12.51</b>

PD-Series Diagnostic Interchange Dust Caps



Body Size	Nitrile	
	Part #	Price/E
1/8"	<b>H1DC</b>	<b>\$3.16</b>



ST-Series Hydraulic Couplings

Features:

- interchangeable with Snap-Tite 71-Series
- nitrile (Buna-N) seals are standard, providing a temperature range of **-40°F to 250°F** (**-40°C to 121°C**) contact Dixon® for additional seal material options.
- Contact Dixon® for pressure ratings and other technical information.
- steel coupler sleeves are hardened to resist deformation and maximize service life
- steel nipples are hardened to provide heavy duty performance

ST-Series Snap-Tite 71 Interchange Female Threaded Couplers

Body Size	Threads	Steel		316 Stainless Steel	
		Part #	Price/E	Part #	Price/E
1/4"	1/4" - 18 NPTF	<b>2STF2</b>	<b>\$86.78</b>	<b>2STF2-SS</b>	<b>\$246.02</b>
	1/4" - 19 BSPP	<b>2STBF2</b>	<b>86.78</b>	<b>2STBF2-SS</b>	<b>246.02</b>
3/8"	1/4" - 18 NPTF	<b>3STF2</b>	<b>82.12</b>	---	---
	3/8" - 18 NPTF	<b>3STF3</b>	<b>82.12</b>	<b>3STF3-SS</b>	<b>293.54</b>
	3/8" - 19 BSPP	<b>3STBF3</b>	<b>82.12</b>	<b>3STBF3-SS</b>	<b>293.54</b>
	1/2" - 14 NPTF	<b>3STF4</b>	<b>82.12</b>	<b>3STF4-SS</b>	<b>293.54</b>
	1/2" - 14 BSPP	<b>3STBF4</b>	<b>82.12</b>	<b>3STBF4-SS</b>	<b>293.54</b>
1/2"	1/2" - 14 NPTF	<b>4STF4</b>	<b>100.45</b>	<b>4STF4-SS</b>	<b>384.51</b>
	1/2" - 14 BSPP	<b>4STBF4</b>	<b>100.45</b>	<b>4STBF4-SS</b>	<b>384.51</b>
	3/4" - 16 ORB	<b>4STOF4</b>	<b>105.03</b>	---	---
3/4"	3/4" - 14 NPTF	<b>6STF6</b>	<b>139.77</b>	<b>6STF6-SS</b>	<b>668.69</b>
	3/4" - 14 BSPP	<b>6STBF6</b>	<b>139.77</b>	<b>6STBF6-SS</b>	<b>668.69</b>
	1-1/16" - 12 ORB	<b>6STOF6</b>	<b>151.92</b>	---	---
1"	1" - 11 1/2 NPTF	<b>8STF8</b>	<b>252.80</b>	<b>8STF8-SS</b>	<b>1052.58</b>
	1" - 11 BSPP	<b>8STBF8</b>	<b>252.80</b>	<b>8STBF8-SS</b>	<b>1052.58</b>
	1-5/16" - 12 ORB	<b>8STOF8</b>	<b>278.40</b>	---	---
	1 1/4" - 11 1/2 NPTF	<b>8STF10</b>	<b>295.34</b>	<b>8STF10-SS</b>	<b>1263.10</b>
	1 1/4" - 11 BSPP	<b>8STBF10</b>	<b>295.34</b>	<b>8STBF10-SS</b>	<b>1263.10</b>
	1 5/8" - 12 ORB	<b>8STOF10</b>	<b>303.67</b>	---	---



steel



316 stainless

ST-Series Snap-Tite 71 Interchange Old Style Female Threaded Couplers

Body Size	Threads	Steel		316 Stainless Steel	
		Part #	Price/E	Part #	Price/E
1"	1" - 11 1/2 NPTF	<b>8STF8-V2</b>	<b>\$274.08</b>	---	---
	1" - 11 BSPP	<b>8STBF8-V2</b>	<b>274.08</b>	---	---
	1 1/4" - 11 1/2 NPTF	<b>8STF10-V2</b>	<b>303.69</b>	---	---
2"	1 1/2" - 11 1/2 NPTF	<b>16STF12</b>	<b>1397.71</b>	---	---
	1 1/2" - 11 BSPP	<b>16STBF12</b>	<b>1397.71</b>	---	---
	1-7/8" - 12 ORB	<b>16STOF12</b>	<b>1458.47</b>	---	---
	2" - 11 1/2 NPTF	<b>16STF16</b>	<b>1397.71</b>	<b>16STF16-SS</b>	<b>\$2352.82</b>
	2" - 11 BSPP	<b>16STBF16</b>	<b>1397.71</b>	---	---
	2 1/2" - 12 ORB	<b>16STOF16</b>	<b>1458.47</b>	---	---



steel



316 stainless

Hydraulic Fittings

ST-Series Snap-Tite 71 Interchange Female Threaded Plugs



steel



316 stainless

Body Size	Threads	Steel		316 Stainless Steel	
		Part #	Price/E	Part #	Price/E
1/4"	1/4" - 18 NPTF	<b>ST2F2</b>	<b>\$51.94</b>	<b>ST2F2-SS</b>	<b>\$118.83</b>
	1/4" - 19 BSPP	<b>ST2BF2</b>	<b>51.94</b>	<b>ST2BF2-SS</b>	<b>118.83</b>
3/8"	1/4" - 18 NPTF	<b>ST3F2</b>	<b>43.63</b>	---	---
	3/8" - 18 NPTF	<b>ST3F3</b>	<b>43.63</b>	<b>ST3F3-SS</b>	<b>124.67</b>
	3/8" - 19 BSPP	<b>ST3BF3</b>	<b>43.63</b>	<b>ST3BF3-SS</b>	<b>124.67</b>
	1/2" - 14 NPTF	<b>ST3F4</b>	<b>43.63</b>	<b>ST3F4-SS</b>	<b>124.67</b>
	1/2" - 14 BSPP	<b>ST3BF4</b>	<b>43.63</b>	<b>ST3BF4-SS</b>	<b>124.67</b>
1/2"	1/2" - 14 NPTF	<b>ST4F4</b>	<b>65.89</b>	<b>ST4F4-SS</b>	<b>138.44</b>
	1/2" - 14 BSPP	<b>ST4BF4</b>	<b>65.89</b>	<b>ST4BF4-SS</b>	<b>138.44</b>
	3/4" - 16 ORB	<b>ST4OF4</b>	<b>68.83</b>	---	---
3/4"	3/4" - 14 NPTF	<b>ST6F6</b>	<b>75.97</b>	<b>ST6F6-SS</b>	<b>309.58</b>
	3/4" - 14 BSPP	<b>ST6BF6</b>	<b>75.97</b>	<b>ST6BF6-SS</b>	<b>309.58</b>
	1-1/16" - 12 ORB	<b>ST6OF6</b>	<b>82.40</b>	---	---
1"	1" - 11 1/2 NPTF	<b>ST8F8</b>	<b>113.03</b>	<b>ST8F8-SS</b>	<b>347.83</b>
	1" - 11 BSPP	<b>ST8BF8</b>	<b>113.03</b>	<b>ST8BF8-SS</b>	<b>347.83</b>
	1-5/16" - 12 ORB	<b>ST8OF8</b>	<b>121.54</b>	---	---
	1 1/4" - 11 1/2 NPTF	<b>ST8F10</b>	<b>154.36</b>	<b>ST8F10-SS</b>	<b>427.22</b>
	1 1/4" - 11 BSPP	<b>ST8BF10</b>	<b>154.36</b>	<b>ST8BF10-SS</b>	<b>427.22</b>
	1 1/8" - 12 ORB	<b>ST8OF10</b>	<b>162.87</b>	---	---

ST-Series Snap-Tite 71 Interchange Old Style Female Threaded Plugs



steel



316 stainless

Body Size	Threads	Steel		316 Stainless Steel	
		Part #	Price/E	Part #	Price/E
1"	1" - 11 1/2 NPTF	<b>ST8F8-V2</b>	<b>\$122.17</b>	---	---
	1" - 11 BSPP	<b>ST8BF8-V2</b>	<b>122.17</b>	---	---
	1 1/4" - 11 1/2 NPTF	<b>ST8F10-V2</b>	<b>136.33</b>	---	---
2"	1 1/2" - 11 1/2 NPTF	<b>ST16F12</b>	<b>751.12</b>	---	---
	1 1/2" - 11 BSPP	<b>ST16BF12</b>	<b>751.12</b>	---	---
	1-7/8" - 12 ORB	<b>ST16OF12</b>	<b>820.40</b>	---	---
	2" - 11 1/2 NPTF	<b>ST16F16</b>	<b>751.12</b>	<b>ST16F16-SS</b>	<b>\$1609.83</b>
	2" - 11 BSPP	<b>ST16BF16</b>	<b>751.12</b>	---	---
	2 1/2" - 12 ORB	<b>ST16OF16</b>	<b>843.59</b>	---	---

## ST-Series Snap-Tite 71 Interchange Dust Plugs

Body Size	Aluminum body with steel cable	
	Part #	Price/E
1/4"	<b>2STDP-A</b>	<b>\$10.02</b>
3/8"	<b>3STDP-A</b>	<b>10.76</b>
1/2"	<b>4STDP-A</b>	<b>11.43</b>
3/4"	<b>6STDP-A</b>	<b>33.92</b>
1"	<b>8STDP-A</b>	<b>43.01</b>
1"	<b>8STDP-A-V2</b>	<b>43.01</b>
2"	<b>16STDP-A</b>	<b>103.90</b>



## ST-Series Snap-Tite 71 Interchange Dust Caps

Body Size	Aluminum body with steel cable	
	Part #	Price/E
1/4"	<b>ST2DC-A</b>	<b>\$10.02</b>
3/8"	<b>ST3DC-A</b>	<b>10.62</b>
1/2"	<b>ST4DC-A</b>	<b>14.62</b>
3/4"	<b>ST6DC-A</b>	<b>29.26</b>
1"	<b>ST8DC-A</b>	<b>38.07</b>
1"	<b>ST8DC-A-V2</b>	<b>38.07</b>
2"	<b>ST16DC-A</b>	<b>113.11</b>



## ST-Series Snap-Tite 71 Interchange Bulkhead Kits

Body Size	Mounting Hole ID	Seal Kit Contents	Steel	
			Part #	Price/E
1/4"	1.250"	two 360° retaining rings	<b>2ST-BMK</b>	<b>\$4.44</b>
3/8"	1.625"	two 360° retaining rings	<b>3ST-BMK</b>	<b>4.86</b>
1/2"	2.000"	two 360° retaining rings	<b>4ST-BMK</b>	<b>5.32</b>
3/4"	2.375"	two 360° retaining rings	<b>6ST-BMK</b>	<b>6.01</b>

## ST-Series Snap-Tite 71 Interchange Coupler Seal Kits

Body Size	Coupler Style	Seal Kit Contents	Nitrile	
			Part #	Price/E
1/4"	all	two seals and anti-extrusion rings	<b>2ST-SKIT</b>	<b>\$5.02</b>
3/8"	all	two seals and anti-extrusion rings	<b>3ST-SKIT</b>	<b>5.64</b>
1/2"	all	two seals and anti-extrusion rings	<b>4ST-SKIT</b>	<b>6.12</b>
3/4"	all	two seals and anti-extrusion rings	<b>6ST-SKIT</b>	<b>6.55</b>
1"	all	two seals and anti-extrusion rings	<b>8ST-SKIT</b>	<b>6.72</b>
1"	all	three seals and two anti-extrusion rings	<b>8ST-SKIT-V2</b>	<b>6.72</b>
2"	all	three seals and two anti-extrusion rings	<b>16ST-SKIT</b>	<b>7.91</b>



## ST-Series Snap-Tite 71 Interchange Plug Seal Kits

Body Size	Coupler Style	Seal Kit Contents	Nitrile	
			Part #	Price/E
1/4"	all	valve O-ring / back-up and adapter O-ring	<b>ST2-SKIT</b>	<b>\$4.69</b>
3/8"	all	valve O-ring / back-up and adapter O-ring	<b>ST3-SKIT</b>	<b>5.36</b>
1/2"	all	valve O-ring / back-up and adapter O-ring	<b>ST4-SKIT</b>	<b>5.72</b>
3/4"	all	valve O-ring / back-up and adapter O-ring	<b>ST6-SKIT</b>	<b>6.17</b>
1"	all	valve O-ring / back-up and adapter O-ring	<b>ST8-SKIT</b>	<b>6.37</b>
2"	all	main valve seal	<b>ST16-SKIT</b>	<b>7.64</b>

## H-BOP Series Hydraulic Couplings

### Application:

- designed specifically for blow-out preventer systems on drilling rigs

### Features:

- fire tested and Lloyd's certified to **1300°F (700°C)** in accordance with API 16D; certificate available upon request
- pressure rating **5000 PSI at 70°F (21°C)**
- steel coupler sleeves are hardened to resist deformation and maximize service life
- individually marked with the BOP series designation
- interchangeable with ISO7241 Series B, Eaton/Hansen HKFR-Series, DNP HNV-BOP Series

### H-BOP Series Blowout Prevention Safety Female Couplers



Body Size	Female Threads	Steel		316 Stainless Steel	
		Part #	Price/E	Part #	Price/E
3/8"	3/8" - 18 NPTF	<b>3HF3-BOP</b>	<b>\$89.26</b>	<b>3HF3-SS-BOP</b>	<b>\$223.15</b>
1/2"	1/2" - 14 NPTF	<b>4HF4-BOP</b>	<b>105.46</b>	<b>4HF4-SS-BOP</b>	<b>339.26</b>
3/4"	3/4" - 14 NPTF	<b>6HF6-BOP</b>	<b>121.42</b>	<b>6HF6-SS-BOP</b>	<b>512.51</b>
1"	1" - 11½ NPTF	<b>8HF8-BOP</b>	<b>154.08</b>	<b>8HF8-SS-BOP</b>	<b>779.59</b>

### H-BOP Series Blowout Prevention Safety Female Plugs



Body Size	Female Threads	Steel		316 Stainless Steel	
		Part #	Price/E	Part #	Price/E
3/8"	3/8" - 18 NPTF	<b>H3F3-BOP</b>	<b>\$50.73</b>	<b>H3F3-SS-BOP</b>	<b>\$126.83</b>
1/2"	1/2" - 14 NPTF	<b>H4F4-BOP</b>	<b>65.04</b>	<b>H4F4-SS-BOP</b>	<b>158.80</b>
3/4"	3/4" - 14 NPTF	<b>H6F6-BOP</b>	<b>78.35</b>	<b>H6F6-SS-BOP</b>	<b>223.76</b>
1"	1" - 11½ NPTF	<b>H8F8-BOP</b>	<b>103.04</b>	<b>H8F8-SS-BOP</b>	<b>353.70</b>

E-Series Hydraulic Couplings

Features:

- couplers have no internal valves which provide maximum flow with minimum pressure drop
- Buna-N seal standard, contact Dixon® for additional seal material options.
- Contact Dixon® for pressure ratings and other technical information.
- interchanges with Parker-Hannifin SST/BST, Foster FST and Hansen ST couplings
- *Do not disconnect with pressure in line.*



E-Series Straight Through Interchange Female Threaded Couplers

Body Size	Threads	Previous Part #	Brass		Previous Part #	303 Stainless Steel	
			Part #	Price/E		Part #	Price/E
1/8"	1/8" - 27 NPTF	---	<b>1EF1-B</b>	<b>\$8.37</b>	---	<b>1EF1-S</b>	<b>\$38.88</b>
1/4"	1/4" - 18 NPTF	STFC2	<b>2EF2-B</b>	<b>8.37</b>	STFC2SS	<b>2EF2-S</b>	<b>42.81</b>
	1/4" - 19 BSPP	---	<b>2EBF2-B</b>	<b>9.57</b>	---	---	---
3/8"	3/8" - 18 NPTF	STFC3	<b>3EF3-B</b>	<b>10.33</b>	STFC3SS	<b>3EF3-S</b>	<b>56.68</b>
	3/8" - 19 BSPP	---	<b>3EBF3-B</b>	<b>10.92</b>	---	---	---
1/2"	1/2" - 14 NPTF	STFC4	<b>4EF4-B</b>	<b>14.91</b>	STFC4SS	<b>4EF4-S</b>	<b>64.94</b>
	1/2" - 14 BSPP	---	<b>4EBF4-B</b>	<b>17.21</b>	---	---	---
3/4"	3/4" - 14 NPTF	STFC6	<b>6EF6-B</b>	<b>28.69</b>	STFC6SS	<b>6EF6-S</b>	<b>113.35</b>
	3/4" - 14 BSPP	---	<b>6EBF6-B</b>	<b>29.54</b>	---	---	---
1"	1" - 11 1/2 NPTF	STFC8	<b>8EF8-B</b>	<b>41.30</b>	STFC8SS	<b>8EF8-S</b>	<b>165.30</b>
	1" - 11 BSPP	---	<b>8EBF8-B</b>	<b>45.02</b>	---	---	---
1 1/4"	1 1/4" - 11 1/2 NPTF	STFC10	<b>10EF10-B</b>	<b>111.56</b>	---	<b>10EF10-S</b>	<b>294.22</b>
1 1/2"	1 1/2" - 11 1/2 NPTF	STFC12	<b>12EF12-B</b>	<b>152.90</b>	---	<b>12EF12-S</b>	<b>426.11</b>
2"	2" - 11 1/2 NPTF	STFC16	<b>16EF16-B</b>	<b>210.64</b>	---	<b>16EF16-S</b>	<b>507.29</b>



brass



303 stainless

E-Series Straight Through Interchange Male Threaded Couplers

Body Size	Threads	Previous Part #	Brass		Previous Part #	303 Stainless Steel	
			Part #	Price/E		Part #	Price/E
1/8"	1/8" - 27 NPTF	---	<b>1EM1-B</b>	<b>\$8.37</b>	---	<b>1EM1-S</b>	<b>\$38.88</b>
1/4"	1/4" - 18 NPTF	STMC2	<b>2EM2-B</b>	<b>8.37</b>	STMC2SS	<b>2EM2-S</b>	<b>42.81</b>
3/8"	3/8" - 18 NPTF	STMC3	<b>3EM3-B</b>	<b>10.33</b>	STMC3SS	<b>3EM3-S</b>	<b>56.68</b>
1/2"	1/2" - 14 NPTF	STMC4	<b>4EM4-B</b>	<b>14.91</b>	STMC4SS	<b>4EM4-S</b>	<b>64.94</b>
3/4"	3/4" - 14 NPTF	STMC6	<b>6EM6-B</b>	<b>28.69</b>	STMC6SS	<b>6EM6-S</b>	<b>113.35</b>
1"	1" - 11 1/2 NPTF	STMC8	<b>8EM8-B</b>	<b>41.30</b>	STMC8SS	<b>8EM8-S</b>	<b>165.30</b>
1 1/4"	1 1/4" - 11 1/2 NPTF	STMC10	<b>10EM10-B</b>	<b>111.56</b>	---	---	---
1 1/2"	1 1/2" - 11 1/2 NPTF	STMC12	<b>12EM12-B</b>	<b>152.90</b>	---	---	---
2"	2" - 11 1/2 NPTF	STMC16	<b>16EM16-B</b>	<b>210.64</b>	---	---	---



brass



303 stainless

E-Series Straight Through Interchange Hose Barb Couplers

Body Size	Hose ID	Brass	
		Part #	Price/E
1/4"	1/4"	<b>2ES2-B</b>	<b>\$12.45</b>
3/8"	3/8"	<b>3ES3-B</b>	<b>13.77</b>
1/2"	1/2"	<b>4ES4-B</b>	<b>22.37</b>
3/4"	3/4"	<b>6ES6-B</b>	<b>34.42</b>
1"	1"	<b>8ES8-B</b>	<b>47.04</b>



E-Series Straight Through Interchange Female Threaded Plugs

Hydraulic Fittings



steel



brass

Body Size	Threads	Previous Part #	Steel		Previous Part #	Brass	
			Part #	Price/E		Part #	Price/E
1/8"	1/8" - 27 NPTF	---	<b>E1F1</b>	<b>\$3.31</b>	---	<b>E1F1-B</b>	<b>\$2.75</b>
1/4"	1/4" - 18 NPTF	STFP2	<b>E2F2</b>	<b>2.77</b>	STFP2B	<b>E2F2-B</b>	<b>2.99</b>
	1/4" - 19 BSPP	---	---	---	---	<b>E2BF2-B</b>	<b>3.49</b>
3/8"	3/8" - 18 NPTF	STFP3	<b>E3F3</b>	<b>4.37</b>	STFP3B	<b>E3F3-B</b>	<b>3.50</b>
	3/8" - 19 BSPP	---	---	---	---	<b>E3BF3-B</b>	<b>4.50</b>
1/2"	1/2" - 14 NPTF	STFP4	<b>E4F4</b>	<b>6.14</b>	STFP4B	<b>E4F4-B</b>	<b>6.31</b>
	1/2" - 14 BSPP	---	---	---	---	<b>E4BF4-B</b>	<b>6.76</b>
3/4"	3/4" - 14 NPTF	---	<b>E6F6</b>	<b>14.17</b>	---	<b>E6F6-B</b>	<b>11.25</b>
	3/4" - 14 BSPP	---	---	---	---	<b>E6BF6-B</b>	<b>16.07</b>
1"	1" - 11 1/2 NPTF	STFP8	<b>E8F8</b>	<b>26.56</b>	STFP8B	<b>E8F8-B</b>	<b>24.09</b>
	1" - 11 BSPP	---	---	---	---	<b>E8BF8-B</b>	<b>27.02</b>
1 1/4"	1 1/4" - 11 1/2 NPTF	STFP10	<b>E10F10</b>	<b>61.96</b>	---	<b>E10F10-B</b>	<b>54.02</b>
1 1/2"	1 1/2" - 11 1/2 NPTF	STFP12	<b>E12F12</b>	<b>99.61</b>	---	<b>E12F12-B</b>	<b>87.79</b>
2"	2" - 11 1/2 NPTF	STFP16	<b>E16F16</b>	<b>127.41</b>	---	<b>E16F16-B</b>	<b>119.30</b>



Body Size	Threads	Previous Part #	303 Stainless Steel	
			Part #	Price/E
1/8"	1/8" - 27 NPTF	---	<b>E1F1-S</b>	<b>\$19.60</b>
1/4"	1/4" - 18 NPTF	STFP2SS	<b>E2F2-S</b>	<b>17.29</b>
3/8"	3/8" - 18 NPTF	STFP3SS	<b>E3F3-S</b>	<b>23.62</b>
1/2"	1/2" - 14 NPTF	STFP4SS	<b>E4F4-S</b>	<b>33.54</b>
3/4"	3/4" - 14 NPTF	---	<b>E6F6-S</b>	<b>44.87</b>
1"	1" - 11 1/2 NPTF	STFP8SS	<b>E8F8-S</b>	<b>82.66</b>
1 1/4"	1 1/4" - 11 1/2 NPTF	---	<b>E10F10-S</b>	<b>139.00</b>
1 1/2"	1 1/2" - 11 1/2 NPTF	---	<b>E12F12-S</b>	<b>243.24</b>
2"	2" - 11 1/2 NPTF	---	<b>E16F16-S</b>	<b>312.74</b>

E-Series Straight Through Interchange Male Threaded Plugs



steel



brass

Body Size	Threads	Previous Part #	Steel		Previous Part #	Brass	
			Part #	Price/E		Part #	Price/E
1/8"	1/8" - 27 NPTF	---	<b>E1M1</b>	<b>\$3.78</b>	---	<b>E1M1-B</b>	<b>\$2.75</b>
1/4"	1/4" - 18 NPTF	STMP2	<b>E2M2</b>	<b>2.77</b>	STMP2B	<b>E2M2-B</b>	<b>2.99</b>
3/8"	3/8" - 18 NPTF	STMP3	<b>E3M3</b>	<b>4.37</b>	STMP3B	<b>E3M3-B</b>	<b>3.50</b>
1/2"	1/2" - 14 NPTF	STMP4	<b>E4M4</b>	<b>6.14</b>	STMP4B	<b>E4M4-B</b>	<b>6.31</b>
3/4"	3/4" - 14 NPTF	STMP6	<b>E6M6</b>	<b>14.17</b>	STMP6B	<b>E6M6-B</b>	<b>11.25</b>
1"	1" - 11 1/2 NPTF	STMP8	<b>E8M8</b>	<b>26.56</b>	STMP8B	<b>E8M8-B</b>	<b>24.09</b>
1 1/4"	1 1/4" - 11 1/2 NPTF	STMP10	<b>E10M10</b>	<b>69.49</b>	---	<b>E10M10-B</b>	<b>61.90</b>
1 1/2"	1 1/2" - 11 1/2 NPTF	STMP12	<b>E12M12</b>	<b>99.61</b>	---	<b>E12M12-B</b>	<b>87.79</b>
2"	2" - 11 1/2 NPTF	STMP16	<b>E16M16</b>	<b>133.20</b>	---	<b>E16M16-B</b>	<b>120.43</b>



Body Size	Threads	Previous Part #	303 Stainless	
			Part #	Price/E
1/8"	1/8" - 27 NPTF	---	<b>E1M1-S</b>	<b>\$19.60</b>
1/4"	1/4" - 18 NPTF	STMP2SS	<b>E2M2-S</b>	<b>17.29</b>
3/8"	3/8" - 18 NPTF	STMP3SS	<b>E3M3-S</b>	<b>23.62</b>
1/2"	1/2" - 14 NPTF	STMP4SS	<b>E4M4-S</b>	<b>33.54</b>
3/4"	3/4" - 14 NPTF	STMP6SS	<b>E6M6-S</b>	<b>44.87</b>
1"	1" - 11 1/2 NPTF	STMP8SS	<b>E8M8-S</b>	<b>82.66</b>

E-Series Straight Through Interchange Hose Barb Plugs

Body Size	Hose ID	Steel		Brass	
		Part #	Price/E	Part #	Price/E
1/4"	1/4"	<b>E2S2</b>	<b>\$6.03</b>	<b>E2S2-B</b>	<b>\$5.16</b>
3/8"	3/8"	<b>E3S3</b>	<b>7.80</b>	<b>E3S3-B</b>	<b>6.31</b>
1/2"	1/2"	<b>E4S4</b>	<b>14.65</b>	<b>E4S4-B</b>	<b>12.05</b>
3/4"	3/4"	<b>E6S6</b>	<b>18.53</b>	<b>E6S6-B</b>	<b>15.78</b>
1"	1"	<b>E8S8</b>	<b>37.07</b>	<b>E8S8-B</b>	<b>34.42</b>



steel




brass

Hydraulic Fittings

E-Series Straight Through Interchange Coupler Seal Kits

Body Size	Coupler Style	Seal Material	Seal Kit Contents	Nitrile		FKM		EPDM	
				Part #	Price/E	Part #	Price/E	Part #	Price/E
1/4"	all	nitrile	body O-ring	<b>2E-SKIT</b>	<b>\$0.90</b>	<b>F-2E-SKIT</b>	<b>\$1.02</b>	<b>P-2E-SKIT</b>	<b>\$1.12</b>
3/8"	all	nitrile	body O-ring	<b>3E-SKIT</b>	<b>0.90</b>	<b>F-3E-SKIT</b>	<b>1.02</b>	<b>P-3E-SKIT</b>	<b>1.12</b>
1/2"	all	nitrile	body O-ring	<b>4E-SKIT</b>	<b>1.13</b>	<b>F-4E-SKIT</b>	<b>1.78</b>	<b>P-4E-SKIT</b>	<b>1.78</b>
3/4"	all	nitrile	body O-ring	<b>6E-SKIT</b>	<b>1.18</b>	<b>F-6E-SKIT</b>	<b>1.87</b>	<b>P-6E-SKIT</b>	<b>1.87</b>
1"	all	nitrile	body O-ring	<b>8E-SKIT</b>	<b>1.63</b>	<b>F-8E-SKIT</b>	<b>2.01</b>	<b>P-8E-SKIT</b>	<b>2.01</b>
1 1/4"	all	nitrile	body O-ring	<b>10E-SKIT</b>	<b>1.63</b>	<b>F-10E-SKIT</b>	<b>2.28</b>	<b>P-10E-SKIT</b>	<b>2.28</b>
1 1/2"	all	nitrile	body O-ring	<b>12E-SKIT</b>	<b>2.04</b>	<b>F-12E-SKIT</b>	<b>2.50</b>	<b>P-12E-SKIT</b>	<b>2.50</b>
2"	all	nitrile	body O-ring	<b>16E-SKIT</b>	<b>3.22</b>	<b>F-16E-SKIT</b>	<b>3.05</b>	<b>P-16E-SKIT</b>	<b>3.05</b>

E-Series Plug Profile Chart



Industry/Competitor Interchange

Perfecting E Series  
Parker ST  
Hansen ST



## EA-Series Hydraulic Couplings

## Features:

- plug mounted sleeve guard protects against accidental disconnection
- smooth bore full-flow design ensures maximum flow with minimal pressure drop
- steel body components maximize service life by resisting the effects of brinelling and internal erosion
- heavy duty knurled sleeve with locking pin provides maximum protection against brinelling and accidental disconnection
- interchangeable with Parker WB, Aeroquip FD69, and Snap Tite 56
- pressure rating **10000 PSI at 70°F (21°C)**

## EA-Series Water-Blast Interchange Couplers



Body Size	Female Threads	Steel	
		Part #	Price/E
1/2"	3/8" - 18 NPTF	<b>4EAF3</b>	<b>\$125.17</b>
1/2"	1/2" - 14 NPTF	<b>4EAF4</b>	<b>125.17</b>

## EA-Series Water-Blast Interchange Plugs



Body Size	Female Threads	Steel	
		Part #	Price/E
1/2"	3/8" - 18 NPTF	<b>EA4F3</b>	<b>\$34.88</b>
1/2"	1/2" - 14 NPTF	<b>EA4F4</b>	<b>34.88</b>

## EA-Series Water-Blast Interchange Seal Kits

Body Size	Coupler Style	Seal Kit Contents	Nitrile	
			Part #	Price/E
1/2"	all	body O-ring and PTFE back-up	<b>4EA-SKIT</b>	<b>\$5.47</b>

Body Size	Coupler Style	Seal Kit Contents	FKM	
			Part #	Price/E
1/2"	all	body O-ring and PTFE back-up	<b>F-4EA-SKIT</b>	<b>\$6.46</b>

Body Size	Coupler Style	Seal Kit Contents	EPDM	
			Part #	Price/E
1/2"	all	body O-ring and PTFE back-up	<b>P-4EA-SKIT</b>	<b>\$6.46</b>



## W-Series Hydraulic Couplings

**Applications:**


- Designed for applications requiring a coupling that can be connected under residual pressure with minimum spillage and air inclusion. Widely used on dump trailer wet-line hydraulic systems and oil field equipment. Not recommended for continuous hydraulic impulse applications.

**Features:**

- interchangeable with Aeroquip 5100 series, Parker 6100 series and Snap-Tite 78 series
- Contact Dixon® for pressure ratings and other technical information.

### W-Series Wingstyle Interchange Female Threaded Couplers

Body Size	Threads	Previous Part #	Brass		Steel	
			Part #	Price/E	Part #	Price/E
1/4"	1/8" NPTF	---	<b>2WF1-B</b>	151.31	---	---
3/8"	1/4" NPTF	---	<b>3WF2-B</b>	130.85	---	---
	3/8" NPTF	---	<b>3WF3-B</b>	130.85	---	---
3/4"	1/2" - 14 NPTF	---	<b>6WF4-B</b>	79.57	---	---
	1/2" - 14 BSPP	---	<b>6WBF4-B</b>	74.26	---	---
	3/4" - 14 NPTF	78-600	<b>6WF6-B</b>	79.57	---	---
	3/4" - 14 BSPP	---	<b>6WBF6-B</b>	95.48	---	---
1"	1" - 11 1/2 NPTF	78-800	<b>8WF8-B</b>	97.60	<b>8WF8</b>	\$100.79
	1" - 11 BSPP	---	<b>8WBF8-B</b>	97.60	---	---
1 1/4"	1 1/4" - 11 1/2 NPTF	78-1000	<b>10WF10-B</b>	178.23	---	---
	1 1/4" - 11 BSPP	---	<b>10WBF10-B</b>	188.49	---	---
1 1/2"	1 1/2" - 11 1/2 NPTF	78-1200	<b>12WF12-B</b>	212.18	---	---
	1 1/2" - 11 BSPP	---	<b>12WBF12-B</b>	228.09	---	---



### W-Series Wingstyle Interchange Hex-Nut Female Threaded Couplers

Body Size	Threads	Brass		Steel	
		Part #	Price/E	Part #	Price/E
1/4"	1/8" NPTF	<b>2WF1-B-HN</b>	151.31	---	---
3/8"	1/4" NPTF	<b>3WF2-B-HN</b>	130.85	---	---
	3/8" NPTF	<b>3WF3-B-HN</b>	130.85	---	---
3/4"	1/2" - 14 NPTF	<b>6WF4-B-HN</b>	79.57	---	---
	1/2" - 14 BSPP	<b>6WBF4-B-HN</b>	95.48	---	---
	3/4" - 14 NPTF	<b>6WF6-B-HN</b>	79.57	---	---
	3/4" - 14 BSPP	<b>6WBF6-B-HN</b>	95.48	---	---
1"	1" - 11 1/2 NPTF	<b>8WF8-B-HN</b>	97.60	<b>8WF8-HN</b>	\$113.52
	1" - 11 BSPP	<b>8WBF8-B-HN</b>	113.52	---	---
1 1/4"	1 1/4" - 11 1/2 NPTF	<b>10WF10-B-HN</b>	178.23	---	---
	1 1/4" - 11 BSPP	<b>10WBF10-B-HN</b>	188.49	---	---
1 1/2"	1 1/2" - 11 1/2 NPTF	<b>12WF12-B-HN</b>	212.18	---	---
	1 1/2" - 11 BSPP	<b>12WBF12-B-HN</b>	228.09	---	---



W-Series Wingstyle Interchange Female Threaded Plugs

Hydraulic Fittings



brass



steel

Body Size	Threads	Previous Part #	Brass		Steel	
			Part #	Price/E	Part #	Price/E
1/4"	1/8" NPTF	---	<b>W2F1-B</b>	<b>\$79.12</b>	---	---
3/8"	1/4" NPTF	---	<b>W3F2-B</b>	<b>89.04</b>	---	---
	3/8" NPTF	---	<b>W3F3-B</b>	<b>89.04</b>	---	---
3/4"	1/2" - 14 NPTF	---	<b>W6F4-B</b>	<b>56.23</b>	---	---
	1/2" - 14 BSPP	---	<b>W6BF4-B</b>	<b>72.14</b>	---	---
	3/4" - 14 NPTF	79-600	<b>W6F6-B</b>	<b>56.23</b>	---	---
	3/4" - 14 BSPP	---	<b>W6BF6-B</b>	<b>72.14</b>	---	---
1"	1" - 11 1/2 NPTF	79-800	<b>W8F8-B</b>	<b>60.47</b>	<b>W8F8</b>	<b>\$63.65</b>
	1" - 11 BSPP	---	<b>W8BF8-B</b>	<b>76.38</b>	---	---
1 1/4"	1 1/4" - 11 1/2 NPTF	79-1000	<b>W10F10-B</b>	<b>125.19</b>	---	---
	1 1/4" - 11 BSPP	---	<b>W10BF10-B</b>	<b>141.10</b>	---	---
1 1/2"	1 1/2" - 11 1/2 NPTF	79-1200	<b>W12F12-B</b>	<b>212.18</b>	---	---
	1 1/2" - 11 BSPP	---	<b>W12BF12-B</b>	<b>228.09</b>	---	---

W-Series Wingstyle Interchange Flanges



Body Size	Bolt Hole Size	Previous Part #	Steel	
			Part #	Price/E
3/4"	0.201"	77-600	<b>W6-BMF</b>	<b>\$4.77</b>
1"	0.201"	77-800	<b>W8-BMF</b>	<b>6.37</b>
1 1/4"	0.201"	77-1000	<b>W10-BMF</b>	<b>8.49</b>
1 1/2"	0.201"	77-1200	<b>W12-BMF</b>	<b>10.61</b>

W-Series Wingstyle Interchange Dust Plugs



Body Size	Previous Part #	Steel body with steel cable	
		Part #	Price/E
1/4"	---	<b>2WDP</b>	<b>\$25.44</b>
3/8"	---	<b>3WDP</b>	<b>27.81</b>
3/4"	78-006	<b>6WDP</b>	<b>18.23</b>
1"	78-008	<b>8WDP</b>	<b>20.09</b>
1 1/4"	78-010	<b>10WDP</b>	<b>28.84</b>
1 1/2"	78-012	<b>12WDP</b>	<b>51.50</b>

W-Series Wingstyle Interchange Dust Caps



Body Size	Previous Part #	Steel body with steel cable	
		Part #	Price/E
1/4"	---	<b>W2DC</b>	<b>\$25.31</b>
3/8"	---	<b>W3DC</b>	<b>23.88</b>
3/4"	79-006	<b>W6DC</b>	<b>16.07</b>
1"	79-008	<b>W8DC</b>	<b>17.51</b>
1 1/4"	79-010	<b>W10DC</b>	<b>27.19</b>
1 1/2"	79-012	<b>W12DC</b>	<b>47.38</b>

**W-Series Wingstyle Interchange Coupler Repair Kits**

Body Size	Coupler Style	Seal Kit Contents	Nitrile	
			Part #	Price/E
¾"	all	bonded valve, O-rings, and PTFE backup	<b>6W-RKIT-V2</b>	<b>\$29.52</b>
1"	all	bonded valve, O-rings, and PTFE backup	<b>8W-RKIT-V2</b>	<b>33.85</b>
1¼"	all	bonded valve, O-rings, and PTFE backup	<b>10W-RKIT-V2</b>	<b>35.54</b>
1½"	all	bonded valve, O-rings, and PTFE backup	<b>12W-RKIT-V2</b>	<b>37.36</b>



**W-Series Wingstyle Interchange Plug Repair Kits**


Body Size	Coupler Style	Seal Kit Contents	Nitrile	
			Part #	Price/E
¾"	all	valve assembly and O-ring	<b>W6-RKIT-V2</b>	<b>\$9.92</b>
1"	all	valve assembly and O-ring	<b>W8-RKIT-V2</b>	<b>10.42</b>
1¼"	all	valve assembly and O-ring	<b>W10-RKIT-V2</b>	<b>18.06</b>
1½"	all	valve assembly and O-ring	<b>W12-RKIT-V2</b>	<b>36.36</b>



**W-Series Profile Chart**

**Industry/Competitor Interchange**

Aeroquip 5100  
Parker 6100



## WS-Series Hydraulic Couplings

**Application:**

- used extensively in oil field and off shore oil rig applications

**Feature:**

- interchanges with Snap-Tite 75 series
- Contact Dixon® for pressure ratings and other technical information.

**WS-Series High Pressure Wingstyle Interchange Female Threaded Couplers**

steel



316 stainless

Body Size	Threads	Steel		316 Stainless Steel	
		Part #	Price/E	Part #	Price/E
¾"	½" - 14 NPTF	<b>6WSF4</b>	<b>\$152.01</b>	---	---
	¾" - 14 NPTF	<b>6WSF6</b>	<b>147.67</b>	<b>6WSF6-SS</b>	<b>\$1339.25</b>
	¾" - 14 BSPP	<b>6WSBF6</b>	<b>147.67</b>	<b>6WSBF6-SS</b>	<b>1674.06</b>
	1-1/16" - 12 ORB	<b>6WSOF6</b>	<b>162.87</b>	---	---
1"	1" - 11½ NPTF	<b>8WSF8</b>	<b>221.50</b>	<b>8WSF8-SS</b>	<b>1510.95</b>
	1" - 11 BSPP	<b>8WSBF8</b>	<b>221.50</b>	<b>8WSBF8-SS</b>	<b>1888.68</b>
	1-5/16" - 12 ORB	<b>8WSOF8</b>	<b>249.73</b>	---	---
1¼"	1¼" - 11½ NPTF	<b>10WSF10</b>	<b>374.59</b>	<b>10WSF10-SS</b>	<b>2472.46</b>
	1¼" - 11 BSPP	<b>10WSBF10</b>	<b>374.59</b>	<b>10WSBF10-SS</b>	<b>3090.58</b>
1½"	1⅝" - 12 ORB	<b>10WSOF10</b>	<b>401.74</b>	---	---
	1½" - 11½ NPTF	<b>12WSF12</b>	<b>553.74</b>	<b>12WSF12-SS</b>	<b>3021.90</b>
	1½" - 11 BSPP	<b>12WSBF12</b>	<b>553.74</b>	<b>12WSBF12-SS</b>	<b>3021.90</b>
2"	1⅝" - 12 ORB	<b>12WSOF12</b>	<b>597.17</b>	---	---
	2" - 11½ NPTF	<b>16WSF16</b>	<b>750.89</b>	<b>16WSF16-SS</b>	<b>3914.74</b>
	2" - 11 BSPP	<b>16WSBF16</b>	<b>792.60</b>	<b>16WSBF16-SS</b>	<b>3914.74</b>
2"	2½" - 12 ORB	<b>16WSOF16</b>	<b>819.76</b>	---	---

**WS-Series High Pressure Wingstyle Interchange Female Threaded Plugs**

steel



316 stainless

Body Size	Threads	Steel		316 Stainless Steel	
		Part #	Price/E	Part #	Price/E
¾"	½" - 14 NPTF	<b>WS6F4</b>	<b>\$140.06</b>	---	---
	¾" - 14 NPTF	<b>WS6F6</b>	<b>135.72</b>	<b>WS6F6-SS</b>	<b>\$1098.87</b>
	¾" - 14 BSPP	<b>WS6BF6</b>	<b>135.72</b>	<b>WS6BF6-SS</b>	<b>1373.59</b>
	1-1/16" - 12 ORB	<b>WS6OF6</b>	<b>157.43</b>	---	---
1"	1" - 11½ NPTF	<b>WS8F8</b>	<b>162.87</b>	<b>WS8F8-SS</b>	<b>1236.24</b>
	1" - 11 BSPP	<b>WS8BF8</b>	<b>162.87</b>	<b>WS8BF8-SS</b>	<b>1545.29</b>
	1-5/16" - 12 ORB	<b>WS8OF8</b>	<b>190.00</b>	---	---
1¼"	1¼" - 11½ NPTF	<b>WS10F10</b>	<b>298.59</b>	<b>WS10F10-SS</b>	<b>1579.63</b>
	1¼" - 11 BSPP	<b>WS10BF10</b>	<b>298.59</b>	<b>WS10BF10-SS</b>	<b>1974.54</b>
1½"	1⅝" - 12 ORB	<b>WS10OF10</b>	<b>325.73</b>	---	---
	1½" - 11½ NPTF	<b>WS12F12</b>	<b>442.31</b>	<b>WS12F12-SS</b>	<b>1923.03</b>
	1½" - 11 BSPP	<b>WS12BF12</b>	<b>466.88</b>	<b>WS12BF12-SS</b>	<b>1923.03</b>
2"	1⅝" - 12 ORB	<b>WS12OF12</b>	<b>488.59</b>	---	---
	2" - 11½ NPTF	<b>WS16F16</b>	<b>720.03</b>	<b>WS16F16-SS</b>	<b>2541.14</b>
	2" - 11 BSPP	<b>WS16BF16</b>	<b>760.03</b>	<b>WS16BF16-SS</b>	<b>2541.14</b>
2"	2½" - 12 ORB	<b>WS16OF16</b>	<b>792.60</b>	---	---

**WS-Series High Pressure Wingstyle Interchange Dust Plugs**

Body Size	Aluminum body with steel cable	
	Part #	Price/E
¾"	<b>6WSDP-A</b>	<b>\$39.31</b>
1"	<b>8WSDP-A</b>	<b>50.40</b>
1¼"	<b>10WSDP-A</b>	<b>70.55</b>
1½"	<b>12WSDP-A</b>	<b>75.59</b>
2"	<b>16WSDP-A</b>	<b>125.98</b>



**WS-Series High Pressure Wingstyle Interchange Dust Caps**

Body Size	Aluminum body with steel cable	
	Part #	Price/E
¾"	<b>WS6DC-A</b>	<b>\$39.31</b>
1"	<b>WS8DC-A</b>	<b>50.40</b>
1¼"	<b>WS10DC-A</b>	<b>70.55</b>
1½"	<b>WS12DC-A</b>	<b>75.59</b>
2"	<b>WS16DC-A</b>	<b>125.98</b>



**WS-Series High Pressure Wingstyle Interchange Seal Kits**

Body Size	Coupler Style	Seal Kit Contents	Nitrile	
			Part #	Price/E
¾"	all	body / valve seals and retaining rings	<b>6WS-SKIT</b>	<b>\$11.88</b>
1"	all	body / valve seals and retaining rings	<b>8WS-SKIT</b>	<b>13.34</b>
1¼"	all	body / valve seals and retaining rings	<b>10WS-SKIT</b>	<b>16.01</b>
1½"	all	body / valve seals and retaining rings	<b>12WS-SKIT</b>	<b>19.20</b>
2"	all	body / valve seals and retaining rings	<b>16WS-SKIT</b>	<b>20.26</b>



**WS-Series High Pressure Wingstyle Interchange Repair Kits**

Body Size	Coupler Style	Repair Kit Contents	Nitrile	
			Part #	Price/E
¾"	all	valve assembly, O-ring, and PTFE B.U.	<b>6WS-RKIT</b>	<b>\$47.79</b>
1"	all	valve assembly, O-ring, and PTFE B.U.	<b>8WS-RKIT</b>	<b>77.04</b>
1¼"	all	valve assembly, O-ring, and PTFE B.U.	<b>10WS-RKIT</b>	<b>83.31</b>
1½"	all	valve assembly, O-ring, and PTFE B.U.	<b>12WS-RKIT</b>	<b>89.62</b>
2"	all	valve assembly, O-ring, and PTFE B.U.	<b>16WS-RKIT</b>	<b>150.48</b>



## WS-BOP Series Hydraulic Couplings

### Applications:

- designed for use in oil rig BOP systems where couplings are required to operate under fire conditions in an emergency

### Features:

- fire tested and Lloyd's certified to **1300°F (700°C)** in accordance with API 16D (Certificate #NAO 0601041/1)
- Contact Dixon® for pressure ratings and other technical information.
- Sleeve is cast using a process that provides better surface finishes, tighter tolerance control, and excellent repeatability.
- Blowout Prevention Couplings are individually marked with the BOP series designation.

### WS-BOP Series High Pressure Wingstyle Female Threaded Couplers



Body Size	Threads	Steel		316 Stainless Steel	
		Part #	Price/E	Part #	Price/E
¾"	½" - 14 NPTF	<b>6WSF4-BOP</b>	<b>\$164.17</b>	---	---
	¾" - 14 NPTF	<b>6WSF6-BOP</b>	<b>159.48</b>	<b>6WSF6-SS-BOP</b>	<b>\$1579.63</b>
1"	1" - 11½ NPTF	<b>8WSF8-BOP</b>	<b>239.22</b>	<b>8WSF8-SS-BOP</b>	<b>1648.31</b>
1¼"	1¼" - 11½ NPTF	<b>10WSF10-BOP</b>	<b>404.56</b>	<b>10WSF10-SS-BOP</b>	<b>2843.33</b>
1½"	1½" - 11½ NPTF	<b>12WSF12-BOP</b>	<b>598.04</b>	<b>12WSF12-SS-BOP</b>	<b>3475.19</b>
2"	2" - 11½ NPTF	<b>16WSF16-BOP</b>	<b>788.43</b>	<b>16WSF16-SS-BOP</b>	<b>5606.05</b>

### WS-BOP Series High Pressure Wingstyle Female Threaded Plugs



Body Size	Threads	Steel		316 Stainless Steel	
		Part #	Price/E	Part #	Price/E
¾"	½" - 14 NPTF	<b>WS6F4-BOP</b>	<b>\$151.26</b>	---	---
	¾" - 14 NPTF	<b>WS6F6-BOP</b>	<b>156.58</b>	<b>WS6F6-SS-BOP</b>	<b>\$1304.91</b>
1"	1" - 11½ NPTF	<b>WS8F8-BOP</b>	<b>175.90</b>	<b>WS8F8-SS-BOP</b>	<b>1510.95</b>
1¼"	1¼" - 11½ NPTF	<b>WS10F10-BOP</b>	<b>332.48</b>	<b>WS10F10-SS-BOP</b>	<b>1809.68</b>
1½"	1½" - 11½ NPTF	<b>WS12F12-BOP</b>	<b>464.43</b>	<b>WS12F12-SS-BOP</b>	<b>2211.48</b>
2"	2" - 11½ NPTF	<b>WS16F16-BOP</b>	<b>756.03</b>	<b>WS16F16-SS-BOP</b>	<b>3639.01</b>

### WS-BOP Series High Pressure Wingstyle Interchange Seal Kits



Body Size	Coupler Style	Repair Kit Contents	FR FKM	
			Part #	Price/E
¾"	all	body / valve seals and retaining rings	<b>6BOP-SKIT</b>	<b>\$18.60</b>
1"	all	body / valve seals and retaining rings	<b>8BOP-SKIT</b>	<b>20.87</b>
1¼"	all	body / valve seals and retaining rings	<b>10BOP-SKIT</b>	<b>22.54</b>
1½"	all	body / valve seals and retaining rings	<b>12BOP-SKIT</b>	<b>23.26</b>
2"	all	body / valve seals and retaining rings	<b>16BOP-SKIT</b>	<b>25.87</b>

## VEP-Series Hydraulic Couplings

**Features:**

- no-spill, flush face valve minimizes air inclusion during connection and spillage during disconnection
- thread-to-connect design and dual valve system in the plug allow for connecting under pressure
- design eliminates premature wear or brinelling commonly found with locking ball designs when subjected to high impulse pressures
- Zinc nickel plating provides corrosion resistance
- interchangeable with Parker FET, Stucchi VEP, DNP FSI, Holmbury HFT
- Contact Dixon® for pressure ratings and other technical information.

**VEP-Series Female Threaded Couplers**

Body Size	Threads	Steel	
		Part #	Price/E
1/4"	1/4" - 18 NPTF	<b>2VEPF2</b>	<b>\$108.77</b>
	1/4" - 19 BSPP	<b>2VEPBF2</b>	<b>108.77</b>
	9/16" - 18 ORB	<b>2VEPOF3</b>	<b>119.65</b>
3/8"	3/8" - 18 NPTF	<b>3VEPF3</b>	<b>121.80</b>
	3/8" - 19 BSPP	<b>3VEPBF3</b>	<b>123.36</b>
	3/4" - 16 ORB	<b>3VEPOF4</b>	<b>126.54</b>
	1/2" - 14 NPTF	<b>3VEPF4</b>	<b>124.53</b>
	1/2" - 14 BSPP	<b>3VEPBF4</b>	<b>123.36</b>
1/2"	1/2" - 14 NPTF	<b>4VEPF4</b>	<b>158.55</b>
	1/2" - 14 BSPP	<b>4VEPBF4</b>	<b>162.99</b>
	3/4" - 16 ORB	<b>4VEPOF4</b>	<b>164.69</b>
	7/8" - 14 ORB	<b>4VEPOF5</b>	<b>164.69</b>
	3/4" - 14 NPTF	<b>4VEPF6</b>	<b>162.65</b>
	3/4" - 14 BSPP	<b>4VEPBF6</b>	<b>162.99</b>
	1-1/16" - 12 ORB	<b>4VEPOF6</b>	<b>164.69</b>
3/4"	3/4" - 14 NPTF	<b>6VEPF6</b>	<b>206.17</b>
	3/4" - 14 BSPP	<b>6VEPBF6</b>	<b>211.11</b>
	1-1/16" - 12 ORB	<b>6VEPOF6</b>	<b>206.17</b>
1"	1" - 11 1/2 NPTF	<b>8VEPF8</b>	<b>261.27</b>
	1" - 11 BSPP	<b>8VEPBF8</b>	<b>265.86</b>
	1-5/16" - 12 ORB	<b>8VEPOF8</b>	<b>263.30</b>
1 1/4"	1 1/4" - 11 1/2 NPTF	<b>10VEPF10</b>	<b>302.10</b>
	1 1/4" - 11 BSPP	<b>10VEPBF10</b>	<b>316.90</b>
	1-5/8" - 12 ORB	<b>10VEPOF10</b>	<b>305.27</b>
1 1/2"	1 1/2" - 11 1/2 NPTF	<b>12VEPF12</b>	<b>866.42</b>
	1 1/2" - 11 BSPP	<b>12VEPBF12</b>	<b>919.16</b>
	1-7/8" - 12 ORB	<b>12VEPOF12</b>	<b>885.01</b>
2"	2" - 11 1/2 NPTF	<b>16VEPF16</b>	<b>2978.76</b>
	2" - 11 BSPP	<b>16VEPBF16</b>	<b>3535.55</b>
	2 1/2" - 12 ORB	<b>16VEPOF16</b>	<b>2978.76</b>





## VEP-Series Female Threaded Plugs

Body Size	Threads	Steel	
		Part #	Price/E
1/4"	1/4" - 18 NPTF	<b>VEP2F2</b>	<b>\$102.09</b>
	1/4" - 19 BSPP	<b>VEP2BF2</b>	<b>102.09</b>
	9/16" - 18 ORB	<b>VEP2OF3</b>	<b>112.30</b>
3/8"	3/8" - 18 NPTF	<b>VEP3F3</b>	<b>138.15</b>
	3/8" - 19 BSPP	<b>VEP3BF3</b>	<b>141.26</b>
	3/4" - 16 ORB	<b>VEP3OF4</b>	<b>142.92</b>
	1/2" - 14 NPTF	<b>VEP3F4</b>	<b>140.86</b>
	1/2" - 14 BSPP	<b>VEP3BF4</b>	<b>141.26</b>
1/2"	1/2" - 14 NPTF	<b>VEP4F4</b>	<b>158.55</b>
	1/2" - 14 BSPP	<b>VEP4BF4</b>	<b>162.99</b>
	3/4" - 16 ORB	<b>VEP4OF4</b>	<b>164.69</b>
	7/8" - 14 ORB	<b>VEP4OF5</b>	<b>164.69</b>
	3/4" - 14 NPTF	<b>VEP4F6</b>	<b>162.65</b>
	3/4" - 14 BSPP	<b>VEP4BF6</b>	<b>162.99</b>
	1-1/16" - 12 ORB	<b>VEP4OF6</b>	<b>164.69</b>
3/4"	3/4" - 14 NPTF	<b>VEP6F6</b>	<b>185.76</b>
	3/4" - 14 BSPP	<b>VEP6BF6</b>	<b>190.70</b>
	1-1/16" - 12 ORB	<b>VEP6OF6</b>	<b>185.76</b>
1"	1" - 11 1/2 NPTF	<b>VEP8F8</b>	<b>214.34</b>
	1" - 11 BSPP	<b>VEP8BF8</b>	<b>221.73</b>
	1-5/16" - 12 ORB	<b>VEP8OF8</b>	<b>216.35</b>
1 1/4"	1 1/4" - 11 1/2 NPTF	<b>VEP10F10</b>	<b>302.10</b>
	1 1/4" - 11 BSPP	<b>VEP10BF10</b>	<b>316.90</b>
	1-5/8" - 12 ORB	<b>VEP10OF10</b>	<b>305.27</b>
1 1/2"	1 1/2" - 11 1/2 NPTF	<b>VEP12F12</b>	<b>828.15</b>
	1 1/2" - 11 BSPP	<b>VEP12BF12</b>	<b>877.85</b>
	1-7/8" - 12 ORB	<b>VEP12OF12</b>	<b>847.80</b>
2"	2" - 11 1/2 NPTF	<b>VEP16F16</b>	<b>2214.99</b>
	2" - 11 BSPP	<b>VEP16BF16</b>	<b>2347.39</b>
	2 1/2" - 12 ORB	<b>VEP16OF16</b>	<b>2214.99</b>

## VEP-Series Dust Plugs

Body Size	Aluminum body with steel cable	
	Part #	Price/E
1/4"	<b>2VEPDP-A</b>	<b>\$27.01</b>
3/8"	<b>3VEPDP-A</b>	<b>31.03</b>
1/2"	<b>4VEPDP-A</b>	<b>48.55</b>
3/4"	<b>6VEPDP-A</b>	<b>51.29</b>
1"	<b>8VEPDP-A</b>	<b>52.62</b>
1 1/4"	<b>10VEPDP-A</b>	<b>53.98</b>
1 1/2"	<b>12VEPDP-A</b>	<b>134.90</b>
2"	<b>16VEPDP-A</b>	<b>197.61</b>

## VEP-Series Dust Caps

Body Size	Aluminum body with steel cable	
	Part #	Price/E
1/4"	<b>VEP2DC-A</b>	<b>\$28.34</b>
3/8"	<b>VEP3DC-A</b>	<b>36.42</b>
1/2"	<b>VEP4DC-A</b>	<b>51.29</b>
3/4"	<b>VEP6DC-A</b>	<b>53.98</b>
1"	<b>VEP8DC-A</b>	<b>59.36</b>
1 1/4"	<b>VEP10DC-A</b>	<b>56.66</b>
1 1/2"	<b>VEP12DC-A</b>	<b>172.68</b>
2"	<b>VEP16DC-A</b>	<b>262.71</b>



## VEP-BOP Series Hydraulic Couplings

## Features:

- red powder coated components and external O-rings for easy BOP service identification
- steel components are plated using ROHS compliant zinc nickel
- interchangeable with VEP/VEP-HD Series, DNP FSI-BOP Series
- pressure rating **5000 PSI at 70°F (21°C)**

## VEP-BOP Series Blowout Preventer Safety Female Threaded Couplers

Body Size	Threads	Steel	
		Part #	Price/E
3/8"	3/8" - 18 NPTF	<b>3VEPF3-BOP</b>	<b>\$140.07</b>
1/2"	1/2" - 14 NPTF	<b>4VEPF4-BOP</b>	<b>182.33</b>
3/4"	3/4" - 14 NPTF	<b>6VEPF6-BOP</b>	<b>237.10</b>
1"	1" - 11 1/2 NPTF	<b>8VEPF8-BOP</b>	<b>300.46</b>
1 1/4"	1 1/4" - 11 1/2 NPTF	<b>10VEPF10-BOP</b>	<b>347.42</b>
1 1/2"	1 1/2" - 11 1/2 NPTF	<b>12VEPF12-BOP</b>	<b>996.38</b>



## VEP-BOP Series Blowout Preventer Safety Female Threaded Plugs

Body Size	Threads	Steel	
		Part #	Price/E
3/8"	3/8" - 18 NPTF	<b>VEP3F3-BOP</b>	<b>\$158.87</b>
1/2"	1/2" - 14 NPTF	<b>VEP4F4-BOP</b>	<b>182.33</b>
3/4"	3/4" - 14 NPTF	<b>VEP6F6-BOP</b>	<b>213.62</b>
1"	1" - 11 1/2 NPTF	<b>VEP8F8-BOP</b>	<b>246.49</b>
1 1/4"	1 1/4" - 11 1/2 NPTF	<b>VEP10F10-BOP</b>	<b>347.42</b>
1 1/2"	1 1/2" - 11 1/2 NPTF	<b>VEP12F12-BOP</b>	<b>952.37</b>



## T-Series Hydraulic Couplings

**Applications:**

- Designed for extreme high pressure applications including hydraulic rams and pumps where low flow and pressures up to 10,000 PSI are encountered.

**Features:**

- interchangeable with Parker 3000 and Enerpac C 604
- polyurethane seals
- both poppet valve and ball valve styles available

**T-Series Enerpac Interchange Female NPTF Ball Coupler**

Body Size	Threads	Previous Part #	Steel		Price/E
			Part #		
3/8"	3/8" - 18 NPTF	30-300F	<b>3TF3</b>		<b>\$32.21</b>

**T-Series Enerpac Interchange Male NPTF Ball Couplers**

Body Size	Threads	Previous Part #	Steel		Threads	316 Stainless Steel	
			Part #	Price/E		Part #	Price/E
1/4"	1/4" - 18 NPTF	30-200	<b>2TM2</b>	<b>\$29.19</b>	---	---	---
3/8"	3/8" - 18 NPTF	30-300	<b>3TM3</b>	<b>32.21</b>	3/8" - 18 NPT	<b>3TM3-SS</b>	<b>\$198.34</b>

**T-Series Enerpac Interchange Male NPTF Poppet Couplers**

Body Size	Threads	Previous Part #	Steel		316 Stainless Steel	
			Part #	Price/E	Part #	Price/E
3/8"	3/8" - 18 NPT		<b>3TM3-PV</b>	<b>\$49.16</b>	<b>3TM3-SS-PV</b>	<b>\$228.69</b>

**T-Series Enerpac Interchange Female NPTF Ball Plugs**

Body Size	Threads	Previous Part #	Steel		Threads	316 Stainless Steel	
			Part #	Price/E		Part #	Price/E
1/4"	1/4" - 18 NPTF	31-200	<b>T2F2</b>	<b>\$17.52</b>	---	---	---
3/8"	3/8" - 18 NPTF	31-300	<b>T3F3</b>	<b>18.45</b>	3/8" - 18 NPT	<b>T3F3-SS</b>	<b>\$109.66</b>

**T-Series Enerpac Interchange Female NPTF Poppet Plugs**

Body Size	Threads	Previous Part #	Steel		316 Stainless Steel	
			Part #	Price/E	Part #	Price/E
3/8"	3/8" - 18 NPT		<b>T3F3-PV</b>	<b>\$27.68</b>	<b>T3F3-SS-PV</b>	<b>\$126.57</b>

**T-Series Enerpac Interchange Dust Plugs**

Body Size	Previous Part #	Steel body with rubber lanyard	
		Part #	Price/E
1/4"	30-200DP	<b>2TDP</b>	<b>\$7.50</b>
3/8"	30-300DP	<b>3TDP</b>	<b>7.50</b>



**T-Series Enerpac Interchange Dust Caps**

Body Size	Previous Part #	Steel body with steel cable	
		Part #	Price/E
1/4"	31-200DC	<b>T2DC</b>	<b>\$11.65</b>
3/8"	31-300DC	<b>T3DC</b>	<b>11.65</b>



**T-Series Enerpac Interchange Ball Coupler Seal Kits**


Body Size	Coupler Style	Seal Kit Contents	Urethane	
			Part #	Price/E
1/4"	ball valve	body seal	<b>2T-SKIT</b>	<b>\$3.86</b>
3/8"	ball valve	body seal	<b>3T-SKIT</b>	<b>4.23</b>



**T-Series Plug Profile Chart**

**Industry/Competitor Interchange**

Parker 3000  
Enerpac C604



## TR-Series Hydraulic Couplings

## Features:

- interchangeable with TEMA European, 3800, 5000, 7500, 10000 series
- nitrile seals
- valve seals are crimped in place to maintain integrity during excessive flow conditions and pressurized connection
- Contact Dixon® for pressure ratings and other technical information.

## TR-Series Tema European Interchange Female Threaded Couplers



Body Size	Threads	Steel	
		Part #	Price/E
3/8"	3/8" - 18 NPTF	<b>3TRF3</b>	<b>\$85.23</b>
	3/8" - 19 BSPP	<b>3TRBF3</b>	<b>85.23</b>
1/2"	1/2" - 14 NPTF	<b>4TRF4</b>	<b>101.21</b>
	1/2" - 14 BSPP	<b>4TRBF4</b>	<b>101.21</b>
3/4"	3/4" - 14 NPTF	<b>6TRF6</b>	<b>129.99</b>
	3/4" - 14 BSPP	<b>6TRBF6</b>	<b>129.99</b>
1"	1" - 11 1/2 NPTF	<b>8TRF8</b>	<b>196.76</b>
	1" - 11 BSPP	<b>8TRBF8</b>	<b>196.76</b>

## TR-Series Tema European Interchange Female Threaded Plugs



Body Size	Threads	Steel	
		Part #	Price/E
3/8"	3/8" - 18 NPTF	<b>TR3F3</b>	<b>\$31.00</b>
	3/8" - 19 BSPP	<b>TR3BF3</b>	<b>31.00</b>
1/2"	1/2" - 14 NPTF	<b>TR4F4</b>	<b>35.74</b>
	1/2" - 14 BSPP	<b>TR4BF4</b>	<b>35.74</b>
3/4"	3/4" - 14 NPTF	<b>TR6F6</b>	<b>56.93</b>
	3/4" - 14 BSPP	<b>TR6BF6</b>	<b>56.93</b>
1"	1" - 11 1/2 NPTF	<b>TR8F8</b>	<b>84.16</b>
	1" - 11 BSPP	<b>TR8BF8</b>	<b>84.16</b>

## TR-Series Tema European Interchange Coupler Seal Kits



Body Size	Coupler Style	Seal Kit Contents	Nitrile	
			Part #	Price/E
3/8"	all	two O-rings and one PTFE back-up ring	<b>3TR-SKIT</b>	<b>\$4.88</b>
1/2"	all	two O-rings and one PTFE back-up ring	<b>4TR-SKIT</b>	<b>5.67</b>
3/4"	all	two O-rings and one PTFE back-up ring	<b>6TR-SKIT</b>	<b>7.51</b>
1"	all	two O-rings and one PTFE back-up ring	<b>8TR-SKIT</b>	<b>9.98</b>

## CVV-Series Hydraulic Couplings

## Features:

- nitrile (Buna-N) seals are standard, providing a temperature range of **-13°F to 257°F** (**-25°C to 125°C**)
- Contact Dixon® for pressure ratings and other technical information.
- interchangeable with European Screw-Together, Inteva STG-Series, Faster CVV-Series, DNP PVV3, Voswinkel Type-HS

## CVV-Series European Interchange Female Threaded Couplers

Body Size	Threads	Steel	
		Part #	Price/E
1/4"	1/4" - 18 NPTF	<b>2CVVF2</b>	<b>\$57.76</b>
	1/4" - 19 BSPP	<b>2CVVBF2</b>	<b>57.76</b>
	M14X1.5	<b>2CVVFM1415</b>	<b>57.76</b>
3/8"	3/8" - 18 NPTF	<b>3CVVF3</b>	<b>57.76</b>
	3/8" - 19 BSPP	<b>3CVVBF3</b>	<b>57.76</b>
	M16X1.5	<b>3CVVFM1615</b>	<b>57.76</b>
1/2"	1/2" - 14 NPTF	<b>4CVVF4</b>	<b>65.83</b>
	3/4" - 16 ORB	<b>4CVVOF4</b>	<b>65.83</b>
	1/2" - 14 BSPP	<b>4CVVBF4</b>	<b>65.83</b>
	M18X1.5	<b>4CVVFM1815</b>	<b>65.83</b>
	7/8" - 14 ORB	<b>4CVVOF5</b>	<b>65.83</b>
	M22X1.5	<b>4CVVFM2215</b>	<b>65.83</b>
3/4"	3/4" - 14 NPTF	<b>6CVVF6</b>	<b>101.37</b>
	3/4" - 14 BSPP	<b>6CVVBF6</b>	<b>101.37</b>
	M22X1.5	<b>6CVVFM2215</b>	<b>101.37</b>
1"	1" - 1 1/2" NPTF	<b>8CVVF8</b>	<b>140.35</b>
	1" - 11 BSPP	<b>8CVVBF8</b>	<b>140.35</b>
1 1/4"	1 1/4" - 1 1/2" NPTF	<b>10CVVF10</b>	<b>431.22</b>
	1 1/4" - 11 BSPP	<b>10CVVBF10</b>	<b>431.22</b>



## CVV-Series European Interchange Female Threaded Plugs

Body Size	Threads	Steel	
		Part #	Price/E
1/4"	1/4" - 18 NPTF	<b>CVV2F2</b>	<b>\$40.39</b>
	1/4" - 19 BSPP	<b>CVV2BF2</b>	<b>40.39</b>
	M14X1.5	<b>CVV2FM1415</b>	<b>40.39</b>
3/8"	3/8" - 18 NPTF	<b>CVV3F3</b>	<b>40.39</b>
	3/8" - 19 BSPP	<b>CVV3BF3</b>	<b>40.39</b>
	M16X1.5	<b>CVV3FM1615</b>	<b>40.39</b>
1/2"	1/2" - 14 NPTF	<b>CVV4F4</b>	<b>52.61</b>
	3/4" - 16 ORB	<b>CVV4OF4</b>	<b>52.61</b>
	1/2" - 14 BSPP	<b>CVV4BF4</b>	<b>52.61</b>
	M18X1.5	<b>CVV4FM1815</b>	<b>52.61</b>
	7/8" - 14 ORB	<b>CVV4OF5</b>	<b>52.61</b>
	M22X1.5	<b>CVV4FM2215</b>	<b>52.61</b>
3/4"	3/4" - 14 NPTF	<b>CVV6F6</b>	<b>88.37</b>
	3/4" - 14 BSPP	<b>CVV6BF6</b>	<b>88.37</b>
	M22X1.5	<b>CVV6FM2215</b>	<b>88.37</b>
1"	1" - 1 1/2" NPTF	<b>CVV8F8</b>	<b>127.36</b>
	1" - 11 BSPP	<b>CVV8BF8</b>	<b>127.36</b>
1 1/4"	1 1/4" - 1 1/2" NPTF	<b>CVV10F10</b>	<b>316.45</b>
	1 1/4" - 11 BSPP	<b>CVV10BF10</b>	<b>316.45</b>





## CVV-Series European Interchange Dust Plugs

Body Size	Plastic	
	Part #	Price/E
1/4"	<b>2CVVDP</b>	<b>\$16.63</b>
3/8"	<b>3CVVDP</b>	<b>6.76</b>
1/2"	<b>4CVVDP</b>	<b>7.80</b>
3/4"	<b>6CVVDP</b>	<b>8.08</b>
1"	<b>8CVVDP</b>	<b>8.15</b>
1 1/4"	<b>10CVVDP</b>	<b>15.42</b>

## CVV-Series European Interchange Dust Caps



Body Size	Plastic	
	Part #	Price/E
1/4"	<b>CVV2DC</b>	<b>\$16.63</b>
3/8"	<b>CVV3DC</b>	<b>5.63</b>
1/2"	<b>CVV4DC</b>	<b>6.06</b>
3/4"	<b>CVV6DC</b>	<b>6.80</b>
1"	<b>CVV8DC</b>	<b>6.93</b>
1 1/4"	<b>CVV10DC</b>	<b>10.66</b>

## Male Flat Face Unions

## Features:

- reference SAE 520101
- pressure rating at **70°F (21°C)**

Male Flat Face	PSI	Zinc Plated Steel	
		Part #	Price/E
9/16"-18	6000	FS2403-4	\$1.95
11/16"-16	6000	FS2403-6	2.90
13/16"-16	6000	FS2403-8	3.75
1"-14	6000	FS2403-10	5.00
1-3/16"-12	6000	FS2403-12	6.70
1-7/16"-12	6000	FS2403-16	9.55



## Male Flat Face x Male SAE O-ring Boss Connectors

## Features:

- reference SAE 520120
- pressure rating at **70°F (21°C)**

Male Flat Face	Male SAE O-ring Boss	PSI	Zinc Plated Steel	
			Part #	Price/E
9/16"-18	7/16"-20	5000	FS6400-4-4	\$2.00
11/16"-16	9/16"-18	5000	FS6400-6-6	2.40
13/16"-16	3/4"-16	4500	FS6400-8-8	3.00
1"-14	7/8"-14	3500	FS6400-10-10	3.85
1-3/16"-12	1-1/16"-12	3500	FS6400-12-12	5.45
1-7/16"-12	1-5/16"-12	3000	FS6400-16-16	7.90



## Male Flat Face x Male NPTF Connectors

## Features:

- reference SAE 520102
- pressure rating at **70°F (21°C)**

Male Flat Face	Male NPTF	PSI	Zinc Plated Steel	
			Part #	Price/E
9/16"-18	1/4"-18	5000	FS2404-4-4	\$2.05
11/16"-16	3/8"-18	4000	FS2404-6-6	2.15
13/16"-16	1/2"-14	3000	FS2404-8-8	3.15
1-3/16"-12	3/4"-14	2500	FS2404-12-12	8.25
1-7/16"-12	1"-11 1/2	2000	FS2404-16-16	8.90



## Male x Female Flat Face Swivel Nut 90° Elbows

## Features:

- reference SAE 520221
- pressure rating at **70°F (21°C)**

Male Flat Face	Female Flat Face	PSI	Zinc Plated Steel	
			Part #	Price/E
9/16"-18	9/16"-18	6000	FS6500-4-4	\$7.45
11/16"-16	11/16"-16	6000	FS6500-6-6	9.30
13/16"-16	13/16"-16	6000	FS6500-8-8	11.55
1"-14	1"-14	6000	FS6500-10-10	14.30
1-3/16"-12	1-3/16"-12	6000	FS6500-12-12	15.40
1-7/16"-12	1-7/16"-12	6000	FS6500-16-16	33.70



## Male Flat Face x Male SAE O-ring Boss 90° Elbows

## Features:

- reference SAE 520220
- pressure rating at **70°F (21°C)**

Male Flat Face	Male SAE O-ring Boss	PSI	Zinc Plated Steel	
			Part #	Price/E
9/16"-18	7/16"-20	5000	FS6801-4-4	\$4.35
11/16"-16	9/16"-18	5000	FS6801-6-6	5.60
13/16"-16	3/4"-16	4500	FS6801-8-8	6.40
1"-14	7/8"-14	3500	FS6801-10-10	10.15
1-3/16"-12	1-1/16"-12	3500	FS6801-12-12	13.55
1-7/16"-12	1-5/16"-12	3000	FS6801-16-16	19.70





## Male Flat Face x Male NPTF 90° Elbows

## Features:

- reference SAE 520202
- pressure rating at 70°F (21°C)

Male Flat Face	Male NPTF	PSI	Zinc Plated Steel	
			Part #	Price/E
9/16"-18	¼"-18	5000	FS2501-4-4	\$3.35
11/16"-16	⅜"-18	4000	FS2501-6-6	4.65
13/16"-16	½"-14	3000	FS2501-8-8	6.30
1-3/16"-12	¾"-14	2500	FS2501-12-12	10.10
1-7/16"-12	1"-11½	2000	FS2501-16-16	16.85

## Male Flat Face Union Tees

## Features:

- reference SAE 520401
- pressure rating at 70°F (21°C)



Male Flat Face	Male Flat Face	Male Flat Face	PSI	Zinc Plated Steel	
				Part #	Price/E
9/16"-18	9/16"-18	9/16"-18	6000	FS2603-4	\$5.85
11/16"-16	11/16"-16	11/16"-16	6000	FS2603-6	7.85
13/16"-16	13/16"-16	13/16"-16	6000	FS2603-8	8.05
1-3/16"-12	1"-14	1"-14	6000	FS2603-10	13.20
1-7/16"-12	1-3/16"-12	1-3/16"-12	6000	FS2603-12	17.00
1-7/16"-12	1-7/16"-12	1-7/16"-12	6000	FS2603-16	26.60

## Male x Female Swivel x Male Flat Face Run Tees

## Features:

- reference SAE 520432
- pressure rating at 70°F (21°C)



Male Flat Face	Female Flat Face Swivel	Male Flat Face	PSI	Zinc Plated Steel	
				Part #	Price/E
9/16"-18	9/16"-18	9/16"-18	4500	FS6602-4	\$7.85
11/16"-16	11/16"-16	11/16"-16	4000	FS6602-6	10.35
13/16"-16	13/16"-16	13/16"-16	4000	FS6602-8	11.20
1"-14	1"-14	1"-14	3000	FS6602-10	18.05
1-3/16"-12	1-3/16"-12	1-3/16"-12	3000	FS6602-12	23.35
1-7/16"-12	1-7/16"-12	1-7/16"-12	2500	FS6602-16	34.55

## Flat Face Caps

## Features:

- reference SAE 520112
- pressure rating at 70°F (21°C)



Female Flat Face	PSI	Zinc Plated Steel	
		Part #	Price/E
9/16"-18	6000	FS304C-4	\$1.95
11/16"-16	6000	FS304C-6	2.40
13/16"-16	6000	FS304C-8	2.65
1"-14	6000	FS304C-10	3.65
1-3/16"-12	6000	FS304C-12	5.25
1-7/16"-12	6000	FS304C-16	7.20

## Flat Face Plugs

## Features:

- reference SAE 520109
- pressure rating at 70°F (21°C)



Male Flat Face	PSI	Zinc Plated Steel	
		Part #	Price/E
9/16"-18	6000	FS2408-4	\$1.65
11/16"-16	6000	FS2408-6	1.75
13/16"-16	6000	FS2408-8	2.20
1"-14	6000	FS2408-10	3.05
1-3/16"-12	6000	FS2408-12	4.50
1-7/16"-12	6000	FS2408-16	6.95



## O-ring Boss Port Reducers

## Feature:

- pressure rating at 70°F (21°C)

Male SAE O-ring Boss	Female O-ring Port	PSI	Zinc Plated Steel	
			Part #	Price/E
9/16"-18	7/16"-20	5000	6410-6-4	\$2.50
9/16"-18	3/4"-16	4500	6410-6-8	4.25
3/4"-16	7/8"-14	3500	6410-8-10	4.30
3/4"-16	9/16"-18	4500	6410-8-6	3.00
7/8"-14	1-1/16"-12	3500	6410-10-12	7.30
7/8"-14	3/4"-16	3500	6410-10-8	4.15
1-1/16"-12	7/8"-14	3000	6410-12-10	6.25
1-1/16"-12	1-5/16"-12	3000	6410-12-16	13.80



Hydraulic Fittings

## Adjustable O-ring Unions

## Feature:

- pressure rating at 70°F (21°C)

Male O-ring Boss	Adjustable O-ring Boss	PSI	Zinc Plated Steel	
			Part #	Price/E
7/16"-20	7/16"-20	4500	6403-4	\$2.80
9/16"-18	9/16"-18	4000	6403-6	3.85
3/4"-16	3/4"-16	4000	6403-8	4.90
7/8"-14	7/8"-14	3000	6403-10	5.80
1-1/16"-12	1-1/16"-12	3000	6403-12	10.60
1-5/16"-12	1-5/16"-12	2500	6403-16	11.80



## Male JIC x Male SAE O-ring Boss

## Features:

- reference SAE 070120
- pressure rating at 70°F (21°C)

Male JIC	Male SAE O-ring Boss	PSI	Zinc Plated Steel	
			Part #	Price/E
7/16"-20	7/16"-20	5000	1231-04-04	\$1.35
7/16"-20	9/16"-18	5000	1231-04-06	1.55
7/16"-20	3/4"-16	4500	1231-04-08	2.45
1/2"-20	1/2"-20	5000	1231-05-05	2.20
9/16"-18	7/16"-20	5000	1231-06-04	1.60
9/16"-18	9/16"-18	5000	1231-06-06	1.65
9/16"-18	3/4"-16	4500	1231-06-08	2.05
9/16"-18	7/8"-14	3500	1231-06-10	3.00
3/4"-16	9/16"-18	4500	1231-08-06	2.50
3/4"-16	3/4"-16	4500	1231-08-08	2.25
3/4"-16	7/8"-14	3500	1231-08-10	2.85
3/4"-16	1-1/16"-12	3500	1231-08-12	4.10
7/8"-14	3/4"-16	3500	1231-10-08	3.25
7/8"-14	7/8"-14	3500	1231-10-10	3.00
7/8"-14	1-1/16"-12	3500	1231-10-12	4.10
1-1/16"-12	7/8"-14	3500	1231-12-10	4.30
1-1/16"-12	1-1/16"-12	3500	1231-12-12	4.50
1-1/16"-12	1-5/16"-12	3000	1231-12-16	6.75
1-5/16"-12	1-1/16"-12	3000	1231-16-12	5.45
1-5/16"-12	1-5/16"-12	3000	1231-16-16	6.45
1-5/16"-12	1 5/8"-12	2500	1231-16-20	11.35
1 5/8"-12	1-5/16"-12	2500	1231-20-16	13.30
1 5/8"-12	1 5/8"-12	2500	1231-20-20	13.25



## Male O-Ring Boss x Male NPTF

## Feature:

- pressure rating at 70°F (21°C)

Male SAE O-ring Boss	Male NPTF Pipe Adapter	PSI	Zinc Plated Steel	
			Part #	Price/E
7/16"-20	1/4"-18	5000	6401-4-4	\$1.95
9/16"-18	1/4"-18	4000	6401-6-4	2.00
9/16"-18	3/8"-18	4000	6401-6-6	2.45
9/16"-18	1/2"-14	3000	6401-6-8	4.50
3/4"-16	3/8"-18	3000	6401-8-6	3.00
3/4"-16	1/2"-14	3000	6401-8-8	2.95
7/8"-14	1/2"-14	3000	6401-10-8	3.45
1-1/16"-12	3/4"-14	2500	6401-12-12	5.80
1-5/16"-12	1"-11 1/2	2000	6401-16-16	9.80



Male O-ring Boss x Female NPTF

Feature:

- pressure rating at 70°F (21°C)



Male SAE O-ring Boss	Female NPTF Pipe	PSI	Zinc Plated Steel	
			Part #	Price/E
7/16"-20	1/4"-27	5000	6405-4-2	\$2.30
7/16"-20	1/4"-18	5000	6405-4-4	2.95
7/16"-20	3/8"-18	4000	6405-4-6	2.70
9/16"-18	1/4"-18	4000	6405-6-4	2.35
9/16"-18	3/8"-18	4000	6405-6-6	3.20
9/16"-18	1/2"-14	3000	6405-6-8	5.90
3/4"-16	3/8"-18	4000	6405-8-6	3.25
3/4"-16	1/2"-14	3000	6405-8-8	4.20
7/8"-14	1/4"-18	3000	6405-10-4	4.50
7/8"-14	1/2"-14	3000	6405-10-8	4.15
7/8"-14	3/4"-14	2500	6405-10-12	7.70
1-1/16"-12	1/2"-14	3000	6405-12-8	6.40
1-1/16"-12	3/4"-14	2500	6405-12-12	6.65
1-1/16"-12	1"-11 1/2	2000	6405-12-16	7.45
1-5/16"-12	3/4"-14	2500	6405-16-12	7.25
1-5/16"-12	1"-11 1/2	2000	6405-16-16	9.10
1-5/16"-12	1 1/4"-11 1/2	1150	6405-16-20	19.10
1 5/8"-12	1"-11 1/2	2000	6405-20-16	16.00
1 5/8"-12	1 1/4"-11 1/2	1150	6405-20-20	17.25

90° Male SAE O-ring Boss x Male JIC Elbows

Features:

- reference SAE 070220
- pressure rating at 70°F (21°C)



Male SAE O-ring Boss	Male JIC	PSI	Zinc Plated Steel	
			Part #	Price/E
7/16"-20	7/16"-20	5000	1238-04-04	\$3.40
7/16"-20	9/16"-18	5000	1238-04-06	4.00
9/16"-18	7/16"-20	5000	1238-06-04	3.90
9/16"-18	9/16"-18	5000	1238-06-06	3.45
3/4"-16	9/16"-18	4500	1238-08-06	5.90
3/4"-16	3/4"-16	4500	1238-08-08	5.10
3/4"-16	7/8"-14	3500	1238-08-10	7.75
7/8"-14	3/4"-16	3500	1238-10-08	7.45
7/8"-14	7/8"-14	3500	1238-10-10	8.00
7/8"-14	1-1/16"-12	3500	1238-10-12	9.70
1-1/16"-12	7/8"-14	3500	1238-12-10	10.35
1-1/16"-12	1-1/16"-12	3500	1238-12-12	10.10
1-1/16"-12	1-5/16"-12	3000	1238-12-16	15.35
1-5/16"-16	1-1/16"-12	3000	1238-16-12	17.60
1-5/16"-12	1-5/16"-12	3000	1238-16-16	15.35
1 5/8"-12	1-5/16"-12	2500	1238-20-16	31.15
1 5/8"-12	1 5/8"-12	2500	1238-20-20	27.05
1 7/8"-12	1 7/8"-12	2000	1238-24-24	43.00

90° SAE O-ring Boss x Female NPSM Swivel Nut Elbows

Features:

- reference SAE 140257
- pressure rating at 70°F (21°C)



Male SAE O-ring Boss	Female NPSM Swivel	PSI	Zinc Plated Steel	
			Part #	Price/E
7/16"-20	1/4"-18	4500	6901-4-4	\$5.20
7/16"-20	3/8"-18	4000	6901-4-6	7.80
9/16"-18	1/4"-18	4000	6901-6-4	6.10
9/16"-18	3/8"-18	4000	6901-6-6	6.35
9/16"-18	1/2"-14	4000	6901-6-8	9.55
3/4"-16	3/8"-18	3500	6901-8-6	7.80
3/4"-16	1/2"-14	4000	6901-8-8	8.30
3/4"-16	3/4"-14	3000	6901-8-12	14.45
7/8"-14	1/2"-14	3500	6901-10-8	10.00
7/8"-14	3/4"-14	3000	6901-10-12	17.35
1-1/16"-12	1/2"-14	3500	6901-12-8	15.30
1-1/16"-12	3/4"-14	3000	6901-12-12	14.60
1-1/16"-12	1"-11 1/2	2500	6901-12-16	20.45
1-5/16"-12	3/4"-14	3000	6901-16-12	22.70
1-5/16"-12	1"-11 1/2	2500	6901-16-16	20.80
1-5/16"-12	1 1/4"-11 1/2	2000	6901-16-20	42.00
1 5/8"-12	1 1/4"-11 1/2	2000	6901-20-20	39.90

## 45° Male SAE O-ring Boss x Male JIC Elbows

## Features:

- reference SAE 070320
- pressure rating at **70°F (21°C)**

Male SAE O-ring Boss	Male JIC	PSI	Zinc Plated Steel	
			Part #	Price/E
7/16"-20	7/16"-20	5000	1240-04-04	\$3.75
9/16"-18	9/16"-18	5000	1240-06-06	4.20
9/16"-18	3/4"-16	4500	1240-06-08	6.25
3/4"-16	9/16"-18	4500	1240-08-06	7.10
3/4"-16	3/4"-16	4500	1240-08-08	6.20
3/4"-16	7/8"-14	3500	1240-08-10	9.00
7/8"-14	3/4"-16	3500	1240-10-08	7.45
7/8"-14	7/8"-14	3500	1240-10-10	7.95
7/8"-14	1-1/16"-12	3500	1240-10-12	11.40
1-1/16"-12	7/8"-14	3500	1240-12-10	10.45
1-1/16"-12	1-1/16"-12	3500	1240-12-12	10.65
1-1/16"-12	1-5/16"-12	3000	1240-12-16	16.45
1-5/16"-12	1-5/16"-12	3000	1240-16-16	15.25
1 5/8"-12	1-5/16"-12	2500	1240-20-16	35.00
1 5/8"-12	1 5/8"-12	2500	1240-20-20	34.85



Hydraulic Fittings

## Male 37° Flare x Male O-ring Boss Branch Tees

## Features:

- reference SAE 070429
- pressure rating at **70°F (21°C)**

(2) Male JIC 37°	Male SAE O-ring Boss	PSI	Zinc Plated Steel	
			Part #	Price/E
7/16"-20	7/16"-20	5000	6803-4	\$5.40
9/16"-18	9/16"-18	5000	6803-6	5.80
3/4"-16	3/4"-16	4500	6803-8	8.10
7/8"-14	7/8"-14	3500	6803-10	11.90
1-1/16"-12	1-1/16"-12	3500	6803-12	17.35
1-5/16"-12	1-5/16"-12	3000	6803-16	23.15



## SAE O-ring Boss Plugs

## Features:

- reference SAE 090109A
- pressure rating at **70°F (21°C)**

Male SAE O-ring Boss	PSI	Zinc Plated Steel	
		Part #	Price/E
7/16"-20	5000	1255-04H	\$1.00
9/16"-18	5000	1255-06H	1.10
3/4"-16	4500	1255-08H	1.65
7/8"-14	3500	1255-10H	2.05
1-1/16"-12	3500	1255-12H	2.90
1-5/16"-12	3000	1255-16H	4.15
1 5/8"-12	2500	1255-20H	7.05
1 7/8"-12	2000	1255-24H	12.60
2 1/2"-12	1500	1255-32H	32.60



## Hollow Hex O-ring Plugs

## Features:

- reference SAE 090109B
- requires Allen wrench
- pressure rating at **70°F (21°C)**

Male SAE O-ring Boss	PSI	Zinc Plated Steel	
		Part #	Price/E
7/16"-20	5000	6408HHP-4	\$0.85
9/16"-18	5000	6408HHP-6	1.10
3/4"-16	4500	6408HHP-8	1.80
7/8"-14	3500	6408HHP-10	1.95
1-1/16"-12	3500	6408HHP-12	2.60
1-5/16"-12	3000	6408HHP-16	3.90
1 5/8"-12	2500	6408HHP-20	8.15
1 7/8"-12	1500	6408HHP-24	11.95
2 1/2"-12	1500	6408HHP-32	20.65





## Male JIC 37° x Male 37° JIC

## Features:

- reference SAE 070101
- pressure rating at 70°F (21°C)

Male JIC 37°	Male JIC 37°	PSI	Zinc Plated Steel	
			Part #	Price/E
7/16"-20	7/16"-20	5000	1204-04-04	\$1.20
9/16"-18	9/16"-18	5000	1204-06-06	1.60
3/4"-16	7/16"-20	4500	1204-08-04	3.15
3/4"-16	3/4"-16	4500	1204-08-08	2.35
7/8"-14	3/4"-16	3500	1204-10-08	3.80
7/8"-14	7/8"-14	3500	1204-10-10	4.05
1-1/16"-12	3/4"-16	3500	1204-12-08	5.05
1-1/16"-12	7/8"-14	3500	1204-12-10	4.95
1-1/16"-12	1-1/16"-12	3500	1204-12-12	4.15
1-5/16"-12	1-1/16"-12	3000	1204-16-12	9.05
1-5/16"-12	1-5/16"-12	3000	1204-16-16	7.55
1 5/8"-12	1 5/8"-12	2500	1204-20-20	11.65
1 7/8"-12	1 7/8"-12	2000	1204-24-24	21.30

## Male JIC 37° Flare x Male NPTF

## Features:

- reference SAE 070102
- pressure rating at 70°F (21°C)

Male JIC 37° Flare	Male NPTF	PSI	Zinc Plated Steel		316 Stainless Steel	
			Part #	Price/E	Part #	Price/E
7/16"-20	1/8"-27	4500	2404-4-2	\$1.20	---	---
7/16"-20	1/4"-18	4500	2404-4-4	1.55	SS2404-4-4	\$15.10
7/16"-20	3/8"-18	4000	2404-4-6	2.05	---	---
7/16"-20	1/2"-18	3000	2404-4-8	4.95	---	---
1/2"-20	1/8"-27	4000	2404-5-2	2.25	---	---
9/16"-18	1/8"-27	4000	2404-6-2	1.75	---	---
9/16"-18	1/4"-18	4000	2404-6-4	1.55	---	---
9/16"-18	3/8"-18	4000	2404-6-6	2.10	SS2404-6-6	22.00
9/16"-18	1/2"-14	3000	2404-6-8	2.45	---	---
3/4"-16	1/4"-18	4000	2404-8-4	2.25	---	---
3/4"-16	3/8"-18	4000	2404-8-6	2.25	---	---
3/4"-16	1/2"-14	3000	2404-8-8	2.55	SS2404-8-8	23.50
3/4"-16	3/4"-14	2500	2404-8-12	4.20	---	---
7/8"-14	1/2"-14	3000	2404-10-8	2.75	---	---
7/8"-14	3/4"-14	2500	2404-10-12	4.05	---	---
1-1/16"-12	1/2"-14	3000	2404-12-8	5.35	---	---
1-1/16"-12	3/4"-14	2500	2404-12-12	4.20	SS2404-12-12	52.00
1-1/16"-12	1"-11 1/2	2000	2404-12-16	6.15	---	---
1-5/16"-12	3/4"-14	2500	2404-16-12	8.80	---	---
1-5/16"-12	1"-11 1/2	2000	2404-16-16	6.25	SS2404-16-16	65.00
1 5/8"-12	1 1/4"-11 1/2	1150	2404-20-20	9.55	---	---
1 7/8"-12	1 1/2"-11 1/2	1000	2404-24-24	16.60	---	---
2 1/2"-12	2"-11 1/2	1000	2404-32-32	42.00	---	---

## Male JIC 37° Flare x Female NPTF

## Features:

- reference SAE 070103
- pressure rating at 70°F (21°C)

Male JIC 37° Flare	Female NPTF	PSI	Zinc Plated Steel		316 Stainless Steel	
			Part #	Price/E	Part #	Price/E
7/16"-20	1/8"-27	4500	2405-4-2	\$2.40	---	---
7/16"-20	1/4"-18	4500	2405-4-4	2.95	SS2405-4-4	\$19.90
9/16"-18	1/4"-18	4000	2405-6-4	3.05	---	---
9/16"-18	3/8"-18	4000	2405-6-6	3.00	SS2405-6-6	25.50
9/16"-18	1/2"-14	3000	2405-6-8	4.50	---	---
3/4"-16	3/8"-18	4000	2405-8-6	3.80	---	---
3/4"-16	1/2"-14	3000	2405-8-8	4.20	SS2405-8-8	41.00
3/4"-16	3/4"-14	2500	2405-8-12	13.35	---	---
7/8"-14	1/2"-14	3000	2405-10-8	5.95	---	---
1-1/16"-12	3/4"-14	2500	2405-12-12	6.65	SS2405-12-12	67.00
1-1/16"-12	1"-11 1/2	2000	2405-12-16	20.80	---	---
1-5/16"-12	1"-11 1/2	2000	2405-16-16	9.15	SS2405-16-16	112.00
1 5/8"-12	1 1/4"-11 1/2	1150	2405-20-20	19.30	---	---



**Feature:**

- pressure rating at **70°F (21°C)**

Female JIC 37° Swivel x Male NPTF

Female JIC 37° Swivel	Male NPTF Pipe	PSI	Zinc Plated Steel	
			Part #	Price/E
7/16"-20	1/8"-27	4500	6505-4-2	\$4.90
7/16"-20	1/4"-18	4500	6505-4-4	3.30
1/2"-20	1/4"-18	4000	6505-5-4	5.05
9/16"-18	1/4"-18	4000	6505-6-4	4.45
9/16"-18	3/8"-18	4000	6505-6-6	4.25
3/4"-16	3/8"-18	4000	6505-8-6	5.35
7/8"-14	1/2"-14	3000	6505-10-8	6.80
7/8"-14	3/4"-14	2500	6505-10-12	10.75
1-1/16"-12	1/2"-14	3000	6505-12-8	9.90
1-1/16"-12	3/4"-14	2500	6505-12-12	7.95
1-5/16"-12	3/4"-14	2500	6505-16-12	15.20
1-5/16"-12	1"-1 1/2	2000	6505-16-16	14.30
1 5/8"-12	1 1/4"-11 1/2	1150	6505-20-20	19.75
1 7/8"-12	1 1/2"-11 1/2	1000	6505-24-24	32.00
2 1/2"-12	2"-11 1/2	1000	6505-32-32	51.00



**Feature:**

- pressure rating at **70°F (21°C)**

Female JIC 37° Swivel x Female NPTF

Female JIC 37° Swivel	Female NPTF	PSI	Zinc Plated Steel	
			Part #	Price/E
7/16"-20	1/4"-18	4500	6506-4-4	\$4.90
7/16"-20	3/8"-18	4000	6506-4-6	6.65
9/16"-18	1/4"-18	4000	6506-6-4	6.35
9/16"-18	3/8"-18	4000	6506-6-6	6.45
3/4"-16	1/2"-14	3000	6506-8-8	6.95
7/8"-14	1/2"-14	3000	6506-10-8	10.50
1-1/16"-12	3/4"-14	2500	6506-12-12	10.85
1-5/16"-12	1" 11/2	2000	6506-16-16	15.25



90° Male JIC 37° Flare Elbows

**Features:**

- reference SAE 070201
- pressure rating at **70°F (21°C)**

Male JIC 37° Flare	Male JIC 37° Flare	PSI	Zinc Plated Steel	
			Part #	Price/E
7/16"-20	7/16"-20	5000	1234-04-04	\$2.45
9/16"-18	9/16"-18	5000	1234-06-06	3.30
3/4"-16	3/4"-16	4500	1234-08-08	4.45
7/8"-14	7/8"-14	3500	1234-10-10	6.20
1-1/16"-12	1-1/16"-12	3500	1234-12-12	8.60
1-5/16"-12	1-5/16"-12	3000	1234-16-16	13.05
1 5/8"-12	1 5/8"-12	2500	1234-20-20	25.40



90° Male 37° JIC Flare x Female JIC 37° Flare Swivel Elbows

**Features:**

- reference SAE 070221
- pressure rating at **70°F (21°C)**

Male 37° JIC Flare	Female 37° JIC Swivel	PSI	Zinc Plated Steel	
			Part #	Price/E
7/16"-20	7/16"-20	5000	6500-4	\$3.25
9/16"-18	9/16"-18	5000	6500-6	3.65
9/16"-18	7/16"-20	5000	6500-6-4	5.40
9/16"-18	3/4"-16	4500	6500-6-8	5.90
3/4"-16	3/4"-16	4500	6500-8	5.55
3/4"-16	9/16"-18	4500	6500-8-6	6.10
3/4"-16	7/8"-14	3500	6500-8-10	9.10
7/8"-14	7/8"-14	3500	6500-10	7.30
1-1/16"-12	1-1/16"-12	3500	6500-12	9.75
1-1/16"-12	7/8"-14	3500	6500-12-10	11.65
1-5/16"-12	1-5/16"-12	3000	6500-16	17.25
1 5/8"-12	1 5/8"-12	2500	6500-20	35.55



## 90° Male JIC 37° Flare x Male NPTF Elbows

## Features:

- reference SAE 070202
- pressure rating at 70°F (21°C)



Male JIC 37° Flare	Male NPTF	PSI	Zinc Plated Steel		316 Stainless Steel	
			Part #	Price/E	Part #	Price/E
7/16"-20	1/8"-27	4500	2501-4-2	\$3.15	---	---
7/16"-20	1/4"-18	4500	2501-4-4	3.05	SS2501-4-4	\$18.90
7/16"-20	3/8"-18	4000	2501-4-6	4.10	---	---
7/16"-20	1/8"-27	4000	2501-6-2	3.75	---	---
1/2"-20	1/4"-18	4000	2501-6-4	2.80	SS2501-6-6	31.00
9/16"-18	3/8"-18	4000	2501-6-6	3.90	---	---
9/16"-18	1/2"-14	3000	2501-6-8	4.80	---	---
9/16"-18	1/4"-18	4000	2501-8-4	5.70	---	---
9/16"-18	3/8"-18	4000	2501-8-6	4.90	SS2501-8-8	47.00
3/4"-16	1/2"-14	3000	2501-8-8	5.25	---	---
3/4"-16	3/4"-14	2500	2501-8-12	7.80	---	---
3/4"-16	1/2"-14	3000	2501-10-8	6.25	---	---
3/4"-16	3/4"-14	2500	2501-10-12	8.10	---	---
7/8"-14	1/2"-14	3000	2501-12-8	8.10	SS2501-12-12	76.00
7/8"-14	3/4"-14	2500	2501-12-12	8.65	---	---
1-1/16"-12	1"-11 1/2	2000	2501-12-16	11.95	---	---
1-1/16"-12	3/4"-14	2500	2501-16-12	12.40	SS2501-16-16	110.00
1-1/16"-12	1"-11 1/2	2000	2501-16-16	12.00	---	---
1-5/16"-12	1"-11 1/2	2000	2501-20-16	28.00	---	---
1-5/16"-12	1 1/4"-11 1/2	1150	2501-20-20	23.80	---	---
1 5/8"-12	1 1/2"-11 1/2	1000	2501-24-24	41.00	---	---
1 7/8"-12	2"-11 1/2	1000	2501-32-32	87.10	---	---

## 90° Female JIC 37° Swivel x Male NPTF Elbows

## Feature:

- pressure rating at 70°F (21°C)



Female JIC 37° Swivel	Male NPTF	PSI	Zinc Plated Steel	
			Part #	Price/E
7/16"-20	1/8"-27	4500	6501-4-2	\$3.60
7/16"-20	1/4"-18	4500	6501-4-4	3.90
1/2"-20	1/8"-27	4000	6501-5-2	4.10
9/16"-18	1/4"-18	4000	6501-6-4	4.30
9/16"-18	3/8"-18	4000	6501-6-6	5.45
3/4"-16	3/8"-18	4000	6501-8-6	5.65
3/4"-16	1/2"-14	3000	6501-8-8	7.90
7/8"-14	1/2"-14	3000	6501-10-8	10.40
1-1/16"-12	3/4"-14	2500	6501-12-12	11.30
1-3/16"-12	3/4"-14	2500	6501-14-12	17.00
1-5/16"-12	1"-11 1/2	2000	6501-16-16	18.90
1 5/8"-12	1 1/4"-11 1/2	1150	6501-20-20	32.50
1 7/8"-12	1 1/2"-11 1/2	1000	6501-24-24	47.00
2 1/2"-12	2"-11 1/2	1000	6501-32-32	94.00

## 45° Male JIC 37° Flare x Female JIC 37° Swivel Elbows

## Features:

- reference SAE 070321
- pressure rating at 70°F (21°C)



Male JIC 37°	Female JIC 37° Swivel	PSI	Zinc Plated Steel	
			Part #	Price/E
7/16"-20	7/16"-20	4500	6502-4	\$3.90
9/16"-18	9/16"-18	4000	6502-6	4.30
3/4"-16	3/4"-16	4000	6502-8	4.90
7/8"-14	7/8"-14	3000	6502-10	9.15
1 1/16"-12	1 1/16"-12	3000	6502-12	10.40
1 5/16"-12	1 5/16"-12	2500	6502-16	16.95
1 5/8"-12	1 5/8"-12	2000	6502-20	35.00

**Features:**

## 45° Male JIC 37° Flare x Male NPTF Elbows

- reference SAE 070302
- pressure rating at **70°F (21°C)**

Male JIC 37° Flare	Male NPTF	PSI	Zinc Plated Steel	
			Part #	Price/E
7/16"-20	1/8"-27	4500	2503-4-2	\$2.90
7/16"-20	1/4"-18	4500	2503-4-4	3.15
9/16"-18	1/4"-18	4000	2503-6-4	3.40
9/16"-18	3/8"-18	4000	2503-6-6	3.90
3/4"-16	1/4"-18	4000	2503-8-4	4.75
3/4"-16	3/8"-18	4000	2503-8-6	4.70
3/4"-16	1/2"-14	3000	2503-8-8	5.00
7/8"-14	1/2"-14	3000	2503-10-8	6.55
7/8"-14	3/4"-14	2500	2503-10-12	7.65
1-1/16"-12	3/4"-14	2500	2503-12-12	8.00
1-5/16"-12	3/4"-14	2500	2503-16-12	13.30
1-5/16"-12	1"-11 1/2	2000	2503-16-16	14.10

**Features:**

## Male JIC 37° Flare Union Tees

- reference SAE 070401
- pressure rating at **70°F (21°C)**

Male JIC 37° Flare (3)	PSI	Zinc Plated Steel	
		Part #	Price/E
7/16"-20	5000	2603-4	\$4.75
9/16"-18	5000	2603-6	4.35
3/4"-16	4500	2603-8	7.10
7/8"-14	3500	2603-10	9.75
1-1/16"-12	3500	2603-12	13.35
1-5/16"-12	3000	2603-16	19.10

**Features:**

## Male 37° Flare x Female 37° Swivel Tees

- reference SAE 070433
- pressure rating at **70°F (21°C)**

Male JIC 37° Flare (2)	Female JIC 37° Swivel	PSI	Zinc Plated Steel	
			Part #	Price/E
7/16"-20	7/16"-20	4500	6600-4	\$5.70
9/16"-18	9/16"-18	4000	6600-6	5.90
3/4"-16	3/4"-16	4000	6600-8	7.85
1 1/16"-12	1 1/16"-12	3000	6600-12	15.85
1 5/16"-12	1 5/16"-12	2500	6600-16	25.85

**Features:**

## Male JIC 37° Flare x Female 37° Swivel Run Tees

- reference SAE 070432
- pressure rating at **70°F (21°C)**

Male JIC 37° Flare (2)	Female JIC 37° Swivel	PSI	Zinc Plated Steel	
			Part #	Price/E
7/16"-20	7/16"-20	4500	6602-4	\$5.95
9/16"-18	9/16"-18	4000	6602-6	6.45
3/4"-16	3/4"-16	4000	6602-8	8.75
7/8"-14	7/8"-14	3000	6602-10	12.80
1-1/16"-12	1-1/16"-12	3000	6602-12	15.30
1-5/16"-12	1-5/16"-12	2500	6602-16	26.15
1 5/8"-12	1 5/8"-12	2000	6602-20	54.65

**Features:**

## Male JIC 37° Flare x Male NPTF Branch Tees

- reference SAE 070425
- pressure rating at **70°F (21°C)**

Male JIC 37° Flare (2)	Male NPTF	PSI	Zinc Plated Steel	
			Part #	Price/E
7/16"-20	1/4"-18	5000	2601-4-4-4	\$5.40
9/16"-18	1/4"-18	5000	2601-6-6-4	4.75
9/16"-18	3/8"-18	4000	2601-6-6-6	7.10
3/4"-16	1/2"-14	3000	2601-8-8-8	8.55
7/8"-14	1/2"-14	3000	2601-10-10-8	9.70
1-1/16"-12	3/4"-14	2500	2601-12-12-12	13.40
1-5/16"-12	1"-11 1/2	2000	2601-16-16-16	21.45



## JIC 37° Flare Caps

## Features:

- reference SAE 070112
- pressure rating at **70°F (21°C)**



Female JIC 37° Flare	Tube OD	PSI	Zinc Plated Steel	
			Part #	Price/E
5/16"-24	1/8"	5000	0304C-2	\$1.55
7/16"-20	1/4"	5000	0304C-4	0.85
9/16"-18	3/8"	5000	0304C-6	0.95
3/4"-16	1/2"	4500	0304C-8	1.35
7/8"-14	5/8"	3500	0304C-10	1.65
1-1/16"-12	3/4"	3500	0304C-12	2.45
1-5/16"-12	1"	3000	0304C-16	3.55
1 5/8"-12	1 1/4"	2500	0304C-20	7.10
1 7/8"-12	1 1/2"	2000	0304C-24	15.85
2 1/2"-12	2"	1500	0304C-32	24.10

## JIC 37° Flare Tube Nuts

## Features:

- reference SAE 070110
- pressure rating at **70°F (21°C)**



Female JIC 37° Flare	Tube OD	PSI	Zinc Plated Steel	
			Part #	Price/E
7/16"-20	1/4"	5000	0318-4	\$0.85
9/16"-18	3/8"	5000	0318-6	1.05
3/4"-16	1/2"	4500	0318-8	1.55
7/8"-14	5/8"	3500	0318-10	1.90
1-1/16"-12	3/4"	3500	0318-12	2.55
1-5/16"-12	1"	3000	0318-16	3.45

## JIC Screw Thread Plugs

## Features:

- reference SAE 070109
- pressure rating at **70°F (21°C)**



Male JIC 37° Flare	PSI	Zinc Plated Steel	
		Part #	Price/E
5/16"-24	5000	1254-02H	\$1.55
7/16"-20	5000	1254-04H	1.15
9/16"-18	5000	1254-06H	1.20
3/4"-16	4500	1254-08H	1.40
7/8"-14	3500	1254-10H	2.75
1-1/16"-12	3500	1254-12H	2.85
1-5/16"-12	3000	1254-16H	4.00
1 5/8"-12	2500	1254-20H	6.80

## JIC 37° Flare Tube Sleeves

## Features:

- reference SAE 070115
- pressure rating at **70°F (21°C)**



Female JIC 37° Flare	PSI	Zinc Plated Steel	
		Part #	Price/E
7/16"-20	5000	0319-4	\$0.55
9/16"-18	5000	0319-6	0.70
3/4"-16	4500	0319-8	0.80
7/8"-14	3500	0319-10	1.05
1-1/16"-12	3500	0319-12	1.35
1-5/16"-12	3000	0319-16	2.45

## JIC 37° Flare Bulkhead Unions with Lock Nut

## Features:

- reference SAE 070601
- pressure rating at **70°F (21°C)**



Male JIC 37° Flare	PSI	Zinc Plated Steel	
		Part #	Price/E
7/16"-20	5000	2700LN-4	\$3.40
9/16"-18	5000	2700LN-6	3.70
3/4"-16	4500	2700LN-8	5.65
7/8"-14	3500	2700LN-10	7.45
1-1/16"-12	3500	2700LN-12	9.60
1-5/16"-12	3000	2700LN-16	13.65



## JIC 37° Flare 90° Bulkhead Elbow with Lock Nuts

**Features:**

- reference SAE 070701
- pressure rating at **70°F (21°C)**

Male JIC 37° Flare	PSI	Zinc Plated Steel	
		Part #	Price/E
7/16"-20	<b>5000</b>	<b>2701LN-4</b>	<b>\$4.50</b>
9/16"-18	<b>5000</b>	<b>2701LN-6</b>	<b>5.35</b>
¾"-16	<b>4500</b>	<b>2701LN-8</b>	<b>8.80</b>
⅞"-14	<b>3500</b>	<b>2701LN-10</b>	<b>12.45</b>
1-1/16"-12	<b>3500</b>	<b>2701LN-12</b>	<b>13.85</b>
1-5/16"-12	<b>3000</b>	<b>2701LN-16</b>	<b>19.65</b>



Hydraulic Fittings

## JIC 37° Flare Bulkhead Lock Nuts

**Features:**

- reference SAE 070118
- pressure rating at **70°F (21°C)**

Female JIC 37° Bulkhead	Tube OD	PSI	Zinc Plated Steel	
			Part #	Price/E
7/16"-20	¼"	<b>5000</b>	<b>0306-4</b>	<b>\$0.55</b>
9/16"-18	⅜"	<b>5000</b>	<b>0306-6</b>	<b>0.60</b>
¾"-16	½"	<b>4500</b>	<b>0306-8</b>	<b>0.85</b>
⅞"-14	⅝"	<b>3500</b>	<b>0306-10</b>	<b>0.95</b>
1-1/16"-12	¾"	<b>3500</b>	<b>0306-12</b>	<b>1.45</b>
1-5/16"-12	1"	<b>3000</b>	<b>0306-16</b>	<b>2.05</b>




## Straight Female Weld End Metal Hose Fittings

All fittings have 316 seamless stainless steel tubes


**Feature:**

- pressure rating at 70°F (21°C)




Female SAE 37° JIC	Tube OD	Pressure Rating PSI at 70°F	Dimension L		Tube Wall	304 Stainless Steel Nut & Sleeve		Carbon Steel Nut & Sleeve	
						Part #	Price/E	Part #	Price/E
7/16" - 20	1/4"	8650	1.500"		.049"	SFMF250	\$28.40	FMF250	\$17.30
9/16" - 18	3/8"	5550	1.500"		.049"	SFMF375	32.00	FMF375	21.20
3/4" - 16	1/2"	4050	1.500"		.049"	SFMF500	52.55	FMF500	28.65
1-1/16" - 12	3/4"	2600	1.500"		.049"	SFMF750	90.40	FMF750	42.10
1-5/16" - 12	1"	1950	2.000"		.049"	SFMF1000	141.30	FMF1000	63.45
1 5/8" - 12	1 1/4"	2050	2.375"		.065"	SFMF1250	240.15	FMF1250	126.05
1 7/8" - 12	1 1/2"	1700	2.375"		.065"	SFMF1500	407.30	FMF1500	174.95
2 1/2" - 12	2"	1250	2.500"		.065"	SFMF2000	790.55	FMF2000	325.05

## 45° Elbow Female Weld End Metal Hose Fittings



Female SAE 37° JIC	Tube OD	Pressure Rating PSI at 70°F	Dimension		Bend Radius	Tube Wall	304 Stainless Steel Nut & Sleeve		Carbon Steel Nut & Sleeve	
			A	B			Part #	Price/E	Part #	Price/E
7/16" - 20	1/4"	5000	0.750"	0.750"	0.380"	.049"	---	---	FMF250-45	\$28.70
9/16" - 18	3/8"	4500	1.000"	1.000"	0.500"	.049"	---	---	FMF375-45	38.25
3/4" - 16	1/2"	4000	1.250"	1.250"	1.000"	.049"	SFMF500-45	\$71.20	FMF500-45	69.20
1-1/16" - 12	3/4"	2600	1.450"	1.450"	1.500"	.049"	SFMF750-45	100.75	---	---
1-5/16" - 12	1"	2500	1.800"	1.800"	2.000"	.049"	SFMF1000-45	166.00	FMF1000-45	107.25
1 5/8" - 12	1 1/4"	2050	2.100"	2.100"	2.000"	.065"	SFMF1250-45	278.80	FMF1250-45	221.75
1 7/8" - 12	1 1/2"	1700	2.300"	2.300"	2.000"	.065"	SFMF1500-45	506.20	FMF1500-45	293.80
2 1/2" - 12	2"	1250	3.000"	3.000"	3.000"	.065"	SFMF2000-45	660.15	FMF2000-45	609.75

## 90° Elbow Female Weld End Metal Hose Fittings



Female SAE 37° JIC	Tube OD	Pressure Rating PSI at 70°F	Dimension		Bend Radius	Tube Wall	304 Stainless Steel Nut & Sleeve		Carbon Steel Nut & Sleeve	
			A	B			Part #	Price/E	Part #	Price/E
7/16" - 20	1/4"	5000	1.000"	1.000"	0.375"	.049"	SFMF250-90	\$37.00	FMF250-90	\$33.70
9/16" - 18	3/8"	4500	1.250"	1.250"	0.500"	.049"	SFMF375-90	42.00	FMF375-90	40.60
3/4" - 16	1/2"	4000	1.830"	1.830"	1.000"	.049"	SFMF500-90	73.80	FMF500-90	58.95
1-1/16" - 12	3/4"	2600	2.350"	2.350"	1.500"	.049"	SFMF750-90	118.00	FMF750-90	95.40
1-5/16" - 12	1"	2500	3.100"	3.100"	2.000"	.049"	SFMF1000-90	173.05	FMF1000-90	127.95
1 5/8" - 12	1 1/4"	2050	3.500"	3.500"	2.000"	.065"	SFMF1250-90	308.85	FMF1250-90	205.25
1 7/8" - 12	1 1/2"	1700	3.750"	3.750"	2.000"	.065"	SFMF1500-90	432.20	FMF1500-90	261.10
2 1/2" - 12	2"	1250	4.900"	4.900"	2.000"	.065"	SFMF2000-90	866.80	FMF2000-90	631.10

## Male NPTF Hex Pipe Nipples

## Features:

- reference SAE 140137
- pressure rating at **70°F (21°C)**

Male NPTF	Male NPTF	PSI	Zinc Plated Steel	
			Part #	Price/E
1/8"-27	1/8"-27	5000	5404-2	\$1.15
1/4"-18	1/4"-18	5000	5404-4	1.35
3/8"-18	3/8"-18	4000	5404-6	2.00
3/8"-18	1/4"-18	4000	5404-6-4	1.90
1/2"-14	1/2"-14	3000	5404-8	2.60
1/2"-14	3/8"-18	3000	5404-8-6	2.50
3/4"-14	3/4"-14	2500	5404-12	4.05
3/4"-14	1/2"-14	2500	5404-12-8	3.80
1"-11 1/2	1"-11 1/2	2000	5404-16	6.35
1"-11 1/2	3/4"-14	2000	5404-16-12	6.00
1 1/4"-11 1/2	1 1/4"-11 1/2	1150	5404-20	14.10



## Male NPTF x Female NPTF Hex Reducer Bushings

## Features:

- reference SAE 140140
- pressure rating at **70°F (21°C)**

Male NPTF	Female NPTF	PSI	Zinc Plated Steel	
			Part #	Price/E
1/4"-18	1/8"-27	5000	5406-4-2	\$1.45
3/8"-18	1/8"-27	4000	5406-6-2	1.60
3/8"-18	1/4"-18	4000	5406-6-4	1.60
1/2"-14	1/8"-27	3000	5406-8-2	2.60
1/2"-14	1/4"-18	3000	5406-8-4	2.55
1/2"-14	3/8"-18	3000	5406-8-6	2.55
3/4"-14	1/8"-27	2500	5406-12-2	4.35
3/4"-14	1/4"-18	2500	5406-12-4	4.20
3/4"-14	3/8"-18	2500	5406-12-6	3.85
3/4"-14	1/2"-14	2500	5406-12-8	3.85
1"-11 1/2	1/4"-18	2000	5406-16-4	7.50
1"-11 1/2	3/8"-18	2000	5406-16-6	7.50
1"-11 1/2	1/2"-14	2000	5406-16-8	7.25
1"-11 1/2	3/4"-14	2000	5406-16-12	7.25
1 1/4"-11 1/2	3/8"-18	1150	5406-20-6	14.75
1 1/4"-11 1/2	1/2"-14	1150	5406-20-8	14.75
1 1/4"-11 1/2	3/4"-14	1150	5406-20-12	14.75
1 1/4"-11 1/2	1"-11 1/2	1150	5406-20-16	13.90
1 1/2"-11 1/2	1/2"-14	1000	5406-24-8	21.05
1 1/2"-11 1/2	3/4"-14	1000	5406-24-12	16.80
1 1/2"-11 1/2	1"-11 1/2	1000	5406-24-16	16.80
1 1/2"-11 1/2	1 1/4"-11 1/2	1000	5406-24-20	18.10
2"-11 1/2"	1/2"-14	1000	5406-32-8	66.25
2"-11 1/2"	3/4"-14	1000	5406-32-12	37.35
2"-11 1/2"	1"-11 1/2	1000	5406-32-16	37.35
2"-11 1/2"	1 1/4"-11 1/2	1000	5406-32-20	37.35
2"-11 1/2"	1 1/2"-11 1/2	1000	5406-32-24	37.35




**Features:**

- compact design provides ease of assembly in confining areas
- designed to prevent hose stress due to twisting during assembly
- female NPSM swivel seals on a 30° seat
- male NPTF must have a 30° chamfer to seal

**Male NPTF x Female NPSM Swivel Nuts**

**Features:**

- reference SAE 140130
- pressure rating at 70°F (21°C)



Male NPTF	Female NPSM Swivel	PSI	Zinc Plated Steel	
			Part #	Price/E
1/8"-27	1/8"-27	5000	1404-2-2	\$2.55
1/8"-27	1/8"-18	4500	1404-2-4	3.10
1/4"-18	1/4"-18	4500	1404-4-4	2.90
1/4"-18	3/8"-18	4000	1404-4-6	3.85
3/8"-18	1/4"-18	4000	1404-6-4	3.90
3/8"-18	3/8"-18	4000	1404-6-6	3.80
3/8"-18	1/2"-14	4000	1404-6-8	5.10
1/2"-14	3/8"-18	3000	1404-8-6	4.90
1/2"-14	1/2"-14	3000	1404-8-8	4.75
1/2"-14	3/4"-14	3000	1404-8-12	9.30
3/4"-14	1/2"-14	2500	1404-12-8	8.80
3/4"-14	3/4"-14	2500	1404-12-12	8.55
1"-11 1/2	1"-11 1/2	2000	1404-16-16	11.55
1 1/4"-11 1/2	1 1/4"-11 1/2	1150	1404-20-20	23.95
1 1/2"-11 1/2	1 1/2"-11 1/2	1000	1404-24-24	38.25
2"-11 1/2	2"-11 1/2	1000	1404-32-32	54.15

**Female NPTF Hex Pipe Couplings**

**Features:**

- reference SAE 140138
- pressure rating at 70°F (21°C)



Female NPTF	Female NPTF	PSI	Zinc Plated Steel	
			Part #	Price/E
1/8"-27	1/8"-27	5000	5000-2	\$1.60
1/4"-18	1/4"-18	5000	5000-4	2.00
3/8"-18	3/8"-18	4000	5000-6-4	2.65
3/8"-18	3/8"-18	4000	5000-6	2.45
1/2"-14	3/8"-18	3000	5000-8-6	3.70
1/2"-14	1/2"-14	3000	5000-8	3.40
3/4"-14	3/4"-14	2500	5000-12	4.45
1"-11 1/2	3/4"-14	2000	5000-16-12	9.30
1"-11 1/2	1"-11 1/2	2000	5000-16	8.75
1 1/4"-11 1/2	1 1/4"-11 1/2	1150	5000-20	20.70

**Female NPTF x Female NPSM Swivel Nuts**

**Features:**

- reference SAE 140131
- pressure rating at 70°F (21°C)



Female NPTF	Female NPSM Swivel	PSI	Zinc Plated Steel	
			Part #	Price/E
1/8"-27	1/8"-27	5000	1405-2-2	\$3.55
1/4"-18	1/4"-18	4500	1405-4-4	3.75
3/8"-18	1/4"-18	4000	1405-6-4	5.00
3/8"-18	3/8"-18	4000	1405-6-6	5.55
3/8"-18	1/2"-14	4000	1405-6-8	6.10
1/2"-14	1/2"-14	3000	1405-8-8	5.95
3/4"-14	1/2"-14	2500	1405-12-8	8.05
3/4"-14	3/4"-14	2500	1405-12-12	10.55
1"-11 1/2	1"-11 1/2	2000	1405-16-16	16.40
1 1/4"-11 1/2	1 1/4"-11 1/2	1150	1405-20-20	27.10
1 1/2"-11 1/2	1 1/2"-11 1/2	1000	1405-24-24	27.50
2"-11 1/2	2"-11 1/2	1000	1405-32-32	72.25

**90° Male NPTF x Male NPTF Elbows**

**Features:**

- reference SAE 140237
- pressure rating at 70°F (21°C)



Male NPTF	Male NPTF	PSI	Zinc Plated Steel	
			Part #	Price/E
1/4"-18	1/4"-18	5000	5500-4	\$3.45
3/8"-18	3/8"-18	4000	5500-6	4.25
1/2"-14	1/2"-14	3000	5500-8	6.05
3/4"-14	3/4"-14	2500	5500-12	10.00
1"-11 1/2	1"-11 1/2	2000	5500-16	12.55

**Features:**

## 90° Male NPTF x Female NPTF Street Elbows

- reference 140239
- pressure rating at 70°F (21°C)

Male NPTF	Female NPTF	PSI	Zinc Plated Steel	
			Part #	Price/E
1/4"-18	1/4"-18	5000	5502-4	\$5.55
3/8"-18	3/8"-18	4000	5502-6	6.45
1/2"-14	1/2"-14	3000	5502-8	7.35
3/4"-14	3/4"-14	2500	5502-12	10.35
1"-11 1/2	1"-11 1/2	2000	5502-16	16.70
1 1/4"-11 1/2	1 1/4"-11 1/2	1150	5502-20	23.70



## 90° Male NPTF x Female NPSM Swivel Nut Elbows

**Features:**

- reference SAE 140230
- pressure rating at 70°F (21°C)

Male NPTF	Female NPSM Swivel	PSI	Zinc Plated Steel	
			Part #	Price/E
1/8"-27	1/8"-27	5000	1501-2-2	\$4.00
1/4"-18	1/4"-18	4500	1501-4-4	4.45
1/4"-18	3/8"-18	4000	1501-4-6	6.20
3/8"-18	1/4"-18	4000	1501-6-4	6.45
3/8"-18	3/8"-18	4000	1501-6-6	6.70
3/8"-18	1/2"-14	4000	1501-6-8	7.45
1/2"-14	3/8"-18	3000	1501-8-6	6.85
1/2"-14	1/2"-14	3000	1501-8-8	8.25
1/2"-14	3/4"-14	3000	1501-8-12	11.85
3/4"-14	1/2"-14	2500	1501-12-8	12.00
3/4"-14	3/4"-14	2500	1501-12-12	13.85
3/4"-14	1"-11 1/2	2000	1501-12-16	21.20
1"-11 1/2	3/4"-14	2000	1501-16-12	20.80
1"-11 1/2	1"-11 1/2	2000	1501-16-16	18.20
1"-11 1/2	1 1/4"-11 1/2	1150	1501-16-20	37.60
1 1/4"-11 1/2	1 1/4"-11 1/2	1150	1501-20-20	34.15



## 90° Female NPTF Pipe Elbows

**Features:**

- reference SAE 140237
- pressure rating at 70°F (21°C)

Female NPTF	Female NPTF	PSI	Zinc Plated Steel	
			Part #	Price/E
1/8"-27	1/8"-27	5000	5504-2	\$3.45
1/4"-18	1/4"-18	5000	5504-4	3.15
3/8"-18	3/8"-18	4000	5504-6	4.75
1/2"-14	1/2"-14	3000	5504-8	7.80
3/4"-14	3/4"-14	2500	5504-12	11.50
1"-11 1/2	1"-11 1/2	2000	5504-16	18.65



## 90° Female NPTF x Female NPSM Swivel Nut Elbows

**Features:**

- reference SAE 140251
- pressure rating at 70°F (21°C)

Female NPTF	Female NPSM Swivel	PSI	Zinc Plated Steel	
			Part #	Price/E
1/4"-18	1/4"-18	4500	1502-4-4	\$6.30
3/8"-18	3/8"-18	4000	1502-6-6	7.45
1/2"-14	1/2"-14	3000	1502-8-8	10.35
3/4"-14	3/4"-14	2500	1502-12-12	12.45
1"-11 1/2	1"-11 1/2	2000	1502-16-16	21.55



## 45° Male NPTF x Female NPSM Swivel Nut Elbows

**Features:**

- reference SAE 140330
- pressure rating at 70°F (21°C)

Male NPTF	Female NPSM Swivel	PSI	Zinc Plated Steel	
			Part #	Price/E
1/4"-18	1/4"-18	4500	1503-4-4	\$4.50
3/8"-18	3/8"-18	4000	1503-6-6	6.50
1/2"-14	1/2"-14	3000	1503-8-8	8.65
3/4"-14	3/4"-14	2500	1503-12-12	10.80
1"-11 1/2	1"-11 1/2	2000	1503-16-16	16.85





## Male NPTF Pipe Tees

## Features:

- reference SAE 140437
- pressure rating at 70°F (21°C)

Male NPTF (3)	PSI	Zinc Plated Steel	
		Part #	Price/E
¼"-18	5000	5600-4	\$5.90
⅜"-18	4000	5600-6	10.45
½"-14	3000	5600-8	12.95
¾"-14	2500	5600-12	16.20
1"-11½	2000	5600-16	23.50

## Male NPTF x Female NPTF Pipe Tees

## Features:

- reference SAE 140427
- pressure rating at 70°F (21°C)



Male NPTF (2)	Female NPTF	PSI	Zinc Plated Steel	
			Part #	Price/E
¼"-18	¼"-18	5000	5601-4	\$8.30
⅜"-18	⅜"-18	4000	5601-6	10.20
½"-14	½"-14	3000	5601-8	12.70
¾"-14	¾"-14	2500	5601-12	20.55
1"-11½	1"-11½	2000	5601-16	32.05

## Female NPTF x Male NPTF Branch Tees

## Features:

- reference SAE 140425
- pressure rating at 70°F (21°C)



Female NPTF (2)	Male NPTF	PSI	Zinc Plated Steel	
			Part #	Price/E
¼"-18	¼"-18	5000	5604-4	\$7.00
⅜"-18	⅜"-18	4000	5604-6	9.95
½"-14	½"-14	3000	5604-8	13.55
¾"-14	¾"-14	2500	5604-12	18.60
1"-11½	1"-11½	2000	5604-16	29.95

## Female NPTF Pipe Tees

## Features:

- reference 140438
- pressure rating at 70°F (21°C)



Female NPTF (3)	PSI	Zinc Plated Steel	
		Part #	Price/E
¼"-18	5000	5605-4	\$8.45
⅜"-18	4000	5605-6	10.35
½"-14	3000	5605-8	11.60
¾"-14	2500	5605-12	17.30
1"-11½	2000	5605-16	27.45

## Female NPTF Pipe Tees

## Features:

- reference 140424
- pressure rating at 70°F (21°C)



Male NPTF	Female NPTF (2)	PSI	Zinc Plated Steel	
			Part #	Price/E
⅛"-27	⅛"-27	5000	5602-2	\$4.60
¼"-18	¼"-18	5000	5602-4	5.70
⅜"-18	⅜"-18	4000	5602-6	10.35
½"-14	½"-14	3000	5602-8	13.50
¾"-14	¾"-14	2500	5602-12	16.95
1"-11½	1"-11½	2000	5602-16	30.25
1-¼"-11½	1-¼"-11½	1150	5602-20	44.85
1-½"-11½	1-½"-11½	1000	5602-24	279.95

## Female NPTF Hex Caps

## Feature:

- pressure rating at **70°F (21°C)**

Female NPTF	PSI	Zinc Plated Steel	
		Part #	Price/E
1/8"-27	5000	5406C-2	\$1.45
1/4"-18	5000	5406C-4	1.85
3/8"-18	4000	5406C-6	2.65
1/2"-14	3000	5406C-8	4.20
3/4"-14	2500	5406C-12	6.35
1"-11½	2000	5406C-16	9.65
1¼"-11½	1150	5406C-20	49.15
1½"-11½	1000	5406C-24	66.60



## Male NPTF Hex Plugs

## Features:

- reference SAE 130109C
- pressure rating at **70°F (21°C)**

Male NPTF	PSI	Zinc Plated Steel	
		Part #	Price/E
1/8"-27	5000	1251-02H	\$0.50
1/4"-18	5000	1251-04H	0.85
3/8"-18	4000	1251-06H	1.50
1/2"-14	3000	1251-08H	2.45
3/4"-14	2500	1251-12H	3.80
1"-11½	2000	1251-16H	7.05
1¼"-11½	1150	1251-20H	8.30



## Male JIC 37° Flare x Male Metric Parallel Thread

## Feature:

- pressure rating at **70°F (21°C)**

Male JIC 37° Flare	Male Metric Parallel	Zinc Plated Steel	
		Part #	Price/E
7/16"-20	M10X1.0	M7400-4-10	\$3.50
7/16"-20	M12X1.5	M7400-4-12	3.65
9/16"-18	M14X1.5	M7400-6-14	3.85
9/16"-18	M16X1.5	M7400-6-16	4.30
3/4"-16	M16X1.5	M7400-8-16	4.45
3/4"-16	M18X1.5	M7400-8-18	5.65
1-1/16"-12	M22X1.5	M7400-12-22	6.45
1-1/16"-12	M27X2.0	M7400-12-27	7.85
1-5/16"-12	M33X2.0	M7400-16-33	11.80



## Female NPTF Pipe x Male Metric Parallel Thread

## Feature:

- pressure rating at **70°F (21°C)**

Female NPTF	Male Metric Parallel	Zinc Plated Steel	
		Part #	Price/E
1/4"-18	M12X1.5	M7455-4-12	\$3.85
1/4"-18	M14X1.5	M7455-4-14	4.00
3/8"-18	M16X1.5	M7455-6-16	4.30
3/8"-18	M18X1.5	M7455-6-18	5.65
1/2"-14	M16X1.5	M7455-8-16	7.15
1/2"-14	M18X1.5	M7455-8-18	7.15
1/2"-14	M22X1.5	M7455-8-22	7.50
3/4"-14	M27X2.0	M7455-12-27	11.25
1"-11½	M33X2.0	M7455-16-33	12.50



## British Thread Adapter Male JIC 37° Flare x Male BSPP

## Feature:

- pressure rating at 70°F (21°C)



Male JIC 37° Flare	Male BSPP	PSI	Zinc Plated Steel	
			Part #	Price/E
7/16"-20	1/4"-19	5000	<b>B3800-4-4</b>	<b>\$3.30</b>
9/16"-18	3/8"-19	4000	<b>B3800-6-6</b>	<b>3.60</b>
3/4"-16	1/2"-14	3000	<b>B3800-8-8</b>	<b>4.90</b>
1-1/16"-12	3/4"-14	2500	<b>B3800-12-12</b>	<b>9.05</b>
1-5/16"-12	1"-11	2000	<b>B3800-16-16</b>	<b>10.60</b>

## British Thread Adapter Male NPTF x Male BSPP

## Feature:

- pressure rating at 70°F (21°C)



Male NPTF	Male BSPP	PSI	Zinc Plated Steel	
			Part #	Price/E
1/4"-18	1/4"-19	5000	<b>B3401-4-4</b>	<b>\$3.30</b>
3/8"-18	3/8"-19	4000	<b>B3401-6-6</b>	<b>3.70</b>
1/2"-14	1/2"-14	3000	<b>B3401-8-8</b>	<b>4.60</b>
3/4"-14	3/4"-14	2500	<b>B3401-12-12</b>	<b>7.80</b>
1"-11 1/2	1"-11	2000	<b>B3401-16-16</b>	<b>11.60</b>

## British Thread Adapter Female NPTF x Male BSPP

## Feature:

- pressure rating at 70°F (21°C)



Female NPTF	Male BSPP	PSI	Zinc Plated Steel	
			Part #	Price/E
1/4"-18	1/4"-19	5000	<b>B3455-4-4</b>	<b>\$3.85</b>
3/8"-18	3/8"-19	4000	<b>B3455-6-6</b>	<b>4.30</b>
1/2"-14	1/2"-14	3000	<b>B3455-8-8</b>	<b>7.15</b>
3/4"-14	3/4"-14	2500	<b>B3455-12-12</b>	<b>10.60</b>
1"-11 1/2	1"-11	2000	<b>B3455-16-16</b>	<b>13.30</b>

## British Thread Adapter Male JIC 37° Flare x Male BSPP 90° Elbow

## Feature:

- pressure rating at 70°F (21°C)



Male JIC 37° Flare	Male BSPP	PSI	Zinc Plated Steel	
			Part #	Price/E
7/16"-20	1/4"-19	5000	<b>B3801-4-4</b>	<b>\$6.80</b>
9/16"-18	3/8"-19	4000	<b>B3801-6-6</b>	<b>8.15</b>
3/4"-16	1/2"-14	3000	<b>B3801-8-8</b>	<b>11.80</b>
1-1/16"-12	3/4"-14	2500	<b>B3801-12-12</b>	<b>19.40</b>
1-5/16"-12	1"-11	2000	<b>B3801-16-16</b>	<b>32.50</b>

## Bonded Doughty Seal for British Thread

## Feature:

- pressure rating at 70°F (21°C)



Size	Plated Carbon Steel with Buna O-ring	
	Part #	Price/E
1/4"-18	<b>BDS04</b>	<b>\$1.25</b>
3/8"-18	<b>BDS06</b>	<b>1.50</b>
1/2"-14	<b>BDS08</b>	<b>1.80</b>
3/4"-14	<b>BDS12</b>	<b>2.30</b>
1"-11 1/2	<b>BDS16</b>	<b>3.50</b>



Hydraulic 4-Bolt Flanges

Features:

- flat face flange must be used with O-ring flange
- code 61 - standard pressure; code 62 - high pressure
- makes installation of components easier, especially in applications with limited space
- bolt kit with Buna O-ring included with O-ring flange
- no bolt kit is included with flat face flange
- also available in 316L stainless, contact Dixon® for more information

Hydraulic 4-Bolt Flange NPTF Port

Port Size	Pad Size	NPTF Thread	Code 61 Carbon Steel			
			O-ring Part #	Price/E	Flat Face Part #	Price/E
1/2"	1/2"	1/2"-14	<b>W43-8-8-U</b>	<b>\$35.50</b>	<b>W104-8-8</b>	<b>\$39.60</b>
3/4"	3/4"	3/4"-14	<b>W43-12-12-U</b>	<b>29.55</b>	<b>W104-12-12</b>	<b>27.30</b>
1"	1"	1"-11 1/2	<b>W43-16-16-U</b>	<b>32.50</b>	<b>W104-16-16</b>	<b>29.20</b>
1 1/4"	1 1/4"	1 1/4"-11 1/2	<b>W43-20-20-U</b>	<b>36.65</b>	<b>W104-20-20</b>	<b>31.55</b>
1 1/2"	1 1/2"	1 1/2"-11 1/2	<b>W43-24-24-U</b>	<b>43.75</b>	<b>W104-24-24</b>	<b>34.30</b>
2"	2"	2"-11 1/2	<b>W43-32-32-U</b>	<b>57.00</b>	<b>W104-32-32</b>	<b>49.05</b>
2 1/2"	2 1/2"	2 1/2"-8	<b>W43-40-40-U</b>	<b>81.10</b>	<b>W104-40-40</b>	<b>76.45</b>
3"	3"	3"-8	<b>W43-48-48-U</b>	<b>118.45</b>	<b>W104-48-48</b>	<b>118.45</b>

Port Size	Pad Size	NPTF Thread	Code 62 Carbon Steel			
			O-ring Part #	Price/E	Flat Face Part #	Price/E
1/2"	1/2"	1/2"-14	<b>W44-8-8-U</b>	<b>\$57.45</b>	<b>W45-8-8</b>	<b>\$59.35</b>
3/4"	3/4"	3/4"-14	<b>W44-12-12-U</b>	<b>61.70</b>	<b>W45-12-12</b>	<b>57.95</b>
1"	1"	1"-11 1/2	<b>W44-16-16-U</b>	<b>70.90</b>	<b>W45-16-16</b>	<b>64.20</b>
1 1/4"	1 1/4"	1 1/4"-11 1/2	<b>W44-20-20-U</b>	<b>91.00</b>	<b>W45-20-20</b>	<b>82.75</b>
1 1/2"	1 1/2"	1 1/2"-11 1/2	<b>W44-24-24-U</b>	<b>135.45</b>	<b>W45-24-24</b>	<b>110.40</b>
2"	2"	2"-11 1/2	<b>W44-32-32-U</b>	<b>201.15</b>	<b>W45-32-32</b>	<b>166.65</b>
2 1/2"	2 1/2"	2 1/2"-8	---	---	---	---
3"	3"	3"-8	---	---	---	---



Hydraulic 4-Bolt Flange SAE Port

Port Size	Pad Size	UN / UNF-2B Thread	Code 61 Carbon Steel			
			O-ring Part #	Price/E	Flat Face Part #	Price/E
1/2"	1/2"	3/4"-16	<b>W46-8-8-U</b>	<b>\$53.20</b>	<b>W106-8-8</b>	<b>\$49.65</b>
3/4"	3/4"	1-1/16"-12	<b>W46-12-12-U</b>	<b>32.65</b>	<b>W106-12-12</b>	<b>29.35</b>
1"	1"	1-5/16"-12	<b>W46-16-16-U</b>	<b>33.60</b>	<b>W106-16-16</b>	<b>30.30</b>
1 1/4"	1 1/4"	1 5/8"-12	<b>W46-20-20-U</b>	<b>41.60</b>	<b>W106-20-20</b>	<b>35.00</b>
1 1/2"	1 1/2"	1 7/8"-12	<b>W46-24-24-U</b>	<b>52.25</b>	<b>W106-24-24</b>	<b>46.35</b>
2"	2"	2 1/2"-12	<b>W46-32-32-U</b> <sup>1</sup>	<b>153.65</b>	<b>W106-32-32</b>	<b>172.55</b>

<sup>1</sup> 1000 PSI maximum

Port Size	Pad Size	UN / UNF-2B Thread	Code 62 Carbon Steel			
			O-ring Part #	Price/E	Flat Face Part #	Price/E
1/2"	1/2"	3/4"-16	<b>W48-8-8-U</b>	<b>\$55.10</b>	<b>W49-8-8</b>	<b>\$52.75</b>
3/4"	3/4"	1-1/16"-12	<b>W48-12-12-U</b>	<b>62.20</b>	<b>W49-12-12</b>	<b>57.95</b>
1"	1"	1-5/16"-12	<b>W48-16-16-U</b>	<b>70.00</b>	<b>W49-16-16</b>	<b>63.85</b>
1 1/4"	1 1/4"	1 5/8"-12	<b>W48-20-20-U</b>	<b>89.35</b>	<b>W49-20-20</b>	<b>82.75</b>
1 1/2"	1 1/2"	1 7/8"-12	<b>W48-24-24-U</b>	<b>128.85</b>	<b>W49-24-24</b>	<b>109.95</b>
2"	2"	2 1/2"-12	<b>W48-32-32-U</b>	<b>189.35</b>	<b>W49-32-32</b>	<b>167.85</b>

- For flange dimensions, diagrams and additional information please reference [dixonvalve.com](http://dixonvalve.com).



Hydraulic Fittings



Hydraulic 4-Bolt Flange Pipe Socket Weld

Port Size	Pad Size	Code 61 Carbon Steel			
		O-ring Part #	Price/E	Flat Face Part #	Price/E
1/2"	1/2"	W4-8-8-U	\$34.30	W61-8-8	\$23.40
3/4"	3/4"	W4-12-12-U	32.40	W61-12-12	24.85
1"	1"	W4-16-16-U	33.60	W61-16-16	26.00
1 1/4"	1 1/4"	W4-20-20-U	38.10	W61-20-20	28.60
1 1/2"	1 1/2"	W4-24-24-U	47.25	W61-24-24	38.55
2"	2"	W4-32-32-U	73.30	W61-32-32	59.10
2 1/2"	2 1/2"	W4-40-40-U	106.40	W61-40-40	86.30
3"	3"	W4-48-48-U	118.45	W61-48-48	94.80

Port Size	Pad Size	Code 62 Carbon Steel			
		O-ring Part #	Price/E	Flat Face Part #	Price/E
1/2"	1/2"	W59-8-8-U	\$49.20	W60-8-8	\$39.00
3/4"	3/4"	W59-12-12-U	47.05	W60-12-12	44.20
1"	1"	W59-16-16-U	67.40	W60-16-16	57.45
1 1/4"	1 1/4"	W59-20-20-U	80.60	W60-20-20	73.30
1 1/2"	1 1/2"	W59-24-24-U	100.50	W60-24-24	92.20
2"	2"	W59-32-32-U	146.50	W60-32-32	125.30
2 1/2"	2 1/2"	W59-40-40-U	425.70	W60-40-40	354.55
3"	3"	W59-48-48-U	710.30	W60-48-48	709.10

Pressure Ratings of SAE Flanges

Code 61 SAE J518-1 / ISO 6162-1

Dash Size	Size	Maximum Working Pressure		Fastener Torque Value
		PSI	MPa	Grade 8 UNC (lb-ft)
-8	1/2"	5000	35	24
-12	3/4"	5000	35	44
-16	1"	4600	32	44
-20	1 1/4"	4000	28	68
-24	1 1/2"	3000	21	111
-32	2"	3000	21	111
-40	2 1/2"	2500	17.5	111
-48	3"	2300	16	218
-56	3 1/2"	500	3.5	218
-64	4"	500	3.5	218
-80	5"	500	3.5	218

- Connection type opposite 4-bolt flange connection can de-rate maximum working pressure.

Code 62 SAE J518-2 / ISO 6162-2

Dash Size	Size	Maximum Working Pressure		Fastener Torque Value
		PSI	MPa	Grade 8 UNC (lb-ft)
-8	1/2"	6000	40	24
-12	3/4"	6000	40	44
-16	1"	6000	40	68
-20	1 1/4"	6000	40	111
-24	1 1/2"	6000	40	218
-32	2"	6000	40	332
-40	2 1/2"	6000	40	380
-48	3"	6000	40	667

- For flange dimensions, diagrams and additional information please reference dixonvalve.com.



Hydraulic Split Flange Kits

Features:

- for tube, hose end and split flange adapter connections
- kits include 2 split flange halves, 4 hex head screws and lockwashers, 1 Buna O-ring
- silver trivalent finish for high corrosion resistance
- also available in forged 316L stainless, contact Dixon® for more information

Flange Size	Code 61 Forged Carbon Steel		Code 62 Forged Carbon Steel	
	Part #	Price/E	Part #	Price/E
1/2"	8SFO	\$20.15	8SFXO	\$22.00
3/4"	12SFO	11.15	12SFXO	20.10
1"	16SFO	12.55	16SFXO	23.60
1 1/4"	20SFO	15.85	20SFXO	32.90
1 1/2"	24SFO	19.90	24SFXO	47.55
2"	32SFO	21.30	32SFXO	80.15
2 1/2"	40SFO	47.40	---	---
3"	48SFO	79.65	---	---



Hydraulic Fittings

Hydraulic Code 61 / Code 62 Flange Adapters

Straight SAE x Male JIC Hydraulic Adapter

JIC Thread	Tube OD	Flange Size	Code 61 Carbon Steel		Code 62 Carbon Steel	
			Part #	Price/E	Part #	Price/E
3/4"-16	1/2"	1/2"	300-8-8	\$15.40	---	---
3/4"-16	1/2"	3/4"	300-8-12	26.25	---	---
1-1/16"-12	3/4"	3/4"	300-12-12	16.55	600-12-12	\$20.10
1-1/16"-12	3/4"	1"	300-12-16	19.15	600-12-16	24.35
1-5/16"-12	1"	3/4"	300-16-12	18.20	600-16-12	24.85
1-5/16"-12	1"	1"	300-16-16	18.85	600-16-16	23.90
1-5/16"-12	1"	1 1/4"	300-16-20	22.00	600-16-20	31.45
1 5/8"-12	1 1/4"	1"	300-20-16	22.00	600-20-16	32.40
1 5/8"-12	1 1/4"	1 1/4"	300-20-20	23.90	600-20-20	32.65
1 5/8"-12	1 1/4"	1 1/2"	300-20-24	35.25	600-20-24	44.00
1 7/8"-12	1 1/2"	1 1/4"	300-24-20	30.05	600-24-20	39.95
1 7/8"-12	1 1/2"	1 1/2"	300-24-24	29.55	600-24-24	39.50
1 7/8"-12	1 1/2"	2"	300-24-32	48.55	600-24-32	62.65
2 1/2"-12	2"	1 1/2"	300-32-24	53.35	600-32-24	54.60
2 1/2"-12	2"	2"	300-32-32	47.25	600-32-32	63.85



90° SAE Elbow x Male JIC Hydraulic Adapter

JIC Thread	Tube OD	Flange Size	Code 61 Carbon Steel		Code 62 Carbon Steel	
			Part #	Price/E	Part #	Price/E
3/4"-16	1/2"	3/4"	390-8-12	\$23.90	---	---
1-1/16"-12	3/4"	3/4"	390-12-12	19.15	690-12-12	\$28.60
1-1/16"-12	3/4"	1"	390-12-16	26.75	690-12-16	35.70
1-5/16"-12	1"	3/4"	390-16-12	26.75	690-16-12	30.75
1-5/16"-12	1"	1"	390-16-16	25.80	690-16-16	31.00
1-5/16"-12	1"	1 1/4"	390-16-20	33.35	690-16-20	42.80
1 5/8"-12	1 1/4"	1"	390-20-16	31.45	690-20-16	38.10
1 5/8"-12	1 1/4"	1 1/4"	390-20-20	33.80	690-20-20	40.45
1 5/8"-12	1 1/4"	1 1/2"	390-20-24	48.00	690-20-24	60.05
1 7/8"-12	1 1/2"	1 1/2"	390-24-24	46.10	690-24-24	58.90
1 7/8"-12	1 1/2"	2"	390-24-32	82.75	690-24-32	96.20
2 1/2"-12	2"	1 1/2"	390-32-24	57.95	690-32-24	67.40
2 1/2"-12	2"	2"	390-32-32	79.70	690-32-32	96.20



45° SAE Elbow x Male JIC Hydraulic Adapter

JIC Thread	Tube OD	Flange Size	Code 61 Carbon Steel		Code 62 Carbon Steel	
			Part #	Price/E	Part #	Price/E
1-1/16"-12	3/4"	3/4"	340-12-12	\$19.65	640-12-12	\$25.40
1-5/16"-12	1"	1"	340-16-16	22.95	640-16-16	32.40
1 5/8"-12	1 1/4"	1 1/4"	340-20-20	29.55	640-20-20	38.55
1 7/8"-12	1 1/2"	1 1/2"	340-24-24	43.75	640-24-24	49.90
2 1/2"-12	2"	2"	340-32-32	78.35	640-32-32	118.45



## Hydraulic Suction and Return Line Hose Couplings

**Application:**

- designed for hydraulic suction line applications using SAE100R4 hydraulic hose

**Feature:**

- barbs provide easy assembly and maximum gripping action

**Hydraulic Suction and Return Line Female SAE Stem**

Hose ID	Male NPTF	Plated Steel	
		Part #	Price/E
3/4"	3/4"-14	<b>188-12</b>	<b>\$15.00</b>
1"	1"-11½	<b>188-16</b>	<b>36.00</b>
1¼"	1¼"-11½	<b>188-20</b>	<b>68.10</b>
1½"	1½"-11½	<b>188-24</b>	<b>84.00</b>
2"	2"-11½	<b>188-32</b>	<b>129.00</b>

**Hydraulic Suction and Return Line Female SAE 37° Swivel Stem**

Hose ID	Male NPTF	Plated Steel	
		Part #	Price/E
3/4"	1-1/16"-12	<b>688-12</b>	<b>\$21.00</b>
1"	1-5/16"-12	<b>688-16</b>	<b>43.00</b>
1¼"	1⅝"-12	<b>688-20</b>	<b>92.00</b>
1½"	1⅞"-12	<b>688-24</b>	<b>100.00</b>
2"	2½"-12	<b>688-32</b>	<b>196.00</b>

- return line clamps must be used with these fittings
- reference clamps on page F-10

## Hydraulic Hose Stems

**Feature:**

- stems have a collar behind the hex to engage clamp fingers
- reference clamps on page C-10, C-11



NPTF Size	Plated Steel	
	Part #	Price/E
3/8"	<b>MSC</b>	<b>\$6.55</b>
1/2"	<b>HY4</b>	<b>17.70</b>
3/4"	<b>MS6</b>	<b>9.85</b>
1"	<b>HY8</b>	<b>25.00</b>



NPTF Size	Plated Steel	
	Part #	Price/E
1¼"	<b>HY10</b>	<b>\$35.60</b>
1½"	<b>HY12</b>	<b>41.00</b>
2"	<b>HY16</b>	<b>46.85</b>

## Inline Hydraulic Filters

**Features:**

- provides protection for small, high pressure systems
- installs at the pressure side of a pump
- conically shaped bronze element positioned by a retaining spring to allow true, uninterrupted flow
- standard 25 micron bronze element can be easily cleaned or replaced
- temperature range: **35°F to 200°F (2°C to 93°C)**
- maximum operating pressure: **3000 PSI**



Female SAE	Overall Length	Diameter	Plated Steel	
			Part #	Price/E
9/16" - 16	3¼"	1½"	<b>9152</b>	<b>\$59.60</b>
¾" - 16	3¼"	1½"	<b>9153</b>	<b>59.60</b>

## Nominal Fittings

Crimp Collars for all Nominal fittings are included

- for use with PTFE hoses on pages L-37 and L-38

## Nominal Female JIC Swivels

Hose Size	Thread Size	Carbon Steel		304 Stainless Steel		Brass	
		Part #	Price/E	Part #	Price/E	Part #	Price/E
dash 4	1/4"	<b>FJC-04-04</b>	<b>\$7.30</b>	<b>FJS-04-04</b>	<b>\$19.05</b>	<b>FJB-04-04</b>	<b>\$6.20</b>
dash 5	5/16"	<b>FJC-05-05</b>	<b>12.45</b>	<b>FJS-05-05</b>	<b>21.70</b>	<b>FJB-05-05</b>	<b>8.80</b>
dash 6	3/8"	<b>FJC-06-06</b>	<b>13.85</b>	<b>FJS-06-06</b>	<b>25.05</b>	<b>FJB-06-06</b>	<b>10.20</b>
dash 8	1/2"	<b>FJC-08-08</b>	<b>13.95</b>	<b>FJS-08-08</b>	<b>33.85</b>	<b>FJB-08-08</b>	<b>12.50</b>
dash 10	5/8"	<b>FJC-10-10</b>	<b>16.20</b>	<b>FJS-10-10</b>	<b>44.80</b>	<b>FJB-10-10</b>	<b>23.50</b>
dash 12	3/4"	<b>FJC-12-12</b>	<b>22.85</b>	<b>FJS-12-12</b>	<b>64.20</b>	<b>FJB-12-12</b>	<b>30.70</b>
dash 16	1"	<b>FJC-16-16</b>	<b>36.10</b>	<b>FJS-16-16</b>	<b>113.40</b>	<b>FJB-16-16</b>	<b>43.60</b>
dash 20Z	1 1/4"	<b>FJC-20Z-20</b>	<b>114.30</b>	<b>FJS-20Z-20</b>	<b>293.40</b>	<b>FJB-20Z-20</b>	<b>153.00</b>



## Nominal Rigid Male Pipe Fittings

Hose Size	Thread Size	Carbon Steel		304 Stainless Steel		Brass	
		Part #	Price/E	Part #	Price/E	Part #	Price/E
dash 4	1/8"	<b>MPC-04-02</b>	<b>\$6.45</b>	<b>MPS-04-02</b>	<b>\$12.10</b>	<b>MPB-04-02</b>	<b>\$5.60</b>
dash 4	1/4"	<b>MPC-04-04</b>	<b>6.40</b>	<b>MPS-04-04</b>	<b>14.85</b>	<b>MPB-04-04</b>	<b>5.90</b>
dash 5	1/4"	<b>MPC-05-04</b>	<b>8.05</b>	<b>MPS-05-04</b>	<b>13.95</b>	<b>MPB-05-04</b>	<b>7.10</b>
dash 6	1/4"	<b>MPC-06-04</b>	<b>10.70</b>	<b>MPS-06-04</b>	<b>20.45</b>	<b>MPB-06-04</b>	<b>10.15</b>
dash 6	3/8"	<b>MPC-06-06</b>	<b>8.35</b>	<b>MPS-06-06</b>	<b>17.10</b>	<b>MPB-06-06</b>	<b>9.00</b>
dash 8	3/8"	<b>MPC-08-06</b>	<b>11.85</b>	<b>MPS-08-06</b>	<b>27.80</b>	<b>MPB-08-06</b>	<b>13.95</b>
dash 8	1/2"	<b>MPC-08-08</b>	<b>11.85</b>	<b>MPS-08-08</b>	<b>28.35</b>	<b>MPB-08-08</b>	<b>13.50</b>
dash 10	1/2"	<b>MPC-10-08</b>	<b>21.15</b>	<b>MPS-10-08</b>	<b>29.70</b>	<b>MPB-10-08</b>	<b>14.70</b>
dash 12	3/4"	<b>MPC-12-12</b>	<b>21.05</b>	<b>MPS-12-12</b>	<b>46.85</b>	<b>MPB-12-12</b>	<b>28.30</b>
dash 16	1"	<b>MPC-16-16</b>	<b>38.95</b>	<b>MPS-16-16</b>	<b>100.15</b>	<b>MPB-16-16</b>	<b>51.40</b>
dash 20Z	1 1/4"	<b>MPC-20Z-20</b>	<b>157.50</b>	<b>MPS-20Z-20</b>	<b>185.25</b>	<b>MPB-20Z-20</b>	<b>207.00</b>



## Female SAE Swivels

Hose Size	Thread Size	Carbon Steel		Brass	
		Part #	Price/E	Part #	Price/E
dash 6	3/8"	<b>SAEC-06-06</b>	<b>\$17.65</b>	<b>SAEB-06-06</b>	<b>\$11.40</b>
dash 12	3/4"	<b>SAEC-12-12</b>	<b>24.75</b>	<b>SAEB-12-12</b>	<b>33.80</b>



## Nominal PTFE Hose Insertion Tool and Dies

## Feature:

- takes the hassle out of installing crimp collars onto braided PTFE Hose; with a few simple steps even challenging braid can be easily and safely inserted into the crimp collar

Description	Size	Part #	Price/E
tool / die holder	---	<b>ITDH</b>	<b>\$350.00</b>
die	dash 4	<b>ITD-04</b>	<b>206.00</b>
die	dash 5	<b>ITD-05</b>	<b>206.00</b>
die	dash 6	<b>ITD-06</b>	<b>206.00</b>
die	dash 8	<b>ITD-08</b>	<b>206.00</b>
die	dash 10	<b>ITD-10</b>	<b>206.00</b>
die	dash 12	<b>ITD-12</b>	<b>206.00</b>
die	dash 16	<b>ITD-16</b>	<b>206.00</b>



## Nominal Smooth Bore PTFE Hose Fittings

Crimp Collars for all Nominal fittings are included

- for use with PTFE hoses on pages L-37 and L-38

## Nominal Smooth Bore PTFE Hose Tube End Stubs



Hose Size	Tube Size	304 Stainless Steel	
		Part #	Price/E
dash 4	1/4"	<b>TES-04-04</b>	<b>\$21.40</b>
dash 6	3/8"	<b>TES-06-06</b>	<b>26.30</b>
dash 8	1/2"	<b>TES-08-08</b>	<b>45.15</b>
dash 12	3/4"	<b>TES-12-12</b>	<b>129.20</b>
dash 16	1"	<b>TES-16-16</b>	<b>137.90</b>

## Nominal Smooth Bore PTFE Hose 45° FJIC Fittings



Hose Size	Thread Size	304 Stainless Steel		Carbon Steel	
		Part #	Price/E	Part #	Price/E
dash 3	3/16"	<b>FJS45-03-03</b>	<b>\$55.75</b>	<b>FJC45-03-03</b>	<b>\$21.05</b>
dash 4	1/4"	<b>FJS45-04-04</b>	<b>62.25</b>	<b>FJC45-04-04</b>	<b>23.90</b>
dash 5	5/16"	<b>FJS45-05-05</b>	<b>63.60</b>	<b>FJC45-05-05</b>	<b>24.25</b>
dash 6	3/8"	<b>FJS45-06-06</b>	<b>69.75</b>	<b>FJC45-06-06</b>	<b>27.10</b>
dash 8	1/2"	<b>FJS45-08-08</b>	<b>86.85</b>	<b>FJC45-08-08</b>	<b>32.85</b>
dash 10	5/8"	<b>FJS45-10-10</b>	<b>97.20</b>	<b>FJC45-10-10</b>	<b>37.95</b>
dash 12	3/4"	<b>FJS45-12-12</b>	<b>122.65</b>	<b>FJC45-12-12</b>	<b>52.20</b>
dash 16	1"	<b>FJS45-16-16</b>	<b>197.95</b>	<b>FJC45-16-16</b>	<b>68.80</b>
dash 20Z	1 1/4"	<b>FJS45-20Z-20</b>	<b>266.65</b>	<b>FJC45-20Z-20</b>	<b>103.70</b>

## Nominal Smooth Bore PTFE Hose 90° FJIC Fittings



Hose Size	Thread Size	304 Stainless Steel		Carbon Steel	
		Part #	Price/E	Part #	Price/E
dash 3	3/16"	<b>FJS90-03-03</b>	<b>\$55.75</b>	<b>FJC90-03-03</b>	<b>\$21.05</b>
dash 4	1/4"	<b>FJS90-04-04</b>	<b>62.25</b>	<b>FJC90-04-04</b>	<b>23.90</b>
dash 5	5/16"	<b>FJS90-05-05</b>	<b>63.60</b>	<b>FJC90-05-05</b>	<b>24.25</b>
dash 6	3/8"	<b>FJS90-06-06</b>	<b>69.75</b>	<b>FJC90-06-06</b>	<b>27.10</b>
dash 8	1/2"	<b>FJS90-08-08</b>	<b>86.85</b>	<b>FJC90-08-08</b>	<b>32.85</b>
dash 10	5/8"	<b>FJS90-10-10</b>	<b>97.20</b>	<b>FJC90-10-10</b>	<b>37.95</b>
dash 12	3/4"	<b>FJS90-12-12</b>	<b>122.65</b>	<b>FJC90-12-12</b>	<b>52.20</b>
dash 16	1"	<b>FJS90-16-16</b>	<b>197.95</b>	<b>FJC90-16-16</b>	<b>68.80</b>
dash 20Z	1 1/4"	<b>FJS90-20Z-20</b>	<b>266.65</b>	<b>FJC90-20Z-20</b>	<b>103.70</b>

## True ID Fittings

Crimp collars for all True ID fittings are sold separately

## True ID Female JIC Swivels



Size	Carbon Steel		316 Stainless Steel	
	Part #	Price/E	Part #	Price/E
1/4"	<b>FJC-T04</b>	<b>\$11.10</b>	<b>FJR-T04</b>	<b>\$25.45</b>
3/8"	<b>FJC-T06</b>	<b>12.10</b>	<b>FJR-T06</b>	<b>33.30</b>
1/2"	<b>FJC-T08</b>	<b>20.05</b>	<b>FJR-T08</b>	<b>40.05</b>
3/4"	<b>FJC-T12</b>	<b>23.05</b>	<b>FJR-T12</b>	<b>59.55</b>
1"	<b>FJC-T16</b>	<b>29.40</b>	<b>FJR-T16</b>	<b>103.35</b>
1 1/4"	<b>FJC-T20</b>	<b>78.30</b>	<b>FJR-T20</b>	<b>212.40</b>
1 1/2"	<b>FJC-T24</b>	<b>75.15</b>	<b>FJR-T24</b>	<b>267.80</b>
2"	<b>FJC-T32</b>	<b>141.65</b>	<b>FJR-T32</b>	<b>445.80</b>

## True ID Rigid Male Pipe Fittings



Size	Carbon Steel		316 Stainless Steel	
	Part #	Price/E	Part #	Price/E
1/4"	<b>MPC-T04</b>	<b>\$5.70</b>	<b>MPR-T04</b>	<b>\$21.60</b>
3/8"	<b>MPC-T06</b>	<b>7.85</b>	<b>MPR-T06</b>	<b>28.60</b>
1/2"	<b>MPC-T08</b>	<b>16.90</b>	<b>MPR-T08</b>	<b>37.35</b>
3/4"	<b>MPC-T12</b>	<b>20.25</b>	<b>MPR-T12</b>	<b>59.45</b>
1"	<b>MPC-T16</b>	<b>31.30</b>	<b>MPR-T16</b>	<b>104.75</b>
1 1/4"	<b>MPC-T20</b>	<b>53.10</b>	<b>MPR-T20</b>	<b>185.40</b>
1 1/2"	<b>MPC-T24</b>	<b>60.30</b>	<b>MPR-T24</b>	<b>211.50</b>
2"	<b>MPC-T32</b>	<b>101.70</b>	<b>MPR-T32</b>	<b>333.00</b>

- for use with PTFE hoses on pages L-37 and L-38

**True ID Sanitary Tri-Clamps**

Hose Size	Clamp Size	316 Stainless Steel	
		Part #	Price/E
1/2"	1"	<b>TCR-T08-16</b>	<b>\$128.95</b>
1/2"	1 1/2"	<b>TCR-T08-24</b>	<b>150.65</b>
3/4"	1 1/2"	<b>TCR-T12-24</b>	<b>161.50</b>
1"	1"	<b>TCR-T16-16</b>	<b>120.60</b>
1"	1 1/2"	<b>TCR-T16-24</b>	<b>138.90</b>
1 1/2"	1 1/2"	<b>TCR-T24-24</b>	<b>150.65</b>
2"	2"	<b>TCR-T32-32</b>	<b>200.75</b>



Hydraulic Fittings

**True ID Mini Sanitary Tri-Clamps**

Size	316 Stainless Steel	
	Part #	Price/E
1/2"	<b>TCMR-T08</b>	<b>\$56.70</b>
3/4"	<b>TCMR-T12</b>	<b>70.22</b>



- contact Dixon® for GSM and PTFE hose assemblies

**True ID Flange Retainers**

**Feature:**

- for use with lap joint flanges, see page J-36

Size	316 Stainless Steel		316 Stainless Steel PTFE Encapsulated	
	Part #	Price/E	Part #	Price/E
1/2"	<b>FRR-T08</b>	<b>\$97.45</b>	---	---
3/4"	<b>FRR-T12</b>	<b>116.55</b>	<b>FRRE-T12</b>	<b>\$326.10</b>
1"	<b>FRR-T16</b>	<b>146.80</b>	<b>FRRE-T16</b>	<b>492.70</b>
1 1/4"	<b>FRR-T20</b>	<b>225.00</b>	<b>FRRE-T20</b>	<b>616.50</b>
1 1/2"	<b>FRR-T24</b>	<b>287.45</b>	<b>FRRE-T24</b>	<b>585.00</b>
2"	<b>FRR-T32</b>	<b>510.60</b>	<b>FRRE-T32</b>	<b>976.60</b>



**Crimp Collars**

**Convuluted Crimp Collar**

**Features:**

- for open pitch convoluted PTFE hose only
- new design for ease of installation and improved appearance of finished crimp

Size	Carbon Steel		304 Stainless Steel	
	Part #	Price/E	Part #	Price/E
1/4"	<b>CSC-T04-1</b>	<b>\$5.40</b>	<b>SSC-T04-1</b>	<b>\$17.05</b>
3/8"	<b>CSC-T06-1</b>	<b>6.20</b>	<b>SSC-T06-1</b>	<b>18.45</b>
1/2"	<b>CSC-T08-1</b>	<b>11.40</b>	<b>SSC-T08-1</b>	<b>21.90</b>
3/4"	<b>CSC-T12-1</b>	<b>13.75</b>	<b>SSC-T12-1</b>	<b>31.55</b>
1"	<b>CSC-T16-1</b>	<b>15.35</b>	<b>SSC-T16-1</b>	<b>48.40</b>
1 1/4"	<b>CSC-T20-1</b>	<b>39.65</b>	<b>SSC-T20-1</b>	<b>78.30</b>
1 1/2"	<b>CSC-T24-1</b>	<b>45.85</b>	<b>SSC-T24-1</b>	<b>93.35</b>
2"	<b>CSC-T32-1</b>	<b>59.55</b>	<b>SSC-T32-1</b>	<b>157.80</b>



**Smooth Bore Crimp Collars**

**Features:**

- for True ID smooth bore PTFE hose only
- new design for ease of installation and improved appearance of finished crimp

Size	Carbon Steel		304 Stainless Steel	
	Part #	Price/E	Part #	Price/E
1/4"	<b>CSC-T04-2</b>	<b>\$5.40</b>	<b>SSC-T04-2</b>	<b>\$17.05</b>
3/8"	<b>CSC-T06-2</b>	<b>6.20</b>	<b>SSC-T06-2</b>	<b>18.45</b>
1/2"	<b>CSC-T08-2</b>	<b>11.40</b>	<b>SSC-T08-2</b>	<b>21.90</b>
3/4"	<b>CSC-T12-2</b>	<b>13.75</b>	<b>SSC-T12-2</b>	<b>31.55</b>
1"	<b>CSC-T16-2</b>	<b>15.35</b>	<b>SSC-T16-2</b>	<b>48.40</b>
1 1/4"	<b>CSC-T20-2</b>	<b>39.65</b>	<b>SSC-T20-2</b>	<b>78.30</b>
1 1/2"	<b>CSC-T24-2</b>	<b>44.65</b>	<b>SSC-T24-2</b>	<b>93.35</b>



Contact Dixon® at 888.226.4673 for assembly instructions and crimp recommendations.

## Pipe and Tube Clamps

**Applications:**

- standard hydraulic applications, general pipe construction, electric cables, etc.
- *Standard and twin series clamps* are recommended for systems with less than 1500 PSI without dynamic loads.
- *Heavy duty clamps* are recommended for systems with greater than 1500 PSI operating pressure.

**Features:**

- clamps are welded in place to secure the pipe or tubing
- polypropylene cushions reduce wear due to vibration
- kit includes clamp with weld plate, cover plate and bolts

**Standard Series Pipe & Tube Clamp**

Size	Length	Width	Height	Steel & Polypropylene	
				Part #	Price/E
1/8" pipe	1.65"	1.18"	1.30"	<b>HST02P</b>	<b>\$5.50</b>
1/4" pipe	1.89"	1.18"	1.54"	<b>HST04P</b>	<b>6.55</b>
1/4" tube	1.65"	1.18"	1.30"	<b>HST04T</b>	<b>5.50</b>
5/16" tube	1.65"	1.18"	1.30"	<b>HST05T</b>	<b>5.50</b>
3/8" pipe	1.89"	1.18"	1.54"	<b>HST06P</b>	<b>6.55</b>
3/8" tube	1.65"	1.18"	1.30"	<b>HST06T</b>	<b>5.50</b>
1/2" pipe	2.17"	1.18"	1.61"	<b>HST08P</b>	<b>7.30</b>
1/2" tube	1.89"	1.18"	1.54"	<b>HST08T</b>	<b>6.55</b>
5/8" tube	1.89"	1.18"	1.54"	<b>HST10T</b>	<b>6.55</b>
3/4" pipe	2.44"	1.18"	1.89"	<b>HST12P</b>	<b>7.30</b>
3/4" tube	2.17"	1.18"	1.61"	<b>HST12T</b>	<b>6.95</b>
7/8" tube	2.17"	1.18"	1.61"	<b>HST14T</b>	<b>6.95</b>
1" pipe	2.91"	1.18"	2.52"	<b>HST16P</b>	<b>8.65</b>
1" tube	2.17"	1.18"	1.61"	<b>HST16T</b>	<b>6.95</b>
1 1/4" pipe	2.91"	1.18"	2.52"	<b>HST20P</b>	<b>8.65</b>
1 1/4" tube	2.91"	1.18"	2.52"	<b>HST20T</b>	<b>8.65</b>
1 1/2" pipe	3.46"	1.18"	2.83"	<b>HST24P</b>	<b>12.00</b>
1 1/2" tube	2.91"	1.18"	2.52"	<b>HST24T</b>	<b>8.70</b>
2" tube	3.46"	1.18"	2.83"	<b>HST32T</b>	<b>12.00</b>

**Twin Series Pipe & Tube Clamp**

Size	Length	Width	Height	Steel & Polypropylene	
				Part #	Price/E
1/8" pipe	1.46"	1.18"	1.36"	<b>HTW02P</b>	<b>\$6.70</b>
1/4" pipe	1.46"	1.18"	1.36"	<b>HTW04P</b>	<b>7.05</b>
1/4" tube	1.46"	1.18"	1.36"	<b>HTW04T</b>	<b>6.70</b>
5/16" tube	1.46"	1.18"	1.36"	<b>HTW05T</b>	<b>6.70</b>
3/8" pipe	2.17"	1.18"	1.42"	<b>HTW06P</b>	<b>7.05</b>
3/8" tube	1.46"	1.18"	1.36"	<b>HTW06T</b>	<b>6.70</b>
1/2" pipe	2.76"	1.18"	1.85"	<b>HTW08P</b>	<b>7.25</b>
1/2" tube	2.17"	1.18"	1.42"	<b>HTW08T</b>	<b>7.05</b>
5/8" tube	2.17"	1.18"	1.42"	<b>HTW10T</b>	<b>7.05</b>
3/4" pipe	3.35"	1.18"	2.05"	<b>HTW12P</b>	<b>8.65</b>
3/4" tube	2.76"	1.18"	1.85"	<b>HTW12T</b>	<b>7.25</b>
7/8" tube	2.76"	1.18"	1.85"	<b>HTW14T</b>	<b>7.25</b>
1" pipe	4.33"	1.18"	2.52"	<b>HTW16P</b>	<b>11.00</b>
1" tube	2.76"	1.18"	1.85"	<b>HTW16T</b>	<b>7.25</b>
1 1/4" pipe	4.33"	1.18"	2.52"	<b>HTW20P</b>	<b>11.00</b>
1 1/4" tube	4.33"	1.18"	2.52"	<b>HTW20T</b>	<b>11.00</b>
1 1/2" tube	4.33"	1.18"	2.52"	<b>HTW24T</b>	<b>11.00</b>





## Pipe and Tube Clamps, cont.

## Heavy Duty Series Pipe &amp; Tube Clamp

Size	Length	Width	Height	Steel & Polypropylene	
				Part #	Price/E
1/8" pipe	2.87"	1.18"	1.89"	<b>HHD02P</b>	<b>\$14.25</b>
1/4" pipe	2.87"	1.18"	1.89"	<b>HHD04P</b>	<b>14.25</b>
1/4" tube	2.87"	1.18"	1.89"	<b>HHD04T</b>	<b>14.25</b>
5/16" tube	2.87"	1.18"	1.89"	<b>HHD05T</b>	<b>14.25</b>
3/8" pipe	2.87"	1.18"	1.89"	<b>HHD06P</b>	<b>14.25</b>
3/8" tube	2.87"	1.18"	1.89"	<b>HHD06T</b>	<b>14.25</b>
1/2" pipe	3.35"	1.18"	2.52"	<b>HHD08P</b>	<b>16.25</b>
1/2" tube	2.87"	1.18"	1.89"	<b>HHD08T</b>	<b>14.25</b>
5/8" tube	2.87"	1.18"	1.89"	<b>HHD10T</b>	<b>14.25</b>
3/4" pipe	3.35"	1.18"	2.52"	<b>HHD12P</b>	<b>16.25</b>
3/4" tube	3.35"	1.18"	2.52"	<b>HHD12T</b>	<b>16.25</b>
7/8" tube	3.35"	1.18"	2.52"	<b>HHD14T</b>	<b>16.25</b>
1" pipe	3.94"	1.18"	2.99"	<b>HHD16P</b>	<b>17.30</b>
1" tube	3.35"	1.18"	2.52"	<b>HHD16T</b>	<b>16.25</b>
1 1/4" pipe	5.51"	1.77"	4.33"	<b>HHD20P</b>	<b>45.00</b>
1 1/4" tube	3.94"	1.18"	2.99"	<b>HHD20T</b>	<b>17.30</b>
1 1/2" pipe	5.51"	1.77"	4.33"	<b>HHD24P</b>	<b>45.00</b>
1 1/2" tube	3.94"	1.18"	2.99"	<b>HHD24T</b>	<b>17.30</b>
2" pipe	5.51"	1.77"	4.33"	<b>HHD32P</b>	<b>45.00</b>
2" tube	5.51"	1.77"	4.33"	<b>HHD32T</b>	<b>45.00</b>

