

<b>King™ Combination Nipples E-2 to E-6</b>	<b>Garden Hose Ftgs. (cont.) .. E-39 to E-50</b>
NPT threaded .....E-2	Compression bibb faucet.....E-48
Beveled end.....E-3	Quick connect.....E-48
Grooved end.....E-3	Valves .....E-49
Global NPT threaded .....E-4	Y .....E-49
Jump size .....E-4	Manifold .....E-50
150# ASA flange .....E-4	Back flow preventer.....E-50
Turned back.....E-5	Radiator bibb .....E-50
BSPT end .....E-5	Gooseneck .....E-50
For Plastic pipe.....E-5	
PF shank .....E-6	<b>Plastic Barbs &amp; Inserts ... E-51 to E-57</b>
External swage notched .....E-6	Tuff-Lite™ .....E-51 to E-57
<b>King Nipple.....E-7</b>	<b>Agri-Lock Style Couplings ..... E-58 to E-61</b>
	Type A.....E-58 to E-61
<b>Shank Couplings ..... E-8 to E-15</b>	<b>Bauer Style Couplings ..... E-62 to E-66</b>
Suction couplings .....E-8 to E-9	Type B .....E-62 to E-66
Short shank .....E-10	
Spanner wrenches.....E-11	<b>Fire Hose Couplings..... E-67 to E-72</b>
Long shank .....E-11 to E-13	Expansion ring couplings.....E-67 to E-68
Spray hose .....E-14	Hose type booster .....E-68
Gaskets .....E-15	Forestry couplings .....E-69 to E-70
	Expansion rings .....E-70
<b>Strainers, Skimmers &amp; Foot Valves E-16 to E-18</b>	Washers .....E-71
Strainers .....E-16	Expansion ring and gasket guide .....E-72
Skimmers.....E-17	
Foot valves .....E-18	
<b>Hose Barbs &amp; Inserts ..... E-19 to E-38</b>	
Hose menders .....E-19 to E-20	
Male x hose barbs .....E-21 to E-22	
Female x hose barbs .....E-22 to E-23	
Elbows .....E-24 to E-26	
Splicers.....E-25	
SAE / JIC .....E-26 to E-27	
Push-on .....E-28 to E-35	
Reusable .....E-36 to E-38	
<b>Garden Hose Fittings..... E-39 to E-50</b>	
Standard shanks.....E-39, E-41	
Short shanks.....E-40 to E-41	
Menders.....E-40	
Long shank.....E-42	
Spray hose .....E-43	
GHT zinc.....E-44	
Adapters .....E-44 to E-46	
Washers .....E-47	
Caps .....E-47	
Nuts .....E-47	

## King™ Combination Nipples - NPT Threaded

**⚠ WARNING****Applications:**

- Recommended for low-pressure discharge and suction service for compatible liquids.
- **Sizes 1¼" and above are not for compressible products such as air or nitrogen.**
- **King™ Combination Nipples are not recommended for steam.**
- *The working pressure may vary with the construction of the hose, the type of clamping system used and the application. Consult Dixon® for recommendations.*
- In accordance with the Association for Rubber Products Manufacturers (ARPM) bulletin for oil suction and discharge hose, a coupled length of hose in any size, should be tested to 1½ times the working pressure and held for fifteen minutes without leaking or coupling movement. For additional information and detailed instruction on testing procedures, see the Association for Rubber Products Manufacturers (ARPM) handbook.

## NPT Threaded End with Knurled Wrench Grip



Size	Opt Qty	Unplated Steel		Plated Steel		Brass		Aluminum	
		Part #	Price/E	Part #	Price/E	Part #	Price/E	Part #	Price/E
½"	50	<b>ST1</b>	<b>\$4.70</b>	<b>STC1</b>	<b>\$5.05</b>	<b>BST1</b>	<b>\$21.75</b>	<b>AST1</b>	<b>\$21.00</b>
¾"	50	<b>ST5</b>	<b>5.40</b>	<b>STC5</b>	<b>5.55</b>	<b>BST5</b>	<b>31.70</b>	<b>AST5</b>	<b>16.05</b>
1"	50	<b>ST10</b>	<b>6.95</b>	<b>STC10</b>	<b>7.30</b>	<b>BST10</b>	<b>32.25</b>	<b>AST10</b>	<b>19.05</b>
1¼"	50	<b>ST15</b>	<b>9.35</b>	<b>STC15</b>	<b>10.05</b>	---	---	---	---
1½"	50	<b>ST20</b>	<b>9.65</b>	<b>STC20</b>	<b>10.30</b>	---	---	---	---
2"	25	<b>ST25</b>	<b>11.95</b>	<b>STC25</b>	<b>12.60</b>	---	---	---	---

- For additional information on pipe dimensions please reference [dixonvalve.com](http://dixonvalve.com).

## NPT Threaded End No Knurl



Size	Opt Qty	Unplated Steel		Plated Steel		Brass		Aluminum	
		Part #	Price/E	Part #	Price/E	Part #	Price/E	Part #	Price/E
1¼"	50	---	---	---	---	<b>BST15</b>	<b>\$35.40</b>	<b>AST15</b>	<b>\$18.00</b>
1½"	50	---	---	---	---	<b>BST20</b>	<b>44.75</b>	<b>AST20</b>	<b>18.25</b>
2"	25	---	---	---	---	<b>BST25</b>	<b>66.70</b>	<b>AST25</b>	<b>20.35</b>
2½"	10	<b>ST30</b>	<b>\$19.75</b>	<b>STC30</b>	<b>\$23.15</b>	<b>BST30</b>	<b>106.60</b>	<b>AST30</b>	<b>59.00</b>
3"	10	<b>ST35</b>	<b>23.55</b>	<b>STC35</b>	<b>28.45</b>	<b>BST35</b>	<b>148.60</b>	<b>AST35</b>	<b>47.00</b>
4"	4	<b>ST40</b>	<b>36.40</b>	<b>STC40</b>	<b>40.80</b>	<b>BST40</b>	<b>283.90</b>	<b>AST40</b>	<b>72.60</b>
5"	4	<b>ST50</b>	<b>84.10</b>	<b>STC50</b>	<b>89.25</b>	---	---	<b>AST50</b>	<b>164.85</b>
6"	2	<b>ST60</b>	<b>95.00</b>	<b>STC60</b>	<b>107.00</b>	---	---	<b>AST60</b>	<b>178.50</b>
8"	2	<b>ST80</b>	<b>167.00</b>	<b>STC80</b>	<b>202.80</b>	---	---	---	---
10"	1	<b>ST100</b>	<b>267.50</b>	<b>STC100</b>	<b>337.50</b>	---	---	---	---
12"	1	<b>ST120</b>	<b>429.30</b>	<b>STC120</b>	<b>490.00</b>	---	---	---	---



Size	Opt Qty	316 Stainless Steel		Hastelloy®	
		Part #	Price/E	Part #	Price/E
½"	50	<b>RST1</b> <sup>1</sup>	<b>\$21.10</b>	---	---
¾"	50	<b>RST5</b> <sup>1</sup>	<b>21.15</b>	---	---
1"	50	<b>RST10</b>	<b>21.25</b>	---	---
1¼"	50	<b>RST15</b>	<b>27.10</b>	---	---
1½"	50	<b>RST20</b>	<b>33.90</b>	---	---
2"	25	<b>RST25</b>	<b>45.00</b>	<b>HST25</b>	<b>\$780.00</b>
2½"	10	<b>RST30</b>	<b>82.75</b>	---	---
3"	10	<b>RST35</b>	<b>117.40</b>	<b>HST35</b>	<b>1450.00</b>
4"	4	<b>RST40</b>	<b>184.20</b>	---	---
5"	4	<b>RST50</b>	<b>405.00</b>	---	---
6"	4	<b>RST60</b>	<b>508.20</b>	---	---
8"	2	<b>RST80</b>	<b>975.00</b>	---	---

<sup>1</sup> made from investment casting

- For additional information on pipe dimensions please reference [dixonvalve.com](http://dixonvalve.com).

King™ Combination Nipples - Beveled End

Feature:

- Beveled ends (in *brass* and *aluminum*) are available in select sizes. Consult Dixon® for prices and availability.

Hose ID	Unplated Steel		Pkg Qty	316 Stainless Steel		Pkg Qty	Aluminum	
	Part #	Price/E		Part #	Price/E		Part #	Price/E
1/2"	<b>STB1</b>	<b>\$6.60</b>	50	---	---	--	---	---
3/4"	<b>STB5</b>	<b>8.40</b>	50	<b>RSTB5</b>	<b>\$27.50</b>	50	---	---
1"	<b>STB10</b>	<b>9.80</b>	50	<b>RSTB10</b>	<b>24.60</b>	50	<b>ASTB10</b>	<b>\$18.90</b>
1 1/4"	<b>STB15</b>	<b>11.25</b>	50	<b>RSTB15</b>	<b>38.55</b>	50	<b>ASTB15</b>	<b>22.60</b>
1 1/2"	<b>STB20</b>	<b>11.10</b>	50	<b>RSTB20</b>	<b>33.85</b>	50	<b>ASTB20</b>	<b>25.20</b>
2"	<b>STB25</b>	<b>12.65</b>	25	<b>RSTB25</b>	<b>52.90</b>	25	<b>ASTB25</b>	<b>34.50</b>
2 1/2"	<b>STB30</b>	<b>21.20</b>	10	<b>RSTB30</b>	<b>96.30</b>	10	<b>ASTB30</b>	<b>POR</b>
3"	<b>STB35</b>	<b>26.05</b>	10	<b>RSTB35</b>	<b>108.85</b>	10	<b>ASTB35</b>	<b>72.50</b>
4"	<b>STB40</b>	<b>37.90</b>	4	<b>RSTB40</b>	<b>181.30</b>	4	<b>ASTB40</b>	<b>83.20</b>
5"	<b>STB50</b>	<b>89.25</b>	4	---	---	--	<b>ASTB50</b>	<b>260.00</b>
6"	<b>STB60</b>	<b>95.60</b>	2	<b>RSTB60</b>	<b>492.50</b>	--	<b>ASTB60</b>	<b>195.00</b>
8"	<b>STB80</b>	<b>177.60</b>	2	<b>RSTB80</b>	<b>980.00</b>	--	<b>ASTB80</b>	<b>POR</b>
10"	<b>STB100</b>	<b>308.30</b>	1	---	---	--	<b>ASTB100</b>	<b>POR</b>
12"	<b>STB120</b>	<b>435.00</b>	1	---	---	--	---	---



Industrial Hose  
Fittings

- For additional information on pipe dimensions please reference [dixonvalve.com](http://dixonvalve.com).

King™ Combination Nipples - Grooved End

Feature:

- Grooved ends (in *brass* and *aluminum*) are available in select sizes. Consult Dixon® for prices and availability.

Hose ID	Unplated Steel		Pkg Qty	316 Stainless Steel		Pkg Qty
	Part #	Price/E		Part #	Price/E	
1"	<b>STV10</b>	<b>\$9.80</b>	50	---	---	---
1 1/4"	<b>STV15</b>	<b>13.80</b>	50	---	---	---
1 1/2"	<b>STV20</b>	<b>13.00</b>	50	<b>RSTV20</b>	<b>\$46.65</b>	50
2"	<b>STV25</b>	<b>12.65</b>	25	<b>RSTV25</b>	<b>50.50</b>	25
2 1/2"	<b>STV30</b>	<b>22.90</b>	10	---	---	---
3"	<b>STV35</b>	<b>25.80</b>	10	<b>RSTV35</b>	<b>144.20</b>	10
4"	<b>STV40</b>	<b>36.10</b>	4	<b>RSTV40</b>	<b>193.65</b>	5
5"	<b>STV50</b>	<b>82.85</b>	4	---	---	---
6"	<b>STV60</b>	<b>102.00</b>	4	---	---	---
8"	<b>STV80</b>	<b>179.25</b>	2	---	---	---
10"	<b>STV100</b>	<b>317.20</b>	1	---	---	---
12"	<b>STV120</b>	<b>455.40</b>	1	---	---	---



- For additional information on pipe dimensions please reference [dixonvalve.com](http://dixonvalve.com).

## Global King™ Combination Nipples - NPT Threaded



## Features:

- Combination nipples are recommended for low-pressure discharge and suction service for compatible liquids. **Sizes 1¼" and above are not for compressible products such as air or nitrogen.**
- **Global King™ Combination Nipples are not recommended for steam.**
- *The working pressure may vary with the construction of the hose, the type of clamping system used and the application. Consult Dixon® for recommendations.*
- In accordance with the Association for Rubber Products Manufacturers (ARPM) bulletin for oil suction and discharge hose, a coupled length of hose in any size, should be tested to 1½ times the working pressure and held for fifteen minutes without leaking or coupling movement. For additional information and detailed instruction on testing procedures, see the Association for Rubber Products Manufacturers (ARPM) handbook.



Size	Plated Steel		Box Qty
	Part #	Price/E	
½"	<b>GSTC1</b>	<b>\$2.40</b>	100
¾"	<b>GSTC5</b>	<b>2.65</b>	100
1"	<b>GSTC10</b>	<b>3.75</b>	50
1¼"	<b>GSTC15</b>	<b>4.90</b>	50
1½"	<b>GSTC20</b>	<b>5.75</b>	50
2"	<b>GSTC25</b>	<b>6.85</b>	25
2½"	<b>GSTC30</b>	<b>12.15</b>	10
3"	<b>GSTC35</b>	<b>13.40</b>	10
4"	<b>GSTC40</b>	<b>21.05</b>	4
5"	<b>GSTC50</b>	<b>54.50</b>	4
6"	<b>GSTC60</b>	<b>60.90</b>	4

## Jump Size King™ Combination Nipples - NPT Threaded



reducer



increaser

Hose Shank	Male NPT	Plated Steel		316 Stainless Steel	
		Part #	Price/E	Part #	Price/E
¾"	½"	---	---	<b>RST0501</b>	<b>\$34.00</b>
¾"	1"	<b>STC0510</b>	<b>\$11.80</b>	<b>RST0510</b>	<b>44.85</b>
1"	¾"	<b>STC1005</b>	<b>8.40</b>	<b>RST1005</b>	<b>32.10</b>
1"	1¼"	<b>STC1015</b>	<b>17.30</b>	<b>RST1015</b>	<b>57.75</b>
1¼"	1"	<b>STC1510</b>	<b>11.00</b>	<b>RST1510</b>	<b>72.00</b>
1¼"	1½"	<b>STC1520</b>	<b>14.90</b>	<b>RST1520</b>	<b>78.00</b>
1½"	1¼"	<b>STC2015</b>	<b>12.25</b>	<b>RST2015</b>	<b>83.20</b>
1½"	2"	<b>STC2025</b>	<b>18.35</b>	<b>RST2025</b>	<b>97.10</b>
1¾"	2"	<b>STC175200</b>	<b>24.30</b>	---	---
2"	1½"	<b>STC2520</b>	<b>23.25</b>	<b>RST2520</b>	<b>96.15</b>
2"	2½"	<b>STC2530</b>	<b>36.90</b>	---	---
2"	3"	<b>STC2535</b>	<b>55.00</b>	<b>RST2535</b>	<b>122.60</b>
2½"	2"	<b>STC3025</b>	<b>32.95</b>	---	---
2½"	3"	<b>STC3035</b>	<b>40.40</b>	---	---
3"	2"	<b>STC3525</b>	<b>64.70</b>	<b>RST3525</b>	<b>143.85</b>
3"	2½"	<b>STC3530</b>	<b>44.40</b>	---	---
3"	4"	<b>STC3540</b>	<b>79.45</b>	---	---
4"	3"	<b>STC4035</b>	<b>88.20</b>	---	---

- For additional information on pipe dimensions please reference [dixonvalve.com](http://dixonvalve.com).

## 150# ASA Flanged King™ Combination Nipples



Size	Steel		316 Stainless Steel	
	Part #	Price/E	Part #	Price/E
1½"	<b>FST20</b>	<b>\$96.25</b>	<b>RFST20</b>	<b>\$250.00</b>
2"	<b>FST25</b>	<b>96.80</b>	<b>RFST25</b>	<b>296.40</b>
3"	<b>FST35</b>	<b>133.75</b>	<b>RFST35</b>	<b>431.00</b>
4"	<b>FST40</b>	<b>169.50</b>	<b>RFST40</b>	<b>573.00</b>
6"	<b>FST60</b>	<b>302.25</b>	<b>RFST60</b>	<b>967.50</b>
8"	<b>FST80</b>	<b>530.00</b>	<b>RFST80</b>	<b>1660.00</b>
10"	<b>FST100</b>	<b>787.95</b>	<b>RFST100</b>	<b>3502.00</b>
12"	<b>FST120</b>	<b>1210.25</b>	<b>RFST120</b>	<b>4630.00</b>

- For flange dimensions, diagrams and additional information on pipe dimensions please reference [dixonvalve.com](http://dixonvalve.com).

## King™ Turned Back Hose Nipples for Floating Flanges

**Features:**

- A turned back nipple, when used in a floating flange assembly, allows the flange to be aligned without stressing (twisting) the hose. This generally increases the hose's service life by eliminating a common cause of premature hose failure.
- for use with Lap Joint flanges shown on page J-36

Size	Plated Carbon Steel		316 Stainless Steel	
	Part #	Price/E	Part #	Price/E
1"	<b>N10</b>	<b>\$50.30</b>	<b>RN10</b>	<b>\$119.40</b>
1¼"	<b>N15</b>	<b>49.80</b>	<b>RN15</b>	<b>148.30</b>
1½"	<b>N20</b>	<b>78.20</b>	<b>RN20</b>	<b>152.35</b>
2"	<b>N25</b>	<b>84.70</b>	<b>RN25</b>	<b>203.70</b>
2½"	<b>N30</b>	<b>113.30</b>	<b>RN30</b>	<b>381.20</b>
3"	<b>N35</b>	<b>98.15</b>	<b>RN35</b>	<b>311.50</b>
4"	<b>N40</b>	<b>156.50</b>	<b>RN40</b>	<b>466.00</b>
6"	<b>N60</b>	<b>254.00</b>	<b>RN60</b>	<b>916.70</b>
8"	<b>N80</b>	<b>375.00</b>	<b>RN80</b>	<b>1535.00</b>
10"	<b>N100</b>	<b>643.00</b>	<b>RN100</b>	<b>POR</b>
12"	<b>N120</b>	<b>1035.00</b>	<b>RN120</b>	<b>POR</b>

- For additional information on pipe dimensions please reference dixonvalve.com.



Industrial Hose Fittings

## Notched Turned Back Nipple Stems

**Features:**

- Stems are for use with lap joint flanges on page J-36.
- When used with an appropriate notched ferrule, these fittings can be swaged or crimped onto hose providing improved shank retention.
- When used with double bolt or band clamps, notched turn back nipples provide shank retention similar to that of the King™ turned back nipples.
- The stem can be removed from a damaged hose by cutting away the ferrule without necessarily damaging the fitting.

Special pushers required:  
 1½" stem - RN150NOPUSH  
 2" stem - RN200NOPUSH  
 2½" stem - RN250NOPUSH  
 3" stem - RN300NOPUSH  
 4" stem - RN400NOPUSH

Size	Carbon Steel		316 Stainless Steel	
	Part #	Price/E	Part #	Price/E
1½"	<b>N150NO</b>	<b>\$31.50</b>	<b>RN150NO</b>	<b>\$80.60</b>
2"	<b>N200NO</b>	<b>35.55</b>	<b>RN200NO</b>	<b>92.70</b>
2½"	<b>N250NO</b>	<b>55.00</b>	<b>RN250NO</b>	<b>125.00</b>
3"	<b>N300NO</b>	<b>84.25</b>	<b>RN300NO</b>	<b>162.00</b>
4"	<b>N400NO</b>	<b>141.10</b>	<b>RN400NO</b>	<b>248.25</b>

- For additional information on pipe dimensions please reference dixonvalve.com.



## King™ Combination Nipples - BSPT End

**Features:**

- Grooved and beveled ends (in brass and aluminum) are available in select sizes. Consult Dixon® for prices and availability.
- See pages J-38 to J-50 for our complete line of groove style fittings.

Size	Plated Steel			316 Stainless Steel		Optional Qty
	Part #	Price/E	Optional Qty	Part #	Price/E	
1"	<b>STC10A</b>	<b>\$7.70</b>	50	<b>RST10A</b>	<b>\$23.00</b>	50
1¼"	<b>STC15A</b>	<b>10.70</b>	50	<b>RST15A</b>	<b>27.80</b>	50
1½"	<b>STC20A</b>	<b>11.65</b>	50	<b>RST20A</b>	<b>35.55</b>	50
2"	<b>STC25A</b>	<b>13.80</b>	50	<b>RST25A</b>	<b>45.00</b>	25
2½"	<b>STC30A</b>	<b>24.00</b>	10	<b>RST30A</b>	<b>82.00</b>	10
3"	<b>STC35A</b>	<b>27.40</b>	10	<b>RST35A</b>	<b>118.00</b>	10
4"	<b>STC40A</b>	<b>39.75</b>	4	<b>RST40A</b>	<b>183.00</b>	4
6"	<b>STC60A</b>	<b>109.85</b>	2	<b>RST60A</b>	<b>505.00</b>	2



## King™ Combination Nipples for Plastic Pipe

Size	Plated Steel		Optional Qty
	Part #	Price/E	
½"	<b>SAP1</b>	<b>\$9.00</b>	50
¾"	<b>SAP6</b>	<b>14.65</b>	50
1"	<b>SAP11</b>	<b>13.90</b>	50
1¼"	<b>SAP16</b>	<b>15.30</b>	50
1½"	<b>SAP21</b>	<b>16.30</b>	50
2"	<b>SAP26</b>	<b>16.90</b>	25

- For additional information on pipe dimensions please reference dixonvalve.com.



## PF Shank King™ Combination Nipples - NPT Threaded

**Application:**

- This shank design was developed specifically for chemical transport hoses having Crosslinked Polyethylene (XLPE) or Ultra High Molecular Weight Polyethylene (UHMW) tubes, where shank retention can be a problem when using conventional band clamps.

**Features:**

- PF shank King™ Combination nipples have the same shank pattern as found on the PF style cam and groove fittings sold on page D-23.
- recommended for discharge and suction service
- **Not intended for compressed air**
- working pressure is given at 70°F (21°C) maximum
- *The working pressure may vary with the construction of the hose, the type of clamping system used and the application. Consult Dixon® for recommendations.*

Size	Working PSI	Plated Steel		316 Stainless Steel	
		Part #	Price/E	Part #	Price/E
2"	250	ST25PF	\$37.80	RST25PF	\$67.15
3"	125	ST35PF	44.95	RST35PF	168.70
4"	100	ST40PF	64.10	RST40PF	175.00
6"	75	ST60PF	140.00	RST60PF	425.00

- Beveled ends for welding are also available. Contact Dixon® for further information.
- For additional information on pipe dimensions please reference dixonvalve.com.

## External Swage Notched NOS Stems

**⚠ WARNING**

The notched system allows you to better manage your inventories. You can stock one stem and two ferrules, and cover the same hose range with less inventory. *You must purchase a fitting and the matching ferrule to create an assembly.*

**Features:**

- For hose outside diameters of 2-4/64" and below, *couplings are crimp only.*
- For hose outside diameters of 2-5/64" and above, couplings can be crimped or swaged.
- See page D-16 for cam and groove style notched NOS fittings and page F-22 for NOS ferrules.



**Only use the NOS shank with the NOS ferrules.** Due to differences in dimensions and tolerances for safety reasons, do not use other manufacturer's stems or ferrules with Dixon® Holedall™ products.



Size	PSI	316 Stainless Steel	
		Part #	Price/E
1½"	250	RST150NOS	\$45.40
2"	250	RST200NOS	54.00
3"	250	RST300NOS	119.60
4"	<sup>1</sup>	RST400NOS	183.35

- <sup>1</sup> Contact Dixon® for pressure information
- Tuff-Lite™ male inserts in nylon and polypropylene are on page D-51.

King™ Steel Round Nipples for 1 Clamp

Hose Size	NPT Size	Unplated Steel		Optional Qty
		Part #	Price/E	
5/8"	1/2"	<b>KRN541</b>	<b>\$12.00</b>	100
3/4"	1/2"	<b>KRN641</b>	<b>9.70</b>	50
1"	3/4"	<b>KRN861</b>	<b>12.85</b>	25



Industrial Hose Fittings

King™ Steel Round Nipples for 2 Clamps

Hose Size	NPT Size	Unplated Steel		Optional Qty
		Part #	Price/E	
1/2"	1/4"	<b>KRN422</b>	<b>\$17.45</b>	100
	3/8"	<b>KRN432</b>	<b>11.30</b>	100
5/8"	1/2"	<b>KRN542</b>	<b>18.70</b>	100
3/4"	1/2"	<b>KRN642</b>	<b>14.30</b>	50
	3/4"	<b>KRN662</b>	<b>18.00</b>	50
1"	3/4"	<b>KRN862</b>	<b>12.85</b>	50
1"	1"	<b>KRN882</b>	<b>19.60</b>	50
1 1/4"	1"	<b>KRN1082</b>	<b>13.70</b>	25
1 1/2"	1 1/4"	<b>KRN1210</b>	<b>18.90</b>	25
2"	1 1/2"	<b>KRN1612</b>	<b>48.15</b>	20



King™ Steel Hex Nipples for 1 Clamp

Hose Size	NPT Size	Plated Steel		Optional Qty
		Part #	Price/E	
1/4"	1/4"	<b>KHN221</b>	<b>\$12.65</b>	50
3/8"	1/4"	<b>KHN321</b>	<b>11.85</b>	100
	3/8"	<b>KHN331</b>	<b>11.00</b>	100
	1/2"	<b>KHN341</b>	<b>14.25</b>	100
1/2"	1/4"	<b>KHN421</b>	<b>13.80</b>	50
	3/8"	<b>KHN431</b>	<b>14.00</b>	50
	1/2"	<b>KHN441</b>	<b>10.80</b>	50
	3/4"	<b>KHN461</b>	<b>13.80</b>	50
3/4"	1/2"	<b>KHN641</b>	<b>16.15</b>	50
	3/4"	<b>KHN661</b>	<b>15.20</b>	50
1"	3/4"	<b>KHN861</b>	<b>18.90</b>	25
	1"	<b>KHN881</b>	<b>19.80</b>	25




King™ Steel Hex Nipples for 2 Clamps

Hose Size	NPT Size	Plated Steel		Optional Qty
		Part #	Price/E	
1/4"	1/4"	<b>KHN222</b>	<b>\$19.50</b>	100
3/8"	1/4"	<b>KHN322</b>	<b>16.75</b>	100
	3/8"	<b>KHN332</b>	<b>16.70</b>	50
	1/2"	<b>KHN342</b>	<b>21.00</b>	100
1/2"	1/4"	<b>KHN422</b>	<b>17.70</b>	100
	3/8"	<b>KHN432</b>	<b>15.85</b>	100
	1/2"	<b>KHN442</b>	<b>15.95</b>	50
	3/4"	<b>KHN462</b>	<b>21.00</b>	50
3/4"	1/2"	<b>KHN642</b>	<b>15.60</b>	50
	3/4"	<b>KHN662</b>	<b>15.05</b>	50
1"	3/4"	<b>KHN862</b>	<b>20.95</b>	25
	1"	<b>KHN882</b>	<b>23.30</b>	25



King™ Short Shank Suction Couplings - NPSM Thread

Industrial Hose  
Fittings



complete



female



1" - 2½"  
male



3" - 6"  
male

Size	Aluminum shank with Brass nut		Pkg Qty	Aluminum shank with Brass nut		Aluminum	
	Complete Part #	Price/E		Female Part #	Price/E	Male Part #	Price/E
1½"	<b>CAB150</b>	<b>\$13.90</b>	60	<b>FAB150</b>	<b>\$9.45</b>	<b>MA150</b>	<b>\$4.15</b>
2"	<b>CAB200</b>	<b>20.50</b>	40	<b>FAB200</b>	<b>14.10</b>	<b>MA200</b>	<b>5.25</b>
2½"	<b>CAB250</b>	<b>37.30</b>	30	<b>FAB250</b>	<b>24.25</b>	<b>MA250</b>	<b>11.65</b>
3"	<b>CAB300</b>	<b>42.90</b>	18	<b>FAB300</b>	<b>27.00</b>	<b>MA300</b>	<b>13.85</b>
4"	<b>CAB400</b>	<b>85.00</b>	8	<b>FAB400</b>	<b>59.25</b>	<b>MA400</b>	<b>27.20</b>
6"	<b>CAB600</b>	<b>178.00</b>	6	<b>FAB600</b>	<b>118.00</b>	<b>MA600</b>	<b>52.00</b>

Size	Brass shank with Brass nut		Brass shank with Brass nut		Brass	
	Complete Part #	Price/E	Female Part #	Price/E	Male Part #	Price/E
1¼"	<b>CBB125</b>	<b>\$36.00</b>	<b>FBB125</b>	<b>\$20.50</b>	<b>MB125</b>	<b>\$19.20</b>
1½"	<b>CBB150</b>	<b>38.70</b>	<b>FBB150</b>	<b>24.10</b>	<b>MB150</b>	<b>18.10</b>
2"	<b>CBB200</b>	<b>55.00</b>	<b>FBB200</b>	<b>32.40</b>	<b>MB200</b>	<b>26.50</b>
2½"	<b>CBB250</b>	<b>88.70</b>	<b>FBB250</b>	<b>49.00</b>	<b>MB250</b>	<b>50.60</b>
3"	<b>CBB300</b>	<b>142.00</b>	<b>FBB300</b>	<b>84.70</b>	<b>MB300</b>	<b>67.75</b>
4"	<b>CBB400</b>	<b>250.00</b>	<b>FBB400</b>	<b>128.40</b>	<b>MB400</b>	<b>91.00</b>

Size	Plated Iron shank with Plated Iron nut		Plated Iron shank with Plated Iron nut		Plated Iron	
	Complete Part #	Price/E	Female Part #	Price/E	Male Part #	Price/E
1"	<b>S33</b> <sup>1</sup>	<b>\$26.25</b>	<b>S12</b> <sup>1</sup>	<b>\$15.60</b>	<b>S10</b>	<b>\$10.65</b>
1¼"	<b>S48</b>	<b>39.35</b>	<b>S17</b>	<b>22.65</b>	<b>S15</b>	<b>16.70</b>
1½"	<b>S63</b>	<b>38.60</b>	<b>S22</b>	<b>21.50</b>	<b>S20</b>	<b>17.10</b>
2"	<b>S78</b>	<b>52.90</b>	<b>S27</b>	<b>29.50</b>	<b>S25</b>	<b>23.40</b>
2½"	<b>S93</b>	<b>92.00</b>	<b>S32</b>	<b>55.00</b>	<b>S30</b>	<b>37.00</b>
3"	<b>S111</b>	<b>99.60</b>	<b>S38</b>	<b>49.90</b>	<b>S36</b>	<b>49.70</b>
4"	<b>S123</b>	<b>166.20</b>	<b>S42</b>	<b>90.50</b>	<b>S40</b>	<b>75.70</b>
5"	<b>S168</b>	<b>341.60</b>	<b>S57</b>	<b>222.50</b>	<b>S55</b>	<b>119.00</b>
6"	<b>S183</b>	<b>349.00</b>	<b>S62</b>	<b>203.65</b>	<b>S60</b>	<b>145.35</b>

Size	Plated Iron shank with Brass nut		Plated Iron shank with Brass nut		Plated Iron	
	Complete Part #	Price/E	Female Part #	Price/E	Male Part #	Price/E
1"	<b>SB33</b> <sup>1</sup>	<b>\$32.65</b>	<b>SB12</b> <sup>1</sup>	<b>\$22.00</b>	<b>S10</b>	<b>\$10.65</b>
1¼"	<b>SB48</b>	<b>35.90</b>	<b>SB17</b>	<b>19.20</b>	<b>S15</b>	<b>16.70</b>
1½"	<b>SB63</b>	<b>35.10</b>	<b>SB22</b>	<b>18.00</b>	<b>S20</b>	<b>17.10</b>
2"	<b>SB78</b>	<b>47.20</b>	<b>SB27</b>	<b>24.50</b>	<b>S25</b>	<b>23.40</b>
2½"	<b>SB93</b>	<b>82.40</b>	<b>SB32</b>	<b>46.35</b>	<b>S30</b>	<b>37.00</b>
3"	<b>SB111</b>	<b>95.35</b>	<b>SB38</b>	<b>46.65</b>	<b>S36</b>	<b>49.70</b>
4"	<b>SB123</b>	<b>155.60</b>	<b>SB42</b>	<b>81.40</b>	<b>S40</b>	<b>75.70</b>
5"	<b>SB168</b>	<b>326.85</b>	<b>SB57</b>	<b>207.85</b>	<b>S55</b>	<b>119.00</b>
6"	<b>SB183</b>	<b>333.70</b>	<b>SB62</b>	<b>188.35</b>	<b>S60</b>	<b>145.35</b>

<sup>1</sup> 1" fittings have a hex nut design

- complete couplings supplied with rubber gaskets
- Replacement gaskets (KRW standard) are available, see page E-15.



Steel King™ Short Shank Suction Couplings - NPSM Thread

Size	Plated Steel shank with Plated Iron nut		Plated Steel shank with Plated Iron nut		Plated Steel	
	Complete Part #	Price/E	Female Part #	Price/E	Male Part #	Price/E
1¼"	<b>CSM125</b>	<b>\$41.75</b>	<b>FCSM125</b>	<b>\$23.90</b>	<b>MCS125</b>	<b>\$17.85</b>
1½"	<b>CSM150</b>	<b>33.65</b>	<b>FCSM150</b>	<b>20.35</b>	<b>MCS150</b>	<b>13.30</b>
2"	<b>CSM200</b>	<b>47.70</b>	<b>FCSM200</b>	<b>27.60</b>	<b>MCS200</b>	<b>20.10</b>
2½"	<b>CSM250</b>	<b>62.55</b>	<b>FCSM250</b>	<b>33.10</b>	<b>MCS250</b>	<b>29.45</b>
3"	<b>CSM300</b>	<b>78.25</b>	<b>FCSM300</b>	<b>44.15</b>	<b>MCS300</b>	<b>34.10</b>
4"	<b>CSM400</b>	<b>132.85</b>	<b>FCSM400</b>	<b>85.00</b>	<b>MCS400</b>	<b>47.85</b>
6"	<b>CSM600</b>	<b>267.25</b>	<b>FCSM600</b>	<b>150.15</b>	<b>MCS600</b>	<b>117.10</b>

Size	Plated Steel shank with Brass nut		Plated Steel shank with Brass nut		Plated Steel	
	Complete Part #	Price/E	Female Part #	Price/E	Male Part #	Price/E
1¼"	<b>CSB125</b>	<b>\$45.15</b>	<b>FCSB125</b>	<b>\$27.30</b>	<b>MCS125</b>	<b>\$17.85</b>
1½"	<b>CSB150</b>	<b>32.90</b>	<b>FCSB150</b>	<b>19.60</b>	<b>MCS150</b>	<b>13.30</b>
2"	<b>CSB200</b>	<b>42.10</b>	<b>FCSB200</b>	<b>22.00</b>	<b>MCS200</b>	<b>20.10</b>
2½"	<b>CSB250</b>	<b>64.70</b>	<b>FCSB250</b>	<b>35.25</b>	<b>MCS250</b>	<b>29.45</b>
3"	<b>CSB300</b>	<b>75.75</b>	<b>FCSB300</b>	<b>42.50</b>	<b>MCS300</b>	<b>34.10</b>
4"	<b>CSB400</b>	<b>135.90</b>	<b>FCSB400</b>	<b>88.05</b>	<b>MCS400</b>	<b>47.85</b>
6"	<b>CSB600</b>	<b>259.85</b>	<b>FCSB600</b>	<b>142.75</b>	<b>MCS600</b>	<b>117.10</b>



complete



female



male

Industrial Hose Fittings

- Replacement gaskets (KRW standard) are available, see page E-15.

King™ Short Shank Suction Couplings - NST (NH) Thread

Size	Aluminum shank with Brass nut		Aluminum shank with Brass nut		Aluminum	
	Complete Part #	Price/E	Female Part #	Price/E	Male Part #	Price/E
1½"	<b>CAB150N</b>	<b>\$29.75</b>	<b>FAB150N</b>	<b>\$17.60</b>	<b>MA150N</b>	<b>\$9.00</b>
2½"	<b>CAB250N</b>	<b>57.50</b>	<b>FAB250N</b>	<b>33.50</b>	<b>MA250N</b>	<b>17.85</b>

Size	Brass shank with Brass nut		Brass shank with Brass nut		Brass	
	Complete Part #	Price/E	Female Part #	Price/E	Male Part #	Price/E
1½"	<b>BS63N</b>	<b>\$73.70</b>	<b>BS22N</b>	<b>\$27.45</b>	<b>BS201</b>	<b>\$46.25</b>
2½"	<b>BS93N</b>	<b>157.95</b>	<b>BS32N</b>	<b>65.75</b>	<b>BS301</b>	<b>92.20</b>

Size	Plated Iron shank with Plated Iron nut		Plated Iron shank with Plated Iron nut		Plated Iron	
	Complete Part #	Price/E	Female Part #	Price/E	Male Part #	Price/E
1½"	<b>S63N</b>	<b>\$51.35</b>	<b>S22N</b>	<b>\$29.20</b>	<b>S201</b>	<b>\$22.15</b>
2½"	<b>S93N</b>	<b>92.90</b>	<b>S32N</b>	<b>50.00</b>	<b>S301</b>	<b>42.90</b>

Size	Plated Iron shank with Brass nut		Plated Iron shank with Brass nut		Plated Iron	
	Complete Part #	Price/E	Female Part #	Price/E	Male Part #	Price/E
1½"	<b>SB63N</b>	<b>\$52.45</b>	<b>SB22N</b>	<b>\$30.30</b>	<b>S201</b>	<b>\$22.15</b>
2½"	<b>SB93N</b>	<b>108.40</b>	<b>SB32N</b>	<b>65.50</b>	<b>S301</b>	<b>42.90</b>



complete



female



male

- NST (Common Fire Hose Thread) is also known as NH
- Replacement gaskets (KRW standard) are available, see page E-15.

## Shank Suction Couplings

## Feature:

- Standard gasket is rubber (KRW); for FKM gaskets (KVW) see page E-15

Industrial Hose  
Fittings

## Short Shank Complete Couplings

Size	316 Stainless Steel	
	Part #	Price/E
1/2"	<b>RES404</b>	<b>\$98.90</b>
3/4"	<b>RES606</b>	<b>62.35</b>
1"	<b>RES808</b>	<b>63.80</b>
1 1/4"	<b>RES48</b>	<b>166.40</b>
1 1/2"	<b>RES63</b>	<b>131.60</b>
2"	<b>RES78</b>	<b>169.75</b>

## Short Shank Female Couplings - NPSM



Size	316 Stainless Steel	
	Part #	Price/E
1/2"	<b>RES444</b>	<b>\$77.80</b>
3/4"	<b>RES646</b>	<b>41.20</b>
1"	<b>RES848</b>	<b>42.55</b>
1 1/4"	<b>RES33</b>	<b>139.30</b>
1 1/2"	<b>RES43</b>	<b>99.00</b>
2"	<b>RES53</b>	<b>124.75</b>

## Short Shank Complete Machined Couplings



Hose ID	NPSM Thread	Previous Part #	Brass	
			Part #	Price/E
1/2"	3/4"	---	<b>BS406</b>	<b>\$20.17</b>
3/4"	3/4"	---	<b>BS606</b>	<b>20.40</b>
1"	1"	BS808 <sup>1</sup>	<b>5921616K<sup>1</sup></b>	<b>26.85</b>

<sup>1</sup> NPSH threads

## Short Shank Machined Female Couplings with Swivel Nut



Hose ID	NPSM Thread	Previous Part #	Brass	
			Part #	Price/E
1/2"	3/4"	---	<b>BS446</b>	<b>\$9.75</b>
5/8"	3/4"	---	<b>BS546</b>	<b>9.55</b>
3/4"	3/4"	---	<b>BS646</b>	<b>9.80</b>
1"	1"	BS848 <sup>1</sup>	<b>5911616C<sup>1</sup></b>	<b>13.14</b>

<sup>1</sup> NPSH threads

## Short Shank Machined Male Couplings



Hose ID	NPSM Thread	Previous Part #	Brass	
			Part #	Price/E
1/2"	3/4"	---	<b>BS416</b>	<b>\$10.64</b>
3/4"	3/4"	---	<b>BS616</b>	<b>9.72</b>
1"	1"	BS818 <sup>1</sup>	<b>5901616C<sup>1</sup></b>	<b>14.25</b>

<sup>1</sup> NPSH threads

use with KRW washers on page E-15

Super King™ Long Shank Female Couplings - NPSM

Size	Shank Length	Plated Steel Shank with Brass Pin Lug Nut <sup>1</sup>		Plated Steel Shank with Iron Pin Lug Nut <sup>1</sup>	
		Part #	Price/E	Part #	Price/E
1¼"	4⅛"	<b>SD15</b>	<b>\$44.75</b>	<b>SDMP15</b>	<b>\$44.35</b>
1½"	4⅛"	<b>SD20</b>	<b>47.20</b>	<b>SDMP20</b>	<b>46.10</b>
2"	5"	<b>SD25</b>	<b>58.35</b>	<b>SDMP25</b>	<b>57.20</b>
2½"	5"	<b>SD30</b>	<b>86.50</b>	<b>SDMP30</b>	<b>82.00</b>
3"	5"	<b>SD35</b>	<b>85.45</b>	<b>SDMP35</b>	<b>81.10</b>
4"	5"	<b>SD40</b>	<b>124.00</b>	<b>SDMP40</b>	<b>123.00</b>



pin lug nut

Industrial Hose Fittings

Size	Shank Length	316 Stainless Shank with Iron Pin Lug Nut <sup>1</sup>		316 Stainless Shank with Stainless Hex Nut <sup>2</sup>	
		Part #	Price/E	Part #	Price/E
1½"	4⅛"	---	---	<b>RSHR20</b>	<b>\$126.00</b>
2"	5"	<b>RSDM25</b>	<b>\$116.00</b>	<b>RSDR25</b>	<b>157.00</b>
3"	5"	<b>RSDM35</b>	<b>158.00</b>	---	---



hex nut

<sup>1</sup> KLW leather gaskets standard

<sup>2</sup> PTFE gaskets standard

Super King™ Long Shank Male Couplings - NPT

Size	Shank Length	Plated Steel		316 Stainless	
		Part #	Price/E	Part #	Price/E
1¼"	4-3/8"	<b>SK16</b>	<b>\$20.00</b>	---	---
1½"	4-5/32"	<b>SK21</b>	<b>23.25</b>	---	---
2"	5-5/16"	<b>SK26</b>	<b>28.50</b>	<b>RSK26</b>	<b>\$80.00</b>
2½"	5-5/16"	<b>SK31</b>	<b>47.90</b>	---	---
3"	5-1/2"	<b>SK36</b>	<b>51.45</b>	<b>RSK36</b>	<b>148.00</b>
4"	5-1/2"	<b>SK46</b>	<b>72.30</b>	---	---



- all Super King™ long shank couplings accept 3 band clamps
- replacement FKM (KVV) gaskets are available on page E-15
- PTFE gaskets are available on page A-34

Pin Lug Spanner Single End Wrenches

Size	Plated Iron	
	Part #	Price/E
2"	<b>SW20</b>	<b>\$10.15</b>
2½"	<b>SW25</b>	<b>11.55</b>
3"	<b>SW30</b>	<b>13.25</b>
4"	<b>SW40</b>	<b>13.85</b>
6"	<b>SW60</b>	<b>84.85</b>



Pin Lug Spanner Double End Wrench

Size	Plated Iron	
	Part #	Price/E
1½", 2" x 2½", 3"	<b>SW153</b>	<b>\$25.50</b>



- additional spanner wrenches are available on page J-116

## Long Shank Complete Couplings - NPSM

Industrial Hose  
Fittings

plated steel

Hose ID	NPSM Thread	Plated Steel		Plated Iron		Previous Part #	Brass	
		Part #	Price/E	Part #	Price/E		Part #	Price/E
1/2"	1/2"	<b>SLS404</b>	<b>\$26.30</b>	---	---	---	<b>BLS404</b>	<b>\$25.60</b>
1/2"	3/4"	---	---	---	---	---	<b>BLS406</b>	<b>29.50</b>
5/8"	3/4"	---	---	---	---	---	<b>BLS506</b>	<b>25.00</b>
3/4"	3/4"	<b>SLS606</b>	<b>29.30</b>	---	---	---	<b>BLS606</b>	<b>24.25</b>
1"	1"	<b>SLS808</b>	<b>41.40</b>	---	---	BLS808	<b>5951616K<sup>1</sup></b>	<b>34.40</b>
1 1/4"	1 1/4"	---	---	<b>MLS48</b>	<b>\$54.05</b>	---	<b>BLS48</b>	<b>81.80</b>
1 1/2"	1 1/2"	---	---	<b>MLS63</b>	<b>57.85</b>	---	<b>BLS63</b>	<b>108.95</b>
2"	2"	---	---	<b>MLS78</b>	<b>80.00</b>	---	<b>BLS78</b>	<b>163.25</b>

- sizes 1/2" to 1" are machined; 1 1/4" to 2" are cast

## Long Shank Female Couplings - NPSM



plated steel

Hose ID	NPSM Thread	Plated Steel		Plated Iron		Previous Part #	Brass	
		Part #	Price/E	Part #	Price/E		Part #	Price/E
1/2"	1/2"	<b>SLS444</b>	<b>\$13.80</b>	---	---	---	<b>BLS444</b>	<b>\$12.50</b>
1/2"	3/4"	---	---	---	---	---	<b>BLS446</b>	<b>12.75</b>
5/8"	3/4"	---	---	---	---	---	<b>BLS546</b>	<b>13.75</b>
3/4"	3/4"	<b>SLS646</b>	<b>15.10</b>	---	---	---	<b>BLS646</b>	<b>12.85</b>
1"	1"	<b>SLS848</b>	<b>22.15</b>	---	---	BLS848	<b>5941616C<sup>1</sup></b>	<b>16.36</b>
1 1/4"	1 1/4"	---	---	<b>MLS33</b>	<b>\$26.25</b>	---	<b>BLS33</b>	<b>45.80</b>
1 1/2"	1 1/2"	---	---	<b>MLS43</b>	<b>28.15</b>	---	<b>BLS43</b>	<b>59.75</b>
2"	2"	---	---	<b>MLS53</b>	<b>47.00</b>	---	<b>BLS53</b>	<b>89.75</b>

- 1/2" to 1" are machined; 1 1/4" to 2" are cast

## Long Shank Male Couplings - NPSM



plated steel

Hose ID	NPSM Thread	Plated Steel		Plated Iron		Previous Part #	Brass	
		Part #	Price/E	Part #	Price/E		Part #	Price/E
1/2"	1/2"	<b>SLS414</b>	<b>\$12.50</b>	---	---	---	<b>BLS414</b>	<b>\$10.69</b>
1/2"	3/4"	---	---	---	---	---	<b>BLS416</b>	<b>13.35</b>
5/8"	3/4"	---	---	---	---	---	<b>BLS516</b>	<b>9.18</b>
3/4"	3/4"	<b>SLS616</b>	<b>14.20</b>	---	---	---	<b>BLS616</b>	<b>11.38</b>
1"	1"	<b>SLS818</b>	<b>19.25</b>	---	---	BLS818	<b>5931616C<sup>1</sup></b>	<b>18.75</b>
1 1/4"	1 1/4"	---	---	<b>MLS15</b>	<b>\$28.35</b>	---	<b>BLS15</b>	<b>36.00</b>
1 1/2"	1 1/2"	---	---	<b>MLS20</b>	<b>29.70</b>	---	<b>BLS20</b>	<b>49.20</b>
2"	2"	---	---	<b>MLS25</b>	<b>33.00</b>	---	<b>BLS25</b>	<b>73.50</b>

- 1/2" to 1" are machined; 1 1/4" to 2" are cast

<sup>1</sup> NPSH thread

Long Shank Complete Couplings - NST

Hose ID	NST Thread	Brass	
		Part #	Price/E
1½"	1½"	<b>BLS63NST</b>	<b>\$125.85</b>
2½"	2½"	<b>BLS93NST</b>	<b>228.75</b>



Industrial Hose  
Fittings

- replacement gaskets (KRW standard) available on page E-15
- for GHT long shank complete couplings see page E-42

Long Shank Female Couplings - NST

Hose ID	NST Thread	Brass	
		Part #	Price/E
1½"	1½"	<b>BLS150NST</b>	<b>\$72.25</b>
2½"	2½"	<b>BLS250NST</b>	<b>118.00</b>



- replacement gaskets (KRW standard) available on page E-15
- for GHT long shank female coupling see page E-42

Long Shank Male Couplings - NST

Hose ID	NST Thread	Brass	
		Part #	Price/E
1½"	1½"	<b>BLS20NST</b>	<b>\$53.60</b>
2½"	2½"	<b>BLS30NST</b>	<b>110.75</b>



- replacement gaskets (KRW standard) available on page E-15
- for GHT long shank male coupling see page E-42



## Spray Hose Complete Couplings - NPSM

Hose ID	NPSM Thread	Plated Steel	
		Part #	Price/E
3/8"	3/4"	<b>SS306</b>	<b>\$30.45</b>
1/2"	1/2"	<b>SS404</b>	<b>37.50</b>
1/2"	3/4"	<b>SS406</b>	<b>30.30</b>
3/4"	3/4"	<b>SS606</b>	<b>38.60</b>
1"	1"	<b>SS808</b>	<b>69.05</b>

- for GHT spray hose complete coupling see page E-43

## Spray Hose Female Couplings - NPSM



Hose ID	NPSM Thread	Plated Steel	
		Part #	Price/E
3/8"	3/4"	<b>SS346</b>	<b>\$14.60</b>
1/2"	1/2"	<b>SS444</b>	<b>23.50</b>
1/2"	3/4"	<b>SS446</b>	<b>13.00</b>
3/4"	3/4"	<b>SS646</b>	<b>23.60</b>
1"	1"	<b>SS848</b>	<b>47.55</b>

- for GHT spray hose female coupling see page E-43

## Spray Hose Male Couplings - NPSM



Hose ID	NPSM Thread	Plated Steel	
		Part #	Price/E
3/8"	3/4"	<b>SS316</b>	<b>\$15.85</b>
1/2"	1/2"	<b>SS414</b>	<b>14.00</b>
1/2"	3/4"	<b>SS416</b>	<b>17.30</b>
3/4"	3/4"	<b>SS616</b>	<b>15.00</b>
1"	1"	<b>SS818</b>	<b>21.50</b>

- for GHT spray hose male coupling see page E-43

Gaskets for Suction, Long and Short Shank Couplings

• for use on NPSM threaded couplings

Hose ID	Rubber (Styrene Butadiene)		Neoprene		FKM	
	Part #	Price/E	Part #	Price/E	Part #	Price/E
1/2"	<b>KRW1</b>	<b>\$0.45</b>	---	---	---	---
3/4"	<b>KRW5</b>	<b>0.45</b>	<b>KNW5</b>	<b>\$0.50</b>	---	---
1"	<b>KRW10</b>	<b>0.45</b>	<b>KNW10</b>	<b>0.50</b>	<b>KVW10</b>	<b>\$3.85</b>
1 1/4"	<b>KRW15</b>	<b>0.45</b>	<b>KNW15</b>	<b>0.95</b>	---	---
1 1/2"	<b>KRW20</b>	<b>0.55</b>	<b>KNW20</b>	<b>0.75</b>	<b>KVW20</b>	<b>7.25</b>
2"	<b>KRW25</b>	<b>0.70</b>	<b>KNW25</b>	<b>0.85</b>	<b>KVW25</b>	<b>10.10</b>
2 1/2"	<b>KRW30</b>	<b>0.90</b>	<b>KNW30</b>	<b>0.95</b>	---	---
3"	<b>KRW35</b>	<b>0.90</b>	<b>KNW35</b>	<b>1.35</b>	<b>KVW35</b>	<b>21.85</b>
4"	<b>KRW40</b>	<b>1.50</b>	<b>KNW40</b>	<b>2.15</b>	---	---
5"	<b>KRW50</b>	<b>3.50</b>	---	---	---	---
6"	<b>KRW60</b>	<b>4.45</b>	<b>KNW60</b>	<b>6.35</b>	---	---
8"	<b>KRW80</b>	<b>9.80</b>	<b>KNW80</b>	<b>12.10</b>	---	---



rubber



neoprene



FKM



leather



rubber

Industrial Hose  
Fittings



Hose ID	Leather		Rubber	
	Part #	Price/E	Part #	Price/E
1/2"	<b>KLW1</b>	<b>\$2.95</b>	---	---
3/4"	<b>KLW5</b>	<b>1.75</b>	---	---
1"	<b>KLW10</b>	<b>2.20</b>	---	---
1 1/4"	<b>KLW15</b>	<b>2.05</b>	---	---
1 1/2"	<b>KLW20</b>	<b>2.60</b>	<b>KRW2075<sup>1</sup></b>	<b>\$1.85</b>
2"	<b>KLW25</b>	<b>4.45</b>	---	---
2 1/2"	<b>KLW30</b>	<b>2.60</b>	<b>KRW3075<sup>1</sup></b>	<b>1.90</b>
3"	<b>KLW35</b>	<b>4.40</b>	---	---
4"	<b>KLW40</b>	<b>5.20</b>	---	---

<sup>1</sup> NST only threaded couplings



zinc plated steel



304 stainless steel

## Round Hole Strainers

NPSM Size	Zinc Plated Steel		304 Stainless Steel	
	Part #	Price/E	Part #	Price/E
1½"	<b>RHS20</b>	<b>\$26.00</b>	<b>RRHS20</b>	<b>\$230.00</b>
2"	<b>RHS25</b>	<b>26.00</b>	<b>RRHS25</b>	<b>286.25</b>
2½"	<b>RHS30</b>	<b>33.25</b>	---	---
3"	<b>RHS35</b>	<b>38.50</b>	<b>RRHS35</b>	<b>400.00</b>
4"	<b>RHS40</b>	<b>54.00</b>	<b>RRHS40</b>	<b>495.00</b>
6"	<b>RHS60</b>	<b>156.25</b>	<b>RRHS60</b>	<b>835.00</b>
8"	<b>RHS80</b>	<b>357.10</b>	<b>RRHS80</b>	<b>2710.95</b>
10"	<b>RHS100</b>	<b>655.00</b>	---	---
12"	<b>RHS120</b>	<b>1191.00</b>	---	---

## Square Hole Strainers



NPSM Size	Zinc Plated Steel	
	Part #	Price/E
2"	<b>SHS25</b>	<b>\$26.00</b>
3"	<b>SHS35</b>	<b>38.50</b>
4"	<b>SHS40</b>	<b>54.00</b>
6"	<b>SHS60</b>	<b>156.25</b>
8"	<b>SHS80</b>	<b>357.10</b>
10"	<b>SHS100</b>	<b>655.00</b>
12"	<b>SHS120</b>	<b>1191.00</b>

## Long Thin Round Hole Strainers



NPSM Size	Zinc Plated Steel	
	Part #	Price/E
1½"	<b>RSS20</b>	<b>\$22.90</b>
2"	<b>RSS25</b>	<b>24.20</b>
3"	<b>RSS35</b>	<b>36.70</b>
4"	<b>RSS40</b>	<b>50.20</b>



Bottom Skimmers - Round Hole Type

NPSM Size	Zinc Plated Steel	
	Part #	Price/E
1½"	<b>DSB20</b>	<b>\$68.00</b>
2"	<b>DSB25</b>	<b>76.00</b>
3"	<b>DSB35</b>	<b>169.50</b>



Industrial Hose  
Fittings

Top Skimmers - Round Hole Type

NPSM Size	Zinc Plated Steel	
	Part #	Price/E
1½"	<b>DST20</b>	<b>\$68.00</b>
2"	<b>DST25</b>	<b>76.00</b>
3"	<b>DST35</b>	<b>169.50</b>



Suction Strainers

NPT Size	Black Polypropylene with 30% fiberglass	
	Part #	Price/E
1½"	<b>TSS20</b>	<b>\$15.60</b>
2"	<b>TSS25</b>	<b>15.60</b>
3"	<b>TSS35</b>	<b>26.30</b>
4"	<b>TSS40</b> <b>NEW</b>	<b>29.00</b>



## Threaded Foot Valves



- **must** be installed in the *vertical position*
- for water service *only*
- not for compressed air or other compressible gases

Industrial Hose  
Fittings

NPT Size	Painted Cast Iron	
	Part #	Price/E
1½"	DFVS20	\$32.55
2"	DFVS25	52.85
2½"	DFVS30	61.10
3"	DFVS35	77.70
4"	DFVS40	142.00
6"	DFVS60	339.95
8"	DFVS80	706.15

## Strainers



Size	Painted Cast Iron	
	Part #	Price/E
1½"	FVS20	\$6.90
2"	FVS25	10.60
2½"	FVS30	20.95
3"	FVS35	21.20
4"	FVS40	28.80
6"	FVS60	68.90
8"	FVS80	189.35

## Flapper Assemblies



Size	Painted Cast Iron / Rubber	
	Part #	Price/E
1½"	FVFA20	\$14.80
2"	FVFA25	17.80
2½"	FVFA30	22.30
3"	FVFA35	23.80
4"	FVFA40	35.00
6"	FVFA60	85.90
8"	FVFA80	187.80

## Valves



Size	Rubber	
	Part #	Price/E
1½"	FVL20	\$6.65
2"	FVL25	10.60
2½"	FVL30	13.00
3"	FVL35	19.65
4"	FVL40	30.75
6"	FVL60	65.75
8"	FVL80	124.05

## Seat Plates



Size	Painted Cast Iron	
	Part #	Price/E
1½"	FVSP20	\$6.35
2"	FVSP25	5.30
2½"	FVSP30	9.55
3"	FVSP35	15.20
4"	FVSP40	16.70
6"	FVSP60	36.10
8"	FVSP80	67.75

Dixon® Hose Menders

- They are not for compressible products such as air, nitrogen or steam.
- The working pressure may vary with the construction of the hose, the type of clamping system used and the application. Consult Dixon® for recommendations.
- In accordance with the ARPM bulletin for oil suction and discharge hose, a coupled length of hose in any size, should be tested to 1½ times the working pressure and held for fifteen minutes without leaking or coupling movement. For additional information and detailed instruction on testing procedures, see the Association for Rubber Products Manufacturer's (ARPM) handbook or visit ARPMINC.com.



Industrial Hose Fittings

Size	Zinc Plated Steel		Optional Qty	316 Stainless Steel		Optional Qty
	Part #	Price/E		Part #	Price #	
¼"	<b>DMA</b>	<b>\$7.65</b>	200	<b>RDMA</b>	<b>\$28.00</b>	100
⅜"	<b>DMB</b>	<b>7.80</b>	100	<b>RDMB</b>	<b>32.65</b>	100
½"	<b>DM1</b>	<b>7.75</b>	50	<b>RDM1</b>	<b>28.15</b>	50
⅝"	<b>DM5</b>	<b>7.95</b>	50	---	---	---
¾"	<b>DM6</b>	<b>7.15</b>	50	<b>RDM6</b>	<b>58.00</b>	50
1"	<b>DM11</b>	<b>6.85</b>	50	<b>RDM11</b>	<b>61.00</b>	50
1¼"	<b>DM16</b>	<b>9.25</b>	50	<b>RDM16</b>	<b>64.50</b>	5
1⅜"	<b>DM18</b>	<b>25.55</b>	50	---	---	---
1½"	<b>DM21</b>	<b>10.55</b>	50	<b>RDM21</b>	<b>73.50</b>	50
1½"	<b>DMXL21</b> <sup>1</sup>	<b>24.15</b>	25	---	---	---
2"	<b>DM26</b>	<b>12.25</b>	50	<b>RDM26</b>	<b>82.70</b>	10
2"	<b>DMXL26</b> <sup>1</sup>	<b>29.05</b>	25	---	---	---
2½"	<b>DM31</b>	<b>18.65</b>	25	---	---	---
3"	<b>DM36</b>	<b>22.50</b>	20	<b>RDM36</b>	<b>183.30</b>	5
4"	<b>DM46</b>	<b>41.40</b>	10	<b>RDM46</b>	<b>216.30</b>	5
5"	<b>DM51</b>	<b>130.00</b>	5	---	---	---
6"	<b>DM66</b>	<b>100.55</b>	4	---	---	---
8"	<b>DM86</b>	<b>218.00</b>	1	---	---	---
10"	<b>DM100</b>	<b>335.00</b>	1	---	---	---
12"	<b>DM120</b>	<b>512.30</b>	1	---	---	---



zinc plated steel



316 stainless steel



<sup>1</sup> XL series has extra long shank

## King™ Hose Menders

- They are not for compressible products such as air, nitrogen or steam.
- The working pressure may vary with the construction of the hose, the type of clamping system used and the application. Consult Dixon® for recommendations.
- In accordance with the ARPM bulletin for oil suction and discharge hose, a coupled length of hose in any size, should be tested to 1½ times the working pressure and held for fifteen minutes without leaking or coupling movement. For additional information and detailed instruction on testing procedures, see the Association for Rubber Products Manufacturer's (ARPM) handbook or visit ARPMINC.com.



## for 1 Clamp

Size	Steel	
	Part #	Price/E
1/4"	<b>KM21</b>	<b>\$7.65</b>
5/16"	<b>KM251</b>	<b>8.00</b>
1/2"	<b>KM41</b>	<b>8.80</b>
5/8"	<b>KM51</b>	<b>11.30</b>
3/4"	<b>KM61</b>	<b>8.90</b>
1"	<b>KM81</b>	<b>8.60</b>
1-1/4"	<b>KM101</b>	<b>7.80</b>
1-1/2"	<b>KM121</b>	<b>11.10</b>



## for 2 Clamps

Size	Steel	
	Part #	Price/E
1/2"	<b>KM42</b>	<b>\$12.20</b>
5/8"	<b>KM52</b>	<b>12.25</b>
3/4"	<b>KM62</b>	<b>11.60</b>
1"	<b>KM82</b>	<b>11.90</b>
1 1/4"	<b>KM102</b>	<b>13.65</b>
1 1/2"	<b>KM122</b>	<b>20.75</b>
2"	<b>KM162</b>	<b>29.30</b>



## Barbed Hose Menders

Hose ID	Lead Free Brass <sup>1</sup>		Brass		
	Part #	Price/E	Previous Part #	Part #	Price/E
1/8"	---	---	BM1	<b>1780202C</b>	<b>\$1.98</b>
3/16"	---	---	BM15	<b>1780303C</b>	<b>1.83</b>
1/4" x 1/8"	<b>1780404CLF</b>	<b>\$9.27</b>	BM2-1	<b>1780402C</b>	<b>3.07</b>
1/4"	---	---	BM2	<b>1780404C</b>	<b>2.04</b>
5/16"	---	---	BM25	<b>1780505C</b>	<b>2.57</b>
3/8" x 1/4"	<b>1780606CLF</b>	<b>10.38</b>	BM3-2	<b>1780604C</b>	<b>3.41</b>
3/8"	---	---	BM3	<b>1780606C</b>	<b>2.40</b>
1/2" x 3/8"	<b>1780808CLF</b>	<b>11.59</b>	BM4-3	<b>1780806C</b>	<b>4.00</b>
1/2"	---	---	BM4	<b>1780808C</b>	<b>3.36</b>
5/8" x 3/8"	---	---	BM5-3	<b>1781006C</b>	<b>4.57</b>
5/8" x 1/2"	---	---	BM5-4	<b>1781008C</b>	<b>5.37</b>
5/8"	---	---	BM5	<b>1781010C</b>	<b>4.00</b>
3/4" x 1/2"	---	---	BM6-4	<b>1781208C</b>	<b>6.22</b>
3/4"	---	---	BM6	<b>1781212C</b>	<b>5.39</b>
1"	---	---	BM8	<b>1781616C</b>	<b>10.10</b>



<sup>1</sup> Lead free brass <=0.25% lead; Alloy CA2745; Alloy C46400

## Short Shank Menders

Size	Length	Previous Part #	316 Stainless Steel	
			Part #	Price/E
1/4"	2-1/32"	1780404SS	<b>RM2</b>	<b>\$15.20</b>
3/8"	2-1/16"	1780606SS	<b>RM3</b>	<b>16.30</b>
1/2"	2-1/16"	1780808SS	<b>RM4</b>	<b>24.45</b>
3/4"	2-1/2"	1781212SS	<b>RM6</b>	<b>31.40</b>



Male NPT x Hose Barb

• Optional package quantity

Hose ID	Male NPTF	Brass			Lead Free Brass <sup>1,3</sup>		316 Stainless Steel <sup>1</sup>		Pkg Qty
		Previous Part #	Part #	Price/E	Part #	Price/E	Part #	Price/E	
1/8"	1/8"	BN11	1020202C	\$1.71	---	---	RN11	\$14.00	100
	1/4"	BN122	1020204C	2.24	---	---	---	---	100
3/16"	1/8"	BN151	1020302C	1.88	1020302CLF	\$8.81	RN151	16.70	100
	1/4"	BN152	1020304C	2.42	---	---	RN152	16.20	100
1/4"	1/8"	BN21	1020402C	1.91	1020402CLF	7.57	RN21	13.20	100
	1/4"	BN22	1020404C	2.07	1020404CLF	7.52	RN22	11.60	100
	3/8"	BN23	1020406C	3.12	---	---	RN23	21.85	100
	1/2"	BN24	1020408C	6.31	---	---	---	---	50
5/16"	1/8"	BN251	1020502C	2.08	1020502CLF	8.88	RN251	15.00	100
	1/4"	BN252	1020504C	2.45	1020504CLF	8.89	RN252	17.60	50
	3/8"	BN253	1020506C	3.16	---	---	RN253	20.00	50
3/8"	1/8"	BN31	1020602C	2.40	1020602CLF	9.01	RN31	12.15	100
	1/4"	BN32	1020604C	2.10	1020604CLF	8.06	RN32	11.80	100
	3/8"	BN33	1020606C	3.16	1020606CLF	11.49	RN33	14.50	50
	1/2"	BN34	1020608C	5.50	1020608CLF	14.80	RN34	29.55	25
	3/4"	BN36	1020612C	7.71	---	---	---	---	25
1/2"	1/4"	BN42	1020804C	3.15	1020804CLF	12.92	RN42	15.50	50
	3/8"	BN43	1020806C	3.22	1020806CLF	11.75	RN43	22.15	50
	1/2"	BN44	1020808C	4.90	1020808CLF	17.28	RN44	28.95	25
	3/4"	BN46	1020812C	7.30	---	---	RN46	36.35	25
5/8"	3/8"	BN53	1021006C	3.64	---	---	RN53	24.25	50
	1/2"	BN54	1021008C	5.32	1021008CLF	18.33	RN54	27.00	25
	3/4"	BN56	1021012C	7.35	---	---	RN56	36.15	25
3/4"	1/2"	BN64	1021208C	6.22	1021208CLF	21.27	RN64	40.95	25
	3/4"	BN66	1021212C	6.75	1021212CLF	27.23	RN66	48.00	20
1"	3/4"	BN86	1021612C	9.08	---	---	RN86	54.00	20
	1"	BN88	1021616C <sup>2</sup>	14.81	---	---	RKHN881 <sup>4</sup>	78.50	10
1 1/4"	3/4"	BN106	1022012C	19.36	---	---	---	---	10
	1"	BN108	1022016C <sup>2</sup>	17.97	---	---	---	---	5

<sup>1</sup> NPT thread

<sup>2</sup> capped

<sup>3</sup> Lead free brass <=0.25% lead; Alloy CA2745; Alloy C46400

<sup>4</sup> same shank style as KHN881 shown on page E-7



brass



316 stainless steel

Industrial Hose Fittings



Male NPTF Swivel x Hose Barb

• Optional package quantity

Hose ID	Male NPTF	Brass			Pkg Qty
		Previous Part #	Part #	Price/E	
1/4"	1/8"	103-0402	1030402C	\$7.64	100
	1/4"	103-0404	1030404C	5.70	100
3/8"	1/4"	103-0604	1030604C	6.02	100
	3/8"	103-0606	1030606C	6.64	50
1/2"	3/8"	103-0806	1030806C	8.09	50
	1/2"	103-0808	1030808C	9.85	25
3/4"	3/4"	103-1212	1031212C	13.08	20
1"	1-1 1/2"	103-1616	1031616C <sup>1</sup>	52.37	10



<sup>1</sup> capped threads / 150 PSI maximum

• swivel is for assembly convenience only, not for live swivel applications



## Male NPTF x Beaded Hose Barb

Hose ID	Male NPTF	Brass		Pkg Qty
		Part #	Price/E	
1/4"	1/8"	<b>268B0402</b>	<b>\$2.50</b>	100
	1/4"	<b>268B0404</b>	<b>2.66</b>	100
5/16"	1/8"	<b>268B0502</b>	<b>2.59</b>	100
	1/4"	<b>268B0504</b>	<b>2.87</b>	50
3/8"	1/8"	<b>268B0602</b>	<b>3.02</b>	100
	1/4"	<b>268B0604</b>	<b>2.91</b>	100
	3/8"	<b>268B0606</b>	<b>3.73</b>	50
1/2"	3/8"	<b>268B0806</b>	<b>3.90</b>	50
	1/2"	<b>268B0808</b>	<b>6.70</b>	50
5/8"	1/2"	<b>268B1008</b>	<b>6.75</b>	25
3/4"	1/2"	<b>268B1208</b>	<b>7.12</b>	50
	3/4"	<b>268B1212</b>	<b>9.00</b>	25

## Male BSPT x Hose Barb



Hose ID	Male BSPT	Brass			Pkg Qty
		Previous Part #	Part #	Price/E	
1/4"	1/8"	BN21BSPT	<b>1020402BSPT</b>	<b>\$2.86</b>	100
	1/4"	BN22BSPT	<b>1020404BSPT</b>	<b>3.11</b>	100
3/8"	1/4"	BN32BSPT	<b>1020604BSPT</b>	<b>3.90</b>	100
	3/8"	BN33BSPT	<b>1020606BSPT</b>	<b>4.42</b>	50
	1/2"	BN34BSPT	<b>1020608BSPT</b>	<b>9.04</b>	25
1/2"	3/8"	BN43BSPT	<b>1020806BSPT</b>	<b>5.07</b>	50
	1/2"	BN44BSPT	<b>1020808BSPT</b>	<b>6.52</b>	50
3/4"	3/4"	BN66BSPT	<b>1021212BSPT</b>	<b>8.56</b>	25
1"	1"	BN88BSPT	<b>1021616BSPT</b>	<b>18.10</b>	10

## Female NPT x Hose Barb



brass



303 stainless steel

Hose ID	Female NPTF	Brass			Lead Free Brass <sup>1,2</sup>		303 Stainless Steel <sup>1</sup>			Pkg Qty
		Previous Part #	Part #	Price/E	Part #	Price/E	Previous Part #	Part #	Price/E	
1/8"	1/8"	BF11	<b>1040202C</b>	<b>\$2.62</b>	---	---	---	---	---	100
	1/4"	BF12	<b>1040204C</b>	<b>3.59</b>	---	---	---	---	---	100
3/16"	1/8"	BF151	<b>1040302C</b>	<b>2.59</b>	---	---	---	---	---	100
	1/4"	BF152	<b>1040304C</b>	<b>3.50</b>	---	---	---	---	---	100
1/4"	1/8"	BF21	<b>1040402C</b>	<b>2.20</b>	---	---	---	---	---	100
	1/4"	BF22	<b>1040404C</b>	<b>2.84</b>	<b>1040404CLF</b>	<b>\$13.16</b>	BF22SS	<b>1040404SS</b>	<b>\$28.58</b>	100
	3/8"	BF23	<b>1040406C</b>	<b>3.66</b>	---	---	---	---	---	50
	1/2"	BF24	<b>1040408C</b>	<b>5.41</b>	---	---	---	---	---	50
5/16"	1/8"	BF251	<b>1040502C</b>	<b>3.32</b>	---	---	---	---	---	100
	1/4"	BF252	<b>1040504C</b>	<b>3.40</b>	---	---	---	---	---	100
	3/8"	BF253	<b>1040506C</b>	<b>4.57</b>	---	---	---	---	---	100
3/8"	1/8"	BF31	<b>1040602C</b>	<b>2.96</b>	---	---	---	---	---	100
	1/4"	BF32	<b>1040604C</b>	<b>2.82</b>	<b>1040604CLF</b>	<b>13.18</b>	BF32SS	<b>1040604SS</b>	<b>26.21</b>	50
	3/8"	BF33	<b>1040606C</b>	<b>3.82</b>	<b>1040606CLF</b>	<b>17.49</b>	BF33SS	<b>1040606SS</b>	<b>29.15</b>	50
	1/2"	BF34	<b>1040608C</b>	<b>5.51</b>	<b>1040608CLF</b>	<b>24.61</b>	---	---	---	50
1/2"	3/4"	BF36	<b>1040612C</b>	<b>10.53</b>	---	---	---	---	---	25
	1/4"	BF42	<b>1040804C</b>	<b>3.42</b>	---	---	---	---	---	50
	3/8"	BF43	<b>1040806C</b>	<b>4.20</b>	---	---	---	---	---	50
	1/2"	BF44	<b>1040808C</b>	<b>5.36</b>	<b>1040808CLF</b>	<b>25.50</b>	BF44SS	<b>1040808SS</b>	<b>32.92</b>	50
5/8"	3/4"	BF46	<b>1040812C</b>	<b>9.82</b>	---	---	---	---	---	25
	3/8"	BF53	<b>1041006C</b>	<b>4.69</b>	---	---	---	---	---	50
	1/2"	BF54	<b>1041008C</b>	<b>5.50</b>	---	---	---	---	---	25
3/4"	3/4"	BF56	<b>1041012C</b>	<b>9.81</b>	---	---	---	---	---	25
	1/2"	BF64	<b>1041208C</b>	<b>6.10</b>	---	---	---	---	---	25
1"	3/4"	BF66	<b>1041212C</b>	<b>10.40</b>	---	---	---	---	---	20
	3/4"	BF86	<b>1041612C</b>	<b>11.19</b>	---	---	---	---	---	20
1"	1"	BF88	<b>1041616C</b>	<b>17.00</b>	---	---	---	---	---	10
	1-1/4"	1"	BF108	<b>1042016C</b>	<b>17.76</b>	---	---	---	---	10

<sup>1</sup> NPT threads and are packaged to order<sup>2</sup> Lead free brass <=0.25% lead; Alloy CA2745; Alloy C46400

Female NPSM Swivel x Hose Barb Ball Seat

Hose ID	Female NPSM	Brass			Pkg Qty
		Previous Part #	Part #	Price/E	
1/8"	1/8"	BFS11	<b>1240202K</b>	<b>\$3.11</b>	100
3/16"	1/8"	BFS151	<b>1240302K</b>	<b>2.42</b>	100
	1/4"	BFS152	<b>1240304K</b>	<b>3.45</b>	100
1/4"	1/8"	BFS21	<b>1240402K</b>	<b>3.20</b>	100
	1/4"	BFS22	<b>1240404K</b>	<b>3.12</b>	100
	3/8"	BFS23	<b>1240406K</b>	<b>4.78</b>	100
5/16"	1/4"	BFS252	<b>1240504K</b>	<b>4.53</b>	100
	3/8"	BFS253	<b>1240506K</b>	<b>6.19</b>	50
3/8"	1/4"	BFS32	<b>1240604K</b>	<b>3.03</b>	100
	3/8"	BFS33	<b>1240606K</b>	<b>4.20</b>	100
	1/2"	BFS34	<b>1240608K</b>	<b>7.06</b>	100
1/2"	3/8"	BFS43	<b>1240806K</b>	<b>7.35</b>	50
	1/2"	BFS44	<b>1240808K</b>	<b>6.37</b>	100
3/4"	3/4"	BFS66	<b>1241212K</b>	<b>9.97</b>	50



Industrial Hose  
Fittings

Female NPSM Swivel x Hose Barb Gasket Seat

Hose ID	Female NPSM	Brass			Pkg Qty
		Previous Part #	Part #	Price/E	
1/8"	1/8"	126-0202	<b>1260202C</b>	<b>\$5.52</b>	100
3/16"	1/8"	126-0302	<b>1260302C</b>	<b>5.35</b>	100
	1/4"	126-0304	<b>1260304C</b>	<b>5.90</b>	100
1/4"	1/8"	126-0402	<b>1260402C</b>	<b>5.70</b>	100
	1/4"	126-0404	<b>1260404C</b>	<b>5.32</b>	100
	3/8"	126-0406	<b>1260406C</b>	<b>6.82</b>	100
5/16"	1/4"	126-0504	<b>1260504C</b>	<b>6.87</b>	100
3/8"	1/4"	126-0604	<b>1260604C</b>	<b>5.11</b>	100
	3/8"	126-0606	<b>1260606C</b>	<b>6.31</b>	50
	1/2"	126-0608	<b>1260608C</b>	<b>7.83</b>	50
1/2"	3/8"	126-0806	<b>1260806C</b>	<b>9.27</b>	50
	1/2"	126-0808	<b>1260808C</b>	<b>7.38</b>	50
3/4"	3/4"	126-1212	<b>1261212C</b>	<b>9.36</b>	25



- not recommended for water applications

## Male NPT x Hose Barb 90° Elbow



Hose ID	Male NPTF	Brass			Lead Free Brass <sup>2</sup>	
		Previous Part #	Part #	Price/E	Part #	Price/E
3/16"	1/8"	EL15H1M	<b>1290302C</b>	<b>\$3.69</b>	---	---
1/4"	1/8"	EL2H1M	<b>1290402C</b>	<b>3.45</b>	---	---
	1/4"	EL2H2M	<b>1290404C</b>	<b>5.01</b>	<b>1290404CLF</b>	<b>\$15.86</b>
	3/8"	EL2H3M	<b>1290406C</b>	<b>6.20</b>	---	---
5/16"	1/8"	EL25H1M	<b>1290502C</b>	<b>4.25</b>	---	---
	1/4"	EL25H2M	<b>1290504C</b>	<b>5.62</b>	---	---
	3/8"	EL25H3M	<b>1290506C</b>	<b>6.25</b>	---	---
3/8"	1/8"	EL3H1M	<b>1290602C</b>	<b>3.76</b>	---	---
	1/4"	EL3H2M	<b>1290604C</b>	<b>5.01</b>	<b>1290604CLF</b>	<b>32.57</b>
	3/8"	EL3H3M	<b>1290606C</b>	<b>6.60</b>	<b>1290606CLF</b>	<b>12.96</b>
	1/2"	EL3H4M	<b>1290608C</b>	<b>9.25</b>	---	---
1/2"	1/4"	EL4H2M	<b>1290804C</b>	<b>5.50</b>	---	---
	3/8"	EL4H3M	<b>1290806C</b>	<b>6.80</b>	---	---
	1/2"	EL4H4M	<b>1290808C</b>	<b>9.07</b>	---	---
5/8"	3/8"	EL5H3M	<b>1291006C</b>	<b>11.61</b>	---	---
	1/2"	EL5H4M	<b>1291008C</b>	<b>12.46</b>	---	---
3/4"	1/2"	EL6H4M	<b>1291208C</b>	<b>15.55</b>	---	---
	3/4"	EL6H6M	<b>1291212C</b>	<b>21.78</b>	---	---
1"	3/4"	EL8H6M	<b>1291612C</b>	<b>27.46</b>	---	---
	1"	EL8H8M	<b>1291616C</b> <sup>1</sup>	<b>36.17</b>	---	---

<sup>1</sup> capped<sup>2</sup> Lead free brass <=0.25% lead; Alloy CA2745; Alloy C46400

Hose ID	Male NPTF	Stainless Steel			Pkg Qty
		Previous Part #	Part #	Price/E	
1/4"	1/8"	EL2H1MSS	<b>1290402SS</b>	<b>\$28.61</b>	50
	1/4"	EL2H2MSS	<b>1290404SS</b>	<b>27.18</b>	50
3/8"	1/4"	EL3H2MSS	<b>1290604SS</b>	<b>28.15</b>	50
	3/8"	EL3H3MSS	<b>1290606SS</b>	<b>26.76</b>	50
1/2"	1/4"	EL4H2MSS	<b>1290804SS</b>	<b>31.95</b>	50
	3/8"	EL4H3MSS	<b>1290806SS</b>	<b>43.45</b>	50
	1/2"	EL4H4MSS	<b>1290808SS</b>	<b>31.68</b>	25
3/4"	1/2"	EL6H4MSS	<b>1291208SS</b>	<b>60.73</b>	25
	3/4"	EL6H6MSS	<b>1291212SS</b>	<b>58.10</b>	25

## Female NPTF x Hose Barb 90° Elbow



Hose ID	Female NPTF	Brass			Pkg Qty
		Previous Part #	Part #	Price/E	
1/4"	1/8"	134-0402	<b>1340402C</b>	<b>\$5.82</b>	50
	1/4"	134-0404	<b>1340404C</b>	<b>7.72</b>	50
3/8"	1/4"	134-0604	<b>1340604C</b>	<b>7.27</b>	50
	3/8"	134-0606	<b>1340606C</b>	<b>10.10</b>	50
1/2"	1/4"	134-0804	<b>1340804C</b>	<b>6.86</b>	25
	3/8"	134-0806	<b>1340806C</b>	<b>11.36</b>	25
	1/2"	134-0808	<b>1340808C</b>	<b>23.44</b>	25
3/4"	3/4"	134-1212	<b>1341212C</b>	<b>34.35</b>	25



Barbed 90° Elbow Splicers

Hose ID	Brass			304 Stainless Steel			Pkg Qty
	Previous Part #	Part #	Price/E	Previous Part #	Part #	Price/E	
1/8"	177-0202	<b>1770202C</b>	<b>\$4.58</b>	177-0202SS	<b>1770202SS</b>	<b>\$18.85</b>	25
3/16"	177-0303	<b>1770303C</b>	<b>4.00</b>	177-0303SS	<b>1770303SS</b>	<b>38.20</b>	25
1/4" x 1/8"	177-0402	<b>1770402C</b>	<b>5.35</b>	---	---	---	25
1/4"	177-0404	<b>1770404C</b>	<b>3.78</b>	177-0404SS	<b>1770404SS</b>	<b>11.45</b>	25
5/16"	177-0505	<b>1770505C</b>	<b>6.12</b>	---	---	---	25
3/8" x 1/4"	177-0604	<b>1770604C</b>	<b>6.16</b>	---	---	---	25
3/8"	177-0606	<b>1770606C</b>	<b>5.80</b>	177-0606SS	<b>1770606SS</b>	<b>15.84</b>	25
1/2" x 3/8"	177-0806	<b>1770806C</b>	<b>7.00</b>	---	---	---	25
1/2"	177-0808	<b>1770808C</b>	<b>6.96</b>	177-0808SS	<b>1770808SS</b>	<b>30.85</b>	25
5/8"	177-1010	<b>1771010C</b>	<b>13.65</b>	---	---	---	25
3/4" x 1/2"	177-1208	<b>1771208C</b>	<b>14.25</b>	---	---	---	25
3/4"	177-1212	<b>1771212C</b>	<b>18.17</b>	---	---	---	25



brass



304 stainless steel

Industrial Hose Fittings

Barbed Tee Splicers

Hose ID	Brass			Lead Free Brass		Pkg Qty
	Previous Part #	Part #	Price/E	Part #	Price/E	
1/8"	179-0202	<b>1790202C</b>	<b>\$5.83</b>	---	---	25
3/16"	179-0303	<b>1790303C</b>	<b>4.73</b>	---	---	100
1/4" x 1/8"	179-0402	<b>1790402C</b>	<b>5.85</b>	---	---	25
1/4"	179-0404	<b>1790404C</b>	<b>4.56</b>	<b>1790404CLF</b>	<b>\$8.72</b>	25
5/16"	179-0505	<b>1790505C</b>	<b>6.21</b>	---	---	25
3/8" x 1/4"	179-0604	<b>1790604C</b> <sup>1</sup>	<b>10.65</b>	---	---	25
3/8" x 1/4"	---	<b>1790604BARB</b>	<b>6.76</b>	---	---	25
3/8"	179-0606	<b>1790606C</b>	<b>6.06</b>	<b>1790606CLF</b>	<b>10.22</b>	25
1/2" x 3/8"	179-0806	<b>1790806C</b>	<b>9.95</b>	---	---	25
1/2"	179-0808	<b>1790808C</b>	<b>8.86</b>	---	---	25
5/8"	179-1010	<b>1791010C</b>	<b>13.25</b>	---	---	25
3/4" x 1/2"	179-1208	<b>1791208C</b>	<b>19.63</b>	---	---	25
3/4"	179-1212	<b>1791212C</b>	<b>18.82</b>	---	---	20

<sup>1</sup> drop leg has 1/4"-18 male NPTF thread



brass



brass with male NPTF



lead free brass



304 stainless steel

Hose ID	304 Stainless Steel		
	Previous Part #	Part #	Price/E
1/8"	179-0202SS	<b>1790202SS</b>	<b>\$38.20</b>
3/16"	179-0303SS	<b>1790303SS</b>	<b>30.60</b>
1/4"	179-0404SS	<b>1790404SS</b>	<b>26.37</b>
3/8"	179-0606SS	<b>1790606SS</b>	<b>32.32</b>
1/2"	179-0808SS	<b>1790808SS</b>	<b>49.23</b>



## Male NPTF x Hose Barb 45° Elbow

Hose ID	Female NPTF	Brass			Pkg Qty
		Previous Part #	Part #	Price/E	
1/4"	1/8"	139-0402	<b>1390402C</b>	<b>\$4.22</b>	100
	1/4"	139-0404	<b>1390404C</b>	<b>6.60</b>	25
3/8"	1/8"	139-0602	<b>1390602C</b>	<b>5.20</b>	100
	1/4"	139-0604	<b>1390604C</b>	<b>4.91</b>	100
	3/8"	139-0606	<b>1390606C</b>	<b>8.00</b>	25
1/2"	1/4"	139-0804	<b>1390804C</b>	<b>7.82</b>	25
	3/8"	139-0806	<b>1390806C</b>	<b>7.45</b>	25
	1/2"	139-0808	<b>1390808C</b>	<b>9.83</b>	25
3/4"	1/2"	139-1208	<b>1391208C</b>	<b>16.23</b>	25

## Male 45° SAE x Hose Barb



Hose ID	Male UNF	Brass			Pkg Qty
		Previous Part #	Part #	Price/E	
3/16"	7/16"-20	142-0307	<b>1420307C</b>	<b>\$3.53</b>	100
1/4"	7/16"-20	142-0407	<b>1420407C</b>	<b>2.66</b>	100
	5/8"-18	142-0410	<b>1420410C</b>	<b>3.69</b>	100
5/16"	1/2"-20	142-0508	<b>1420508C</b>	<b>3.12</b>	100
3/8"	5/8"-18	142-0610	<b>1420610C</b>	<b>3.75</b>	50
	3/4"-16	142-0612	<b>1420612C</b>	<b>6.10</b>	50
1/2"	3/4"-16	142-0812	<b>1420812C</b>	<b>5.21</b>	50

## Female 45°SAE/37°JIC Swivel x Hose Barb



Hose ID	Tube OD	Female UNF	Brass			Pkg Qty
			Previous Part #	Part #	Price/E	
3/16"	1/4"	7/16"-20	143-0307	<b>1430307K</b>	<b>\$3.03</b>	100
1/4"	1/4"	7/16"-20	143-0407	<b>1430407K</b>	<b>3.08</b>	100
	1/4"	7/16"-20	---	<b>1430407KLF<sup>1</sup></b>	<b>6.53</b>	---
	5/16"	1/2"-20	143-0408	<b>1430408K</b>	<b>6.08</b>	100
5/16"	5/16"	1/2"-20	143-0508	<b>1430508K</b>	<b>6.21</b>	50
3/8"	1/2"	3/4"-16	143-0612	<b>1430612K</b>	<b>6.15</b>	100
1/2"	1/2"	3/4"-16	143-0812	<b>1430812K</b>	<b>5.33</b>	100
	5/8"	7/8"-14	143-0814	<b>1430814K</b>	<b>10.05</b>	50

<sup>1</sup> Lead free brass <=0.25% lead; Alloy CA2745; Alloy C46400

Female 45° SAE Swivel x Hose Barb

Hose ID	Tube OD	Female UNF	Previous Part #	Brass		Pkg Qty
				Part #	Price/E	
3/16"	3/16"	3/8"-24	144-0306	<b>1440306K</b>	<b>\$5.07</b>	100
1/4"	3/8"	5/8"-18	144-0410	<b>1440410K</b>	<b>4.26</b>	100
5/16"	3/8"	5/8"-18	144-0510	<b>1440510K</b>	<b>4.90</b>	100
3/8"	3/8"	5/8"-18	144-0610	<b>1440610K</b>	<b>4.21</b>	100
1/2"	1/2"	3/4"-16	144-0812	<b>1440812K</b>	<b>5.79</b>	100
3/4"	3/4"	1-1/16"-14	144-1217	<b>1441217K<sup>1</sup></b>	<b>13.13</b>	25



Industrial Hose Fittings

<sup>1</sup> Notch in nut for SAE identification

Female 37° JIC Swivel x Hose Barb

Hose ID	Tube OD	Female UNF	Previous Part #	Brass		Pkg Qty
				Part #	Price/E	
3/8"	3/8"	9/16"-18	145-0609	<b>1450609K</b>	<b>\$3.50</b>	100
3/4"	3/4"	1-1/16"-12	145-1217	<b>1451217K</b>	<b>14.08</b>	25



Female PTF-SAE Short Swivel x Hose Barb

Hose ID	Female PTF-SAE Short	Previous Part #	Brass		Pkg Qty
			Part #	Price/E	
1/4"	1/4"	105-0404	<b>1050404C</b>	<b>\$7.34</b>	50
3/8"	1/4"	105-0604	<b>1050604C</b>	<b>7.56</b>	50
	3/8"	105-0606	<b>1050606C</b>	<b>7.85</b>	50
1/2"	3/8"	105-0806	<b>1050806C</b>	<b>9.41</b>	50
	1/2"	105-0808	<b>1050808C</b>	<b>9.83</b>	25



- swivel is for assembly convenience only, not for live swivel applications

**Assembly Instructions:**

1. Trim hose end with smooth square cut
2. Lubricate either push-on fitting, hose or both.
3. Insert push-on fitting into hose until first barb is in hose.
4. Place end of fitting against a flat object (bench, wall, etc.) and grip the hose one inch from end. Push with a steady force until end of hose is covered by yellow plastic cap.

**Disassembly Instructions:**

1. Leaving push-on fitting in place, make a 1" cut in the hose along the barbed end of the fitting. Note: Be careful not to nick barbs when cutting the hose.
2. With firm grip on hose, give a sharp downward pull to release the fitting from the hose.

- **intended for use with Lok-On (push-on style) hose only**

- No hose clamps or ferrules are needed for installation
- Properly grips push-on hose only when pushed all the way in, with the cut end of the hose completely concealed by the plastic cap.

**Male NPTF x Push-on Hose Barb**

- refer to page E-31 for Push-On garden hose thread fittings
- optional package quantity

Hose ID	Male NPTF	Brass				Brass Cap Option			Lead Free Brass <sup>1,3</sup>		
		Previous Part #	Part #	Price/E	Pkg Qty	Part #	Price/E	Pkg Qty	Part #	Price/E	Pkg Qty
1/4"	1/8"	BPN21	<b>2720402C</b>	\$2.21	100	2720402CBC	\$3.92	100	2720402CLF	\$5.81	100
	1/4"	BPN22	<b>2720404C</b>	2.60	100	2720404CBC	4.52	100	2720404CLF	7.18	100
	3/8"	BPN23	<b>2720406C</b>	3.41	50	2720406CBC	5.96	50	---	---	---
5/16"	1/8"	BPN251	<b>2720502C</b>	3.74	100	---	---	---	---	---	---
	1/4"	BPN252	<b>2720504C</b>	3.27	50	---	---	---	---	---	---
3/8"	1/8"	BPN31	<b>2720602C</b>	3.53	100	2720602CBC	5.72	100	---	---	---
	1/4"	BPN32	<b>2720604C</b>	2.90	50	2720604CBC	4.88	50	2720604CLF	7.33	50
	3/8"	BPN33	<b>2720606C</b>	3.36	50	2720606CBC	5.68	50	2720606CLF	9.99	50
	1/2"	BPN34	<b>2720608C</b>	5.55	25	2720608CBC	7.96	25	---	---	---
	3/4"	BPN36	<b>2720612C</b>	9.55	25	2720612CBC	11.71	25	---	---	---
1/2"	1/4"	BPN42	<b>2720804C</b>	4.11	25	2720804CBC	6.76	25	---	---	25
	3/8"	BPN43	<b>2720806C</b>	3.70	25	2720806CBC	5.60	25	2720806CLF	11.52	50
	1/2"	BPN44	<b>2720808C</b>	5.35	50	2720808CBC	7.71	50	2720808CLF	19.02	25
5/8"	3/8"	BPN46	<b>2720812C</b>	8.00	50	2720812CBC	10.52	50	---	---	---
	1/2"	BPN53	<b>2721006C</b>	6.55	25	2721006CBC	8.40	25	---	---	---
	3/4"	BPN54	<b>2721008C</b>	7.27	25	2721008CBC	9.48	25	---	---	---
3/4"	1/2"	BPN56	<b>2721012C</b>	9.72	25	2721012CBC	13.60	25	---	---	---
	3/4"	BPN64	<b>2721208C</b>	8.42	25	2721208CBC	10.80	25	---	---	25
1"	3/4"	BPN66	<b>2721212C</b>	8.95	25	2721212CBC	11.60	25	---	---	20
	1"	BPN86	<b>2721612C</b>	19.65	10	---	---	---	---	---	---
		BPN88	<b>2721616C</b> <sup>2</sup>	23.73	10	---	---	---	---	---	5



brass



brass cap



303 stainless steel

Hose ID	Male NPT	303 Stainless Steel			Pkg Qty
		Previous Part #	Part #	Price/E	
1/4"	1/8"	RPN21	<b>2720402SS</b>	\$30.28	100
	1/4"	RPN22	<b>2720404SS</b>	24.00	100
3/8"	1/4"	RPN32	<b>2720604SS</b>	34.37	50
	3/8"	RPN33	<b>2720606SS</b>	35.85	50
1/2"	1/4"	RPN42	<b>2720804SS</b>	34.37	25
	3/8"	RPN43	<b>2720806SS</b>	38.46	50
	1/2"	RPN44	<b>2720808SS</b>	47.95	25
3/4"	1/2"	RPN64	<b>2721208SS</b>	54.82	25
	3/4"	RPN66	<b>2721212SS</b>	69.88	20
1"	1"	RPN88	<b>2721616SS</b> <sup>2</sup>	95.73	5

<sup>1</sup> Lead free brass <=0.25% lead; Alloy CA2745; Alloy C46400

<sup>2</sup> capped

<sup>3</sup> NPT threads 272LF

**Male NPTF Swivel x Push-on Hose Barb**

Hose ID	Male NPTF	Brass			Pkg Qty
		Previous Part #	Part #	Price/E	
1/4"	1/8"	271-0402	<b>2710402C</b>	\$7.45	100
	1/4"	271-0404	<b>2710404C</b>	6.17	100
3/8"	1/4"	271-0604	<b>2710604C</b>	6.60	50
	3/8"	271-0606	<b>2710606C</b>	7.40	50
1/2"	3/8"	271-0806	<b>2710806C</b>	7.96	25
	1/2"	271-0808	<b>2710808C</b>	10.00	20
3/4"	3/4"	271-1212	<b>2711212C</b>	14.75	10

- swivel is for assembly convenience only, not for live swivel applications, **120 PSI** maximum

- **intended for use with Lok-On (push-on style) hose only**
- No hose clamps or ferrules are needed for installation
- Properly grips push-on hose only when pushed all the way in, with the cut end of the hose completely concealed by the plastic cap.



Male NPTF x Push-on Hose Barb 90° Elbow

Hose ID	Male NPTF	Brass			Pkg Qty
		Previous Part #	Part #	Price/E	
1/4"	1/8"-27	273-0402	<b>2730402C</b>	<b>\$4.32</b>	100
	1/4"-18	273-0404	<b>2730404C</b>	<b>5.41</b>	50
3/8"	1/8"-27	273-0602	<b>2730602C</b>	<b>7.26</b>	50
	1/4"-18	273-0604	<b>2730604C</b>	<b>6.34</b>	50
	3/8"-18	273-0606	<b>2730606C</b>	<b>7.36</b>	25
1/2"	3/8"-18	273-0806	<b>2730806C</b>	<b>9.36</b>	25
	1/2"-14	273-0808	<b>2730808C</b>	<b>11.76</b>	25
3/4"	1/2"-14	273-1208	<b>2731208C</b>	<b>24.00</b>	10
	3/4"-14	273-1212	<b>2731212C</b>	<b>22.90</b>	10



Female NPTF x Push-on Hose Barb

- refer to page E-31 for Push-On garden hose thread fittings

Hose ID	Female NPTF	Brass			Pkg Qty
		Previous Part #	Part #	Price/E	
1/4"	1/8"	BPF21	<b>2740402C</b>	<b>\$3.30</b>	100
	1/8"	---	<b>2740402CBC</b> <sup>1</sup>	<b>5.68</b>	---
	1/4"	BPF22	<b>2740404C</b>	<b>3.46</b>	100
	1/4"	---	<b>2740404CBC</b> <sup>1</sup>	<b>5.93</b>	---
	3/8"	BPF23	<b>2740406C</b>	<b>5.61</b>	50
	3/8"	---	<b>2740406CBC</b> <sup>1</sup>	<b>8.00</b>	---
5/16"	1/8"	BPF251	<b>2740502C</b>	<b>4.85</b>	100
	1/4"	BPF252	<b>2740504C</b>	<b>5.35</b>	50
3/8"	1/8"	BPF31	<b>2740602C</b>	<b>5.71</b>	50
	1/8"	---	<b>2740602CBC</b> <sup>1</sup>	<b>7.89</b>	---
	1/4"	BPF32	<b>2740604C</b>	<b>3.87</b>	50
	1/4"	---	<b>2740604CBC</b> <sup>1</sup>	<b>7.04</b>	---
	3/8"	BPF33	<b>2740606C</b>	<b>4.23</b>	50
	3/8"	---	<b>2740606CBC</b> <sup>1</sup>	<b>6.82</b>	---
	1/2"	BPF34	<b>2740608C</b>	<b>6.15</b>	50
1/2"	3/4"	BPF36	<b>2740612C</b>	<b>14.95</b>	25
	1/4"	BPF42	<b>2740804C</b>	<b>5.32</b>	50
	1/4"	---	<b>2740804CBC</b> <sup>1</sup>	<b>9.83</b>	---
	3/8"	BPF43	<b>2740806C</b>	<b>5.07</b>	50
	3/8"	---	<b>2740806CBC</b> <sup>1</sup>	<b>8.34</b>	---
	1/2"	BPF44	<b>2740808C</b>	<b>5.65</b>	25
5/8"	1/2"	---	<b>2740808CBC</b> <sup>1</sup>	<b>9.17</b>	25
	3/4"	BPF46	<b>2740812C</b>	<b>12.69</b>	25
	3/4"	---	<b>2740812CBC</b> <sup>1</sup>	<b>14.44</b>	---
	3/8"	BPF53	<b>2741006C</b>	<b>7.94</b>	25
	1/2"	BPF54	<b>2741008C</b>	<b>7.45</b>	25
3/4"	1/2"	---	<b>2741008CBC</b> <sup>1</sup>	<b>9.96</b>	---
	3/4"	BPF56	<b>2741012C</b>	<b>16.70</b>	25
	3/4"	---	<b>2741012CBC</b> <sup>1</sup>	<b>14.42</b>	---
1"	1/2"	BPF64	<b>2741208C</b>	<b>8.69</b>	25
	3/4"	BPF66	<b>2741212C</b>	<b>12.02</b>	25
	3/4"	---	<b>2741212CBC</b> <sup>1</sup>	<b>14.42</b>	---
1"	3/4"	BPF86	<b>2741612C</b>	<b>17.53</b>	10
	1"	BPF88	<b>2741616C</b>	<b>20.36</b>	10



brass cap

<sup>1</sup> brass cap on CBC parts

- **intended for use with Lok-On (push-on style) hose only**
- No hose clamps or ferrules are needed for installation
- Properly grips push-on hose only when pushed all the way in, with the cut end of the hose completely concealed by the plastic cap.



Industrial Hose Fittings

Female NPSM Swivel x Push-on Hose Barb Ball Seat



brass cap

Hose ID	Female NPSM	Brass			Pkg Qty
		Previous Part #	Part #	Price/E	
1/4"	1/8"	BPFS21	2780402C	\$8.12	100
	1/8"	---	2780402CBC <sup>1</sup>	10.69	---
	1/4"	BPFS22	2780404C	5.49	50
	1/4"	---	2780404CBC <sup>1</sup>	8.24	---
	3/8"	BPFS23	2780406C	10.63	50
3/8"	3/8"	---	2780406CBC <sup>1</sup>	13.41	---
	1/4"	BPFS32	2780604C	6.06	50
	1/4"	---	2780604CBC <sup>1</sup>	9.20	---
	3/8"	BPFS33	2780606C	7.70	50
	3/8"	---	2780606CBC <sup>1</sup>	10.74	---
1/2"	1/2"	BPFS34	2780608C	9.91	50
	1/2"	---	2780808C	9.14	50
	1/2"	---	2780808CBC <sup>1</sup>	11.44	---
5/8"	3/4"	BPFS46	2780812C	14.66	25
	3/4"	---	2780812CBC <sup>1</sup>	14.80	---
	3/4"	BPFS56	2781012C	21.18	25
3/4"	3/4"	BPFS66	2781212C	16.21	20
	3/4"	---	2781212CBC <sup>1</sup>	17.76	---

<sup>1</sup> brass cap on CBC parts

Female NPSM Swivel x Push-on Hose Barb Gasket Seat



brass cap

Hose ID	Female NPSM	Brass			Pkg Qty
		Previous Part #	Part #	Price/E	
1/4"	1/8"	280-0402	2800402C	\$10.80	100
	1/8"	---	2800402CBC <sup>1</sup>	13.56	---
	1/4"	280-0404	2800404C	6.98	100
	1/4"	---	2800404CBC <sup>1</sup>	11.03	---
3/8"	1/4"	280-0604	2800604C	9.30	50
	1/4"	---	2800604CBC <sup>1</sup>	12.11	---
	3/8"	280-0606	2800606C	10.29	50
	3/8"	---	2800606CBC <sup>1</sup>	13.77	---
	1/2"	280-0608	2800608C	11.37	50
1/2"	1/2"	---	2800608CBC <sup>1</sup>	14.57	---
	1/2"	280-0808	2800808C	9.82	25
	1/2"	---	2800808CBC <sup>1</sup>	13.55	---
5/8"	1/2"	280-1008	2801008C	14.38	25
3/4"	3/4"	280-1212	2801212C	18.18	20
	3/4"	---	2801212CBC <sup>1</sup>	18.80	---

- <sup>1</sup> brass cap on CBC parts
- not recommended for use with water

Push-On Hose Menders



brass cap

Hose ID	Brass			303 Stainless Steel			Pkg Qty
	Previous Part #	Part #	Price/E	Previous Part #	Part #	Price/E	
1/4"	BPM2	2960404C	\$3.00	SSPM2	2960404SS	\$34.37	100
	---	2960404CBC <sup>1</sup>	4.48	---	---	---	---
5/16"	BPM25	2960505C	3.99	---	---	---	100
3/8"	BPM3	2960606C	3.40	SSPM3	2960606SS	39.28	50
	---	2960606CBC <sup>1</sup>	5.48	---	---	---	---
1/2"	BPM4	2960808C	5.50	SSPM4	2960808SS	43.61	50
	---	2960808CBC <sup>1</sup>	7.71	---	---	---	---
5/8"	BPM5	2961010C	7.86	SSPM5	---	---	20
	---	2961010CBC <sup>1</sup>	10.00	---	---	---	---
3/4"	BPM6	2961212C	9.25	SSPM6	---	---	15
	---	2961212CBC <sup>1</sup>	11.52	---	---	---	---
1"	BPM8	2961616C	16.20	---	---	---	10

- <sup>1</sup> brass cap on CBC parts
- for Tuff-Lite™ hose menders in nylon and polypropylene see page E-54

- **intended for use with Lok-On (push-on style) hose only**
- No hose clamps or ferrules are needed for installation
- Properly grips push-on hose only when pushed all the way in, with the cut end of the hose completely concealed by the plastic cap.



### Lok-On Male Garden Hose Fittings

Hose ID	GHT Thread	Brass		
		Previous Part #	Part #	Price/E
1/2"	3/4"	572-0812	<b>5720812C</b>	<b>\$10.26</b>
5/8"	3/4"	572-1012	<b>5721012C</b>	<b>12.00</b>
3/4"	3/4"	572-1212	<b>5721212C</b>	<b>12.05</b>



### Lok-On Female Swivel Garden Hose Fittings

Hose ID	GHT Thread	Brass		
		Previous Part #	Part #	Price/E
1/2"	3/4"	574-0812	<b>5740812C</b>	<b>\$12.76</b>
5/8"	3/4"	574-1012	<b>5741012C</b>	<b>14.03</b>
3/4"	3/4"	574-1212	<b>5741212C</b>	<b>14.06</b>



### Lok-On Garden Hose Fitting Sets

**Feature:**

- washer included, part # **5911212W** on page E-47

Hose ID	GHT Thread	Brass		
		Previous Part #	Part #	Price/E
1/2"	3/4"	575-0808	<b>5750808K</b>	<b>\$22.16</b>
5/8"	3/4"	575-1010	<b>5751010K</b>	<b>25.07</b>
3/4"	3/4"	575-1212	<b>5751212K</b>	<b>25.13</b>



### SAE Thread Size to UNF Thread Size Interchange

SAE Thread number	SAE Tube OD	UNF Thread size	SAE Thread number	SAE Tube OD	UNF Thread size
02	1/8"	5/16" - 24	07	7/16"	11/16" - 24
03	3/16"	3/8" - 24	08	1/2"	3/4" - 16
04	1/4"	7/16" - 20	10	5/8"	7/8" - 14
05	5/16"	1/2" - 20	12	3/4"	1-1/16" - 14
06	3/8"	5/8" - 18	---	---	---

### Male 45° SAE Swivel x Push-on Hose Barb

Hose ID	Tube OD	Male UNF	Brass			Pkg Qty
			Previous Part #	Part #	Price/E	
1/4"	1/4"	7/16"-20	282-0407	<b>2820407C</b>	<b>\$3.85</b>	100
	1/4"	7/16"-20	---	<b>2820407CBC<sup>2</sup></b>	<b>5.40</b>	---
	5/16"	1/2"-20	282-0408	<b>2820408C</b>	<b>3.74</b>	100
	5/16"	1/2"-20	---	<b>2820408CBC<sup>2</sup></b>	<b>6.96</b>	---
3/8"	3/8"	5/8"-18 <sup>1</sup>	282-0610	<b>2820610C</b>	<b>6.02</b>	50
	3/8"	5/8"-18 <sup>1</sup>	---	<b>2820610CBC<sup>2</sup></b>	<b>7.08</b>	---
1/2"	1/2"	3/4"-16	282-0812	<b>2820812C</b>	<b>6.66</b>	50
	1/2"	3/4"-16	---	<b>2820812CBC<sup>2</sup></b>	<b>9.00</b>	---
5/8"	5/8"	7/8"-14	282-1014	<b>2821014C</b>	<b>9.56</b>	25
	5/8"	7/8"-14	---	<b>2821014CBC<sup>2</sup></b>	<b>13.94</b>	---
3/4"	3/4"	1-1/16"-14 <sup>1</sup>	282-1217	<b>2821217C</b>	<b>15.46</b>	25
	3/4"	1-1/16"-14 <sup>1</sup>	---	<b>2821217CBC<sup>2</sup></b>	<b>16.08</b>	---



brass cap

<sup>1</sup> notch in nut for SAE identification

<sup>2</sup> brass cap on CBC parts

- **intended for use with Lok-On (push-on style) hose only**
- No hose clamps or ferrules are needed for installation
- Properly grips push-on hose only when pushed all the way in, with the cut end of the hose completely concealed by the plastic cap.



### Female 45° SAE Swivel x Push-on Hose Barb

- SAE thread size to UNF thread size interchange chart on previous page



brass cap

Hose ID	Tube OD	Female UNF	Brass			Pkg Qty
			Previous Part #	Part #	Price/E	
1/4"	3/8"	5/8"-18 <sup>1</sup>	284-0410	<b>2840410C</b>	<b>\$6.73</b>	50
	3/8"	5/8"-18 <sup>1</sup>	---	<b>2840410CBC<sup>2</sup></b>	<b>9.04</b>	---
5/16"	3/8"	5/8"-18 <sup>1</sup>	284-0510	<b>2840510C</b>	<b>6.85</b>	50
3/8"	3/8"	5/8"-18 <sup>1</sup>	284-0610	<b>2840610C</b>	<b>5.05</b>	100
	3/8"	5/8"-18 <sup>1</sup>	---	<b>2840610CBC<sup>2</sup></b>	<b>7.68</b>	---
3/4"	3/8"	1-1/16"-14 <sup>1</sup>	284-1217	<b>2841217C</b>	<b>13.00</b>	25
	3/8"	1-1/16"-14 <sup>1</sup>	---	<b>2841217CBC<sup>2</sup></b>	<b>16.00</b>	---

<sup>1</sup> notch in nut for SAE identification

<sup>2</sup> brass cap on CBC parts

### JIC Thread Size to UNF Thread Size Interchange

JIC Thread Number	JIC Tube OD	UNF Thread Size	JIC Thread Number	JIC Tube OD	UNF Thread Size
02	1/8"	5/16"-24	12	3/4"	1-1/16" - 12
03	3/16"	3/8" - 24	14	7/8"	1-3/16" - 12
04	1/4"	7/16" - 20	16	1"	1-5/16" - 12
05	5/16"	1/2" - 20	20	1-1/4"	1-5/8" - 12
06	3/8"	9/16" - 18	24	1-1/2"	1-7/8" - 12
08	1/2"	3/4" - 16	28	1-3/4"	2-1/4" - 12
10	5/8"	7/8" - 14	32	2"	2-1/2" - 12

### Male 37° JIC x Push-on Hose Barb



brass cap

Hose ID	Tube OD	Male UNF	Brass			Pkg Qty
			Previous Part #	Part #	Price/E	
1/4"	1/4"	7/16"-20	286-0407	<b>2860407C</b>	<b>\$3.80</b>	100
	1/4"	7/16"-20	---	<b>2860407CBC<sup>2</sup></b>	<b>6.24</b>	---
	5/16"	1/2"-20	286-0408	<b>2860408C</b>	<b>9.14</b>	50
	3/8"	9/16"-18	286-0409	<b>2860409C</b>	<b>6.30</b>	100
3/8"	3/8"	9/16"-18	---	<b>2860409CBC<sup>2</sup></b>	<b>8.30</b>	---
	3/8"	9/16"-18	286-0609	<b>2860609C</b>	<b>5.50</b>	50
1/2"	3/8"	9/16"-18	---	<b>2860609CBC<sup>2</sup></b>	<b>7.88</b>	---
	1/2"	3/4"-16	286-0812	<b>2860812C</b>	<b>7.37</b>	25
5/8"	1/2"	3/4"-16	---	<b>2860812CBC<sup>2</sup></b>	<b>9.58</b>	---
	5/8"	7/8"-14	286-1014	<b>2861014C</b>	<b>10.43</b>	25
3/4"	5/8"	7/8"-14	---	<b>2861014CBC<sup>2</sup></b>	<b>13.88</b>	---
	3/4"	1-1/16"-12	286-1217	<b>2861217C<sup>1</sup></b>	<b>14.25</b>	10
	3/4"	1-1/16"-12	---	<b>2861217CBC<sup>1,2</sup></b>	<b>15.93</b>	---

<sup>1</sup> UN Thread

<sup>2</sup> brass cap on CBC parts



- **intended for use with Lok-On (push-on style) hose only**
- No hose clamps or ferrules are needed for installation
- Properly grips push-on hose only when pushed all the way in, with the cut end of the hose completely concealed by the plastic cap.



Industrial Hose Fittings

Female 45°SAE/37° JIC Swivel x Push-on Hose Barb

Hose ID	Tube OD	Female UNF	Brass			Lead Free Brass <sup>1</sup>		
			Previous Part #	Part #	Price/E	Pkg Qty	Part #	Price/E
1/4"	1/4"	7/16"-20	287-0407	<b>2870407C</b>	<b>\$3.96</b>	100	<b>2870407CLF</b>	<b>\$7.57</b>
	1/4"	7/16"-20	---	<b>2870407CBC</b> <sup>2</sup>	<b>6.80</b>	---	---	---
	5/16"	1/2"-20	287-0408	<b>2870408C</b>	<b>5.27</b>	100	---	---
	5/16"	1/2"-20	---	<b>2870408CBC</b> <sup>2</sup>	<b>7.36</b>	---	---	---
3/8"	5/16"	1/2"-20	287-0608	<b>2870608C</b>	<b>7.89</b>	25	---	---
	1/2"	3/4"-16	287-0612	<b>2870612C</b>	<b>6.30</b>	25	---	---
	1/2"	3/4"-16	---	<b>2870612CBC</b> <sup>2</sup>	<b>9.40</b>	---	---	---
1/2"	1/2"	3/4"-16	287-0812	<b>2870812C</b>	<b>6.36</b>	25	---	---
	1/2"	3/4"-16	---	<b>2870812CBC</b> <sup>2</sup>	<b>9.12</b>	---	---	---
	5/8"	7/8"-14	287-0814	<b>2870814C</b>	<b>9.11</b>	25	---	---
	5/8"	7/8"-14	---	<b>2870814CBC</b> <sup>2</sup>	<b>11.77</b>	---	---	---
5/8"	5/8"	7/8"-14	287-1014	<b>2871014C</b>	<b>9.71</b>	25	---	---
	5/8"	7/8"-14	---	<b>2871014CBC</b> <sup>2</sup>	<b>12.70</b>	---	---	---
3/4"	5/8"	7/8"-14	287-1214	<b>2871214C</b>	<b>17.60</b>	25	---	---
	5/8"	7/8"-14	---	<b>2871214CBC</b> <sup>2</sup>	<b>19.61</b>	---	---	---

Hose ID	Tube OD	Female UNF	Stainless Steel		
			Previous Part #	Part #	Price/E
1/4"	1/4"	7/16"-20	287-0407SS	<b>2870407SS</b>	<b>\$46.95</b>
1/2"	1/2"	3/4"-16	287-0812SS	<b>2870812SS</b>	<b>65.45</b>



<sup>1</sup> lead free brass <=0.25% lead; Alloy CA2745; Alloy C46400  
<sup>2</sup> brass cap on CBC parts

Female 37° JIC Swivel x Push-on Hose Barb

Hose ID	Tube OD	Female UNF	Brass			Pkg Qty
			Previous Part #	Part #	Price/E	
1/4"	3/8"	9/16"-18	288-0409	<b>2880409C</b>	<b>\$6.06</b>	50
	3/8"	9/16"-18	---	<b>2880409CBC</b> <sup>1</sup>	<b>7.76</b>	---
5/16"	3/8"	9/16"-18	288-0509	<b>2880509C</b>	<b>6.21</b>	50
3/8"	3/8"	9/16"-18	288-0609	<b>2880609C</b>	<b>5.21</b>	50
	3/8"	9/16"-18	---	<b>2880609CBC</b> <sup>1</sup>	<b>7.52</b>	---
1/2"	3/8"	9/16"-18	288-0809	<b>2880809C</b>	<b>7.67</b>	25
3/4"	3/4"	1-1/16"-12 <sup>2</sup>	288-1217	<b>2881217C</b>	<b>13.49</b>	10
	3/4"	1-1/16"-12 <sup>2</sup>	---	<b>2881217CBC</b> <sup>1</sup>	<b>15.84</b>	---
1"	1"	1-5/16"-12 <sup>2</sup>	288-1621	<b>2881621C</b>	<b>30.83</b>	10

Hose ID	Tube OD	Female UNF	303 Stainless Steel		
			Previous Part #	Part #	Price/E
3/8"	3/8"	9/16"-18	288-0609SS	<b>2880609SS</b>	<b>62.70</b>
3/4"	3/4"	1-1/16"-12 <sup>2</sup>	288-1217SS	<b>2881217SS</b>	<b>112.20</b>
1"	1"	1-5/16"-12 <sup>2</sup>	288-1621SS	<b>2881621SS</b>	<b>122.70</b>



<sup>1</sup> brass cap on CBC parts

<sup>2</sup> UN Thread

Female 37° JIC / 45° SAE Swivel x Push-on 90° Elbow

Hose ID	Tube OD	Female UNF	Plated Steel			Pkg Qty
			Previous Part #	Part #	Price/E	
1/4"	1/4"	7/16"-20	289-0407	<b>2890407C</b> <sup>2</sup>	<b>\$27.00</b>	25
	1/4"	7/16"-20	289-0407SAE	<b>2890407CSAE</b> <sup>1</sup>	<b>35.72</b>	25
3/8"	3/8"	9/16"-18	289-0609	<b>2890609C</b> <sup>2</sup>	<b>25.35</b>	25
	3/8"	9/16"-18	289-0610SAE	<b>2890610CSAE</b> <sup>1</sup>	<b>36.45</b>	25
1/2"	1/2"	3/4"-16	289-0812	<b>2890812C</b> <sup>2</sup>	<b>31.10</b>	10
3/4"	3/4"	1-1/16"-12 <sup>3</sup>	289-1217	<b>2891217C</b> <sup>2</sup>	<b>81.40</b>	5



<sup>1</sup> notch in nut for SAE identification  
<sup>2</sup> JIC only, may substitute dual angle  
<sup>3</sup> UN thread

- **intended for use with Lok-On (push-on style) hose only**
- No hose clamps or ferrules are needed for installation
- Properly grips push-on hose only when pushed all the way in, with the cut end of the hose completely concealed by the plastic cap.



## Male SAE Inverted Flare Swivel x Push-on Hose Barb



brass cap

Hose ID	Tube OD	Male UNF	Previous Part #	Brass		Pkg Qty
				Part #	Price/E	
1/4"	3/16"	3/8"-24	290-0406	<b>2900406C</b>	<b>\$9.34</b>	100
	3/16"	3/8"-24	---	<b>2900406CBC<sup>2</sup></b>	<b>11.60</b>	---
	1/4"	7/16"-24 <sup>1</sup>	290-0407	<b>2900407C</b>	<b>6.44</b>	100
	1/4"	7/16"-24 <sup>1</sup>	---	<b>2900407CBC<sup>2</sup></b>	<b>9.12</b>	---
	5/16"	1/2"-20	290-0408	<b>2900408C</b>	<b>7.68</b>	100
	5/16"	1/2"-20	---	<b>2900408CBC<sup>2</sup></b>	<b>8.72</b>	---
5/16"	5/16"	1/2"-20	290-0508	<b>2900508C</b>	<b>8.31</b>	50
	3/8"	5/8"-18	290-0510	<b>2900510C</b>	<b>11.31</b>	50
3/8"	5/16"	1/2"-20	290-0608	<b>2900608C</b>	<b>9.60</b>	100
	5/16"	1/2"-20	---	<b>2900608CBC<sup>2</sup></b>	<b>13.37</b>	---
	3/8"	5/8"-18	290-0610	<b>2900610C</b>	<b>9.02</b>	50
	3/8"	5/8"-18	---	<b>2900610CBC<sup>2</sup></b>	<b>10.60</b>	---
1/2"	1/2"	3/4"-18 <sup>1</sup>	290-0812	<b>2900812C</b>	<b>11.84</b>	50
	1/2"	3/4"-18 <sup>1</sup>	---	<b>2900812CBC<sup>2</sup></b>	<b>13.80</b>	---
5/8"	5/8"	7/8"-18 <sup>1</sup>	290-1014	<b>2901014C</b>	<b>15.57</b>	25
	5/8"	7/8"-18 <sup>1</sup>	---	<b>2901014CBC<sup>2</sup></b>	<b>17.25</b>	---

<sup>1</sup> UNS thread<sup>2</sup> brass cap on CBC parts

## Female SAE Inverted Flare Rigid x Push-on Hose Barb

Hose ID	Tube OD	Female UNF	Previous Part #	Brass		Pkg Qty
				Part #	Price/E	
1/4"	3/16"	3/8"-24	292-0406	<b>2920406C</b>	<b>\$4.89</b>	100
	3/16"	3/8"-24	---	<b>2920406CBC<sup>2</sup></b>	<b>6.60</b>	---
	1/4"	7/16"-24 <sup>1</sup>	292-0407	<b>2920407C</b>	<b>3.82</b>	100
	1/4"	7/16"-24 <sup>1</sup>	---	<b>2920407CBC<sup>2</sup></b>	<b>6.00</b>	---
	5/16"	1/2"-20	292-0408	<b>2920408C</b>	<b>4.78</b>	100
	5/16"	1/2"-20	---	<b>2920408CBC<sup>2</sup></b>	<b>6.48</b>	---
5/16"	5/16"	1/2"-20	292-0508	<b>2920508C</b>	<b>5.10</b>	100
3/8"	5/16"	1/2"-20	292-0608	<b>2920608C</b>	<b>5.76</b>	100
	5/16"	1/2"-20	---	<b>2920608CBC<sup>2</sup></b>	<b>7.40</b>	---
	3/8"	5/8"-18	292-0610	<b>2920610C</b>	<b>5.49</b>	50
	3/8"	5/8"-18	---	<b>2920610CBC<sup>2</sup></b>	<b>7.79</b>	---
1/2"	1/2"	3/4"-18 <sup>1</sup>	292-0812	<b>2920812C</b>	<b>8.18</b>	25
	1/2"	3/4"-18 <sup>1</sup>	---	<b>2920812CBC<sup>2</sup></b>	<b>11.15</b>	---

<sup>1</sup> UNS Thread<sup>2</sup> brass cap on CBC parts

## Rigid Tube x Push-on Hose Barb



Hose ID	Tube OD	Brass			303 Stainless Steel			Pkg Qty
		Previous Part #	Part #	Price/E	Previous Part #	Part #	Price/E	
1/4"	3/16"	294-0403	<b>2940403C</b>	<b>\$5.24</b>	---	---	---	100
	3/16"	---	<b>2940403CBC<sup>1</sup></b>	<b>8.86</b>	---	---	---	---
	1/4"	294-0404	<b>2940404C</b>	<b>3.03</b>	294-0404SS	<b>2940404SS</b>	<b>\$30.86</b>	100
	1/4"	---	<b>2940404CBC<sup>1</sup></b>	<b>7.47</b>	---	---	---	---
	5/16"	294-0405	<b>2940405C</b>	<b>4.78</b>	---	---	---	100
	5/16"	---	<b>2940405CBC<sup>1</sup></b>	<b>8.49</b>	---	---	---	---
3/8"	3/8"	294-0606	<b>2940606C</b>	<b>3.32</b>	294-0606SS	<b>2940606SS</b>	<b>28.57</b>	50
	3/8"	---	<b>2940606CBC<sup>1</sup></b>	<b>7.86</b>	---	---	---	---
1/2"	1/2"	294-0808	<b>2940808C</b>	<b>4.92</b>	294-0808SS	<b>2940808SS</b>	<b>33.06</b>	50
	1/2"	---	<b>2940808CBC<sup>1</sup></b>	<b>8.80</b>	---	---	---	---
5/8"	5/8"	294-1010	<b>2941010C</b>	<b>8.42</b>	---	---	---	25
	5/8"	---	<b>2941010CBC<sup>1</sup></b>	<b>11.72</b>	---	---	---	---
3/4"	3/4"	294-1212	<b>2941212C</b>	<b>11.29</b>	294-1212SS	<b>2941212SS</b>	<b>37.24</b>	25

<sup>1</sup> brass cap on CBC parts

### Push-On Fitting Tool

**Features:**


- cuts push-on style hose and inserts the fitting
- Built-in cutter slices through 1/4" - 3/4" ID reinforced push-on hose without fraying.
- Clamp hose into tools vice and apply light pressure on handle to drive in the fitting.
- tool has four 7/16" diameter mounting holes for bench mounting
- overall size is 13 1/2" long x 2 3/4" wide x 7" height

**Installation Instructions:**

1. To cut your hose, retract the handle, place the hose in the cutter area and pull the handle.
2. After cutting the hose to the desired length, place the hose under the cam handle locking it in place with the hose end aligned with the appropriate mark on the label.
3. Place the barbed end of the fitting against the end of the hose and then pull the handle forward to complete the installation.



Size	Part #	Price/E
1/4" - 3/4"	<b>270AT</b>	<b>\$1146.50</b>

 Caution: Push-on fittings will properly grip push-on hose only when pushed all the way in, with the cut end of the hose completely concealed by the plastic cap.

### Push-On Fitting Insertion Tool Blade

Description	Part #	Price/E
replacement blade	<b>270AT-RPLBlade</b>	<b>\$193.50</b>

### Hose Assembly Tool

- installs 1/4", 5/16" and 3/8" hose fittings
- lightweight, portable, comfortable cushioned grip
- economical



Part #	Price/E
<b>HHCI</b>	<b>\$222.00</b>

### Yellow Lok-on Caps

- **intended for use with Lok-On (push-on style) hose only**
- No hose clamps or ferrules are needed for installation
- Properly grips push-on hose only when pushed all the way in, with the cut end of the hose completely concealed by the plastic cap.



Hose ID	Plastic		Pkg Qty
	Part #	Price/E	
1/4"	<b>2720400W</b>	<b>\$0.14</b>	100
5/16"	<b>2720500W</b>	<b>0.13</b>	100
3/8"	<b>2720600W</b>	<b>0.18</b>	100
1/2"	<b>2720800W</b>	<b>0.22</b>	100
5/8"	<b>2721000W</b>	<b>0.23</b>	50
3/4"	<b>2721200W</b>	<b>0.29</b>	50
1"	<b>2721600W</b>	<b>4.31</b>	25




- Sold in package quantities only.

## Reusable Male Fittings

**Application:**

- recommended for low pressure air hose applications

**Features:**

- maximum working pressure: **250 PSI** at ambient temperature **70°F (21°C)**
- durable, easily repaired hose connection
- *caution: check hose OD and ID accurately before ordering* 

Hose ID	Hose OD	Male NPTF	Brass			Pkg Qty
			Previous Part #	Part #	Price/E	
1/4"	1/2"	1/8"	BN21RU50	<b>1834082K</b>	<b>\$7.96</b>	100
	9/16"	1/8"	BN21RU56	<b>1834092K</b>	<b>8.96</b>	100
	5/8"	1/8"	BN21RU62	<b>1834102K</b>	<b>9.27</b>	100
	1/2"	1/4"	BN22RU50	<b>1834084K</b>	<b>6.07</b>	50
	9/16"	1/4"	BN22RU56	<b>1834094K</b>	<b>6.57</b>	50
	5/8"	1/4"	BN22RU62	<b>1834104K</b>	<b>6.81</b>	50
	1/2"	3/8"	BN23RU50	<b>1834086K</b>	<b>8.96</b>	50
	9/16"	3/8"	BN23RU56	<b>1834096K</b>	<b>9.46</b>	50
	5/8"	3/8"	BN23RU62	<b>1834106K</b>	<b>9.70</b>	50
5/16"	9/16"	1/4"	BN252RU56	<b>1835094K</b>	<b>8.92</b>	50
	5/8"	1/4"	BN252RU62	<b>1835104K</b>	<b>8.55</b>	50
	11/16"	1/4"	BN252RU68	<b>1835114K</b>	<b>9.61</b>	50
	9/16"	3/8"	BN253RU56	<b>1835096K</b>	<b>13.21</b>	50
	5/8"	3/8"	BN253RU62	<b>1835106K</b>	<b>12.52</b>	50
	11/16"	3/8"	BN253RU68	<b>1835116K</b>	<b>11.97</b>	50
3/8"	5/8"	1/4"	BN32RU62	<b>1836104K</b>	<b>7.08</b>	50
	11/16"	1/4"	BN32RU68	<b>1836114K</b>	<b>7.72</b>	50
	3/4"	1/4"	BN32RU75	<b>1836124K</b>	<b>7.25</b>	50
	5/8"	3/8"	BN33RU62	<b>1836106K</b>	<b>7.75</b>	50
	11/16"	3/8"	BN33RU68	<b>1836116K</b>	<b>8.39</b>	50
	3/4"	3/8"	BN33RU75	<b>1836126K</b>	<b>7.92</b>	50
	5/8"	1/2"	BN34RU62	<b>1836108K</b>	<b>11.42</b>	50
	11/16"	1/2"	BN34RU68	<b>1836118K</b>	<b>12.06</b>	50
	3/4"	1/2"	BN34RU75	<b>1836128K</b>	<b>11.59</b>	50
1/2"	7/8"	1/4"	BN42RU87	<b>1838144K</b>	<b>15.92</b>	25
	15/16"	1/4"	BN42RU93	<b>1838154K</b>	<b>17.09</b>	25
	1"	1/4"	BN42RU99	<b>1838164K</b>	<b>18.30</b>	25
	7/8"	3/8"	BN43RU87	<b>1838146K</b>	<b>15.74</b>	25
	15/16"	3/8"	BN43RU93	<b>1838156K</b>	<b>16.91</b>	25
	1"	3/8"	BN43RU99	<b>1838166K</b>	<b>18.12</b>	25
	7/8"	1/2"	BN44RU87	<b>1838148K</b>	<b>15.80</b>	20
	15/16"	1/2"	BN44RU93	<b>1838158K</b>	<b>17.33</b>	20
	1"	1/2"	BN44RU99	<b>1838168K</b>	<b>18.53</b>	20



Hose ID	Hose OD	Male NPT	303 Stainless Steel			Pkg Qty
			Previous Part #	Part #	Price/E	
1/4"	1/2"	1/8"	BN21RU50SS	<b>1834082KSS</b>	<b>\$64.45</b>	100
	9/16"	1/8"	BN21RU56SS	<b>1834092KSS</b>	<b>63.63</b>	100
	5/8"	1/8"	BN21RU62SS	<b>1834102KSS</b>	<b>63.80</b>	100
	1/2"	1/4"	BN22RU50SS	<b>1834084KSS</b>	<b>69.30</b>	50
	9/16"	1/4"	BN22RU56SS	<b>1834094KSS</b>	<b>68.48</b>	50
	5/8"	1/4"	BN22RU62SS	<b>1834104KSS</b>	<b>68.65</b>	50
5/16"	9/16"	1/4"	BN252RU56SS	<b>1835094KSS</b>	<b>67.70</b>	50
	5/8"	1/4"	BN252RU62SS	<b>1835104KSS</b>	<b>67.54</b>	50
3/8"	5/8"	1/4"	BN32RU62SS	<b>1836104KSS</b>	<b>71.77</b>	50
	11/16"	1/4"	BN32RU68SS	<b>1836114KSS</b>	<b>71.70</b>	50
	3/4"	1/4"	BN32RU75SS	<b>1836124KSS</b>	<b>71.48</b>	50
	5/8"	3/8"	BN33RU62SS	<b>1836106KSS</b>	<b>71.35</b>	50
	11/16"	3/8"	BN33RU68SS	<b>1836116KSS</b>	<b>71.64</b>	50
	3/4"	3/8"	BN33RU75SS	<b>1836126KSS</b>	<b>71.43</b>	50
	7/8"	3/8"	BN43RU87SS	<b>1838146KSS</b>	<b>91.41</b>	25
	15/16"	3/8"	BN43RU93SS	<b>1838156KSS</b>	<b>94.91</b>	25
	7/8"	1/2"	BN44RU87SS	<b>1838148KSS</b>	<b>103.60</b>	20
	15/16"	1/2"	BN44RU93SS	<b>1838158KSS</b>	<b>103.60</b>	20



Reusable Female Swivel Stems

Hose ID	Female NPSM	Brass		Optional Qty
		Part #	Price/E	
1/4"	1/4"-18	<b>1840404A</b>	<b>\$6.10</b>	50
	3/8"-18	<b>1840406A</b>	<b>10.80</b>	50
5/16"	1/4"-18	<b>1840504A</b>	<b>7.23</b>	50
3/8"	1/4"-18	<b>1840604A</b>	<b>7.00</b>	50
	3/8"-18	<b>1840606A</b>	<b>8.60</b>	50
1/2"	1/2"-14	<b>1840808A</b>	<b>10.75</b>	25



Industrial Hose Fittings

Reusable Female Swivels

Hose ID	Hose OD	Female NPSM	Brass			Optional Qty
			Previous Part #	Part #	Price/E	
1/4"	1/2"	1/4"	185-4084	<b>1854084K</b>	<b>\$8.55</b>	50
	9/16"	1/4"	185-4094	<b>1854094K</b>	<b>9.65</b>	50
	5/8"	1/4"	185-4104	<b>1854104K</b>	<b>9.96</b>	50
	1/2"	3/8"	185-4086	<b>1854086K</b>	<b>13.08</b>	50
	9/16"	3/8"	185-4096	<b>1854096K</b>	<b>13.71</b>	50
	5/8"	3/8"	185-4106	<b>1854106K</b>	<b>13.91</b>	50
5/16"	9/16"	1/4"	185-5094	<b>1855094K</b>	<b>11.49</b>	50
	5/8"	1/4"	185-5104	<b>1855104K</b>	<b>10.50</b>	50
	11/16"	1/4"	185-5114	<b>1855114K</b>	<b>12.17</b>	50
3/8"	5/8"	1/4"	185-6104	<b>1856104K</b>	<b>10.32</b>	50
	11/16"	1/4"	185-6114	<b>1856114K</b>	<b>10.97</b>	50
	3/4"	1/4"	185-6124	<b>1856124K</b>	<b>10.50</b>	50
	5/8"	3/8"	185-6106	<b>1856106K</b>	<b>11.84</b>	50
	11/16"	3/8"	185-6116	<b>1856116K</b>	<b>12.49</b>	50
	3/4"	3/8"	185-6126	<b>1856126K</b>	<b>12.79</b>	50
1/2"	7/8"	1/2"	185-8148	<b>1858148K</b>	<b>18.45</b>	20
	15/16"	1/2"	185-8158	<b>1858158K</b>	<b>19.62</b>	20
	1"	1/2"	185-8168	<b>1858168K</b>	<b>20.83</b>	20



Reusable Splicer Stems

Hose ID	Brass		Optional Qty
	Part #	Price/E	
1/4"	<b>1860404S</b>	<b>\$5.15</b>	100
3/8"	<b>1860606S</b>	<b>4.95</b>	50



Reusable Hose Splicers

Hose ID	Hose OD	Brass			Optional Qty
		Previous Part #	Part #	Price/E	
1/4"	1/2"	187-0408	<b>1870408K</b>	<b>\$11.45</b>	50
	9/16"	187-0409	<b>1870409K</b>	<b>11.45</b>	50
	5/8"	187-0410	<b>1870410K</b>	<b>13.54</b>	50
3/8"	5/8"	187-0610	<b>1870610K</b>	<b>12.25</b>	25
	11/16"	187-0611	<b>1870611K</b>	<b>12.88</b>	25
	3/4"	187-0612	<b>1870612K</b>	<b>12.75</b>	25



## Reusable Fittings

Industrial Hose  
Fittings

## Reusable Ferrules

Hose ID	Hose OD	Brass		303 Stainless Steel		
		Part #	Price/E	Part #	Price/E	Opt Qty
1/4"	1/2"	1800408F	\$2.79	1800408FSS	\$35.20	100
	9/16"	1800409F	3.95	1800409FSS	34.37	50
	5/8"	1800410F	4.19	1800410FSS	34.55	50
5/16"	9/16"	1800509F	5.12	1800509FSS	35.62	100
	5/8"	1800510F	3.96	1800510FSS	35.46	50
	11/16"	1800511F	5.85	---	---	50
3/8"	5/8"	1800610F	3.73	1800610FSS	35.71	50
	11/16"	1800611F	4.40	1800611FSS	36.00	50
	3/4"	1800612F	3.91	1800612FSS	35.80	50
1/2"	7/8"	1800814F	8.42	1800814FSS	52.37	25
	15/16"	1800815F	9.63	1800815FSS	52.37	25
	1"	1800816F	11.89	---	---	20

## Reusable Male Stems

Hose ID	Male NPTF Thread <sup>1</sup>	Brass		303 Stainless Steel <sup>1</sup>		
		Part #	Price/E	Part #	Price/E	Opt Qty
1/4"	1/8"	1820402S	\$6.14	1820402SS	\$29.27	100
	1/4"	1820404S	3.51	1820404SS	34.12	100
	3/8"	1820406S	6.52	---	---	50
5/16"	1/4"	1820504S	4.61	1820504SS	32.10	50
	3/8"	1820506S	9.73	---	---	50
3/8"	1/4"	1820604S	3.63	1820604SS	35.70	100
	3/8"	1820606S	4.32	1820606SS	35.64	50
	1/2"	1820608S	8.14	---	---	25
1/2"	1/4"	1820804S	8.12	---	---	50
	3/8"	1820806S	7.95	1820806SS	42.55	50
	1/2"	1820808S	8.37	1820808SS	50.90	25

<sup>1</sup> stainless steel parts have NPT threads

Standard Shank Fittings

GHT Complete Couplings with Hex Nut

Hose Size	Brass			Lead Free Brass <sup>2</sup>		303 Stainless		
	Previous Part #	Part #	Price/E	Part #	Price/E	Previous Part #	Part #	Price/E
3/8"	BC73	<b>5920606K</b>	<b>\$13.17</b>	---	---	---	---	---
1/2"	BC74	<b>5920808K</b>	<b>13.17</b>	<b>5920808KLF</b>	<b>\$31.09</b>	SSC74	<b>5920808KSS</b>	<b>\$162.80</b>
5/8"	BC75	<b>5921010K</b>	<b>13.40</b>	<b>5921010KLF</b>	<b>31.09</b>	SSC75	<b>5921010KSS</b>	<b>162.70</b>
3/4"	BC76	<b>5921212K</b>	<b>13.70</b>	<b>5921212KLF</b>	<b>31.09</b>	SSC76	<b>5921212KSS</b>	<b>162.70</b>
1"	BC78	<b>5921612K</b>	<b>20.83</b>	---	---	---	---	---
1"	BS808	<b>5921616K</b> <sup>1</sup>	<b>26.85</b>	---	---	---	---	---



Industrial Hose Fittings

<sup>1</sup> NPSH thread

<sup>2</sup> Lead free brass <=0.25% lead; Alloy CA2745; Alloy C46400

GHT Female Fittings with Swivel Nut

Hose Size	Brass			Lead Free Brass <sup>2</sup>		303 Stainless			Pkg Qty
	Previous Part #	Part #	Price/E	Part #	Price/E	Previous Part #	Part #	Price/E	
3/8"	BCF73	<b>5910612C</b>	<b>\$7.11</b>	---	---	---	---	---	25
1/2"	BCF74	<b>5910812C</b>	<b>7.11</b>	---	---	SSCF74	<b>5910812SS</b>	<b>\$100.48</b>	25
	---	---	---	<b>5910812CLF</b>	<b>\$17.57</b>	---	---	---	---
5/8"	BCF75	<b>5911012C</b>	<b>7.11</b>	---	---	SSCF75	<b>5911012SS</b>	<b>100.48</b>	25
	---	---	---	<b>5911012CLF</b>	<b>17.57</b>	---	---	---	---
3/4"	BCF76	<b>5911212C</b>	<b>7.42</b>	---	---	SSCF76	<b>5911212SS</b>	<b>100.48</b>	25
	---	---	---	<b>5911212CLF</b>	<b>17.57</b>	---	---	---	---
1"	BCF78	<b>5911612C</b>	<b>12.21</b>	---	---	---	---	---	10
	BS848	<b>5911616C</b> <sup>1,3</sup>	<b>13.14</b>	---	---	---	---	---	10



<sup>1</sup> NPSH thread

<sup>2</sup> Lead free brass <=0.25% lead; Alloy CA2745; Alloy C46400

<sup>3</sup> washer included, part # **5911616W** on page E-47

• SBR black rubber washer part # **5911212W** included found on page E-47

GHT Male Fittings

Hose Size	Brass			Lead Free Brass <sup>2</sup>		303 Stainless			Pkg Qty
	Previous Part #	Part #	Price/E	Part #	Price/E	Previous Part #	Part #	Price/E	
3/8"	BCM73	<b>5900612C</b>	<b>\$6.75</b>	---	---	---	---	---	25
1/2"	BCM74	<b>5900812C</b>	<b>6.59</b>	---	---	SSCM74	<b>5900812SS</b>	<b>\$61.83</b>	25
	---	---	---	<b>5900812CLF</b>	<b>\$15.08</b>	---	---	---	---
5/8"	BCM75	<b>5901012C</b>	<b>6.81</b>	---	---	SSCM75	<b>5901012SS</b>	<b>61.66</b>	25
	---	---	---	<b>5901012CLF</b>	<b>15.08</b>	---	---	---	---
3/4"	BCM76	<b>5901212C</b>	<b>6.81</b>	---	---	SSCM76	<b>5901212SS</b>	<b>61.66</b>	25
	---	---	---	<b>5901212CLF</b>	<b>15.08</b>	---	---	---	---
1"	BCM78	<b>5901612C</b>	<b>8.95</b>	---	---	---	---	---	10
	BS818	<b>5901616C</b> <sup>1</sup>	<b>14.25</b>	---	---	---	---	---	---



<sup>1</sup> NPSH thread

<sup>2</sup> Lead free brass <=0.25% lead; Alloy CA2745; Alloy C46400

## Short Shank Fittings

- use with washers on page E-47



## GHT Complete Couplings with Hex Nut

Hose Size	Brass		
	Previous Part #	Part #	Price/E
1/2"	HNBGH74	<b>5890808K</b>	<b>\$12.60</b>
5/8"	HNBGH75	<b>5891010K</b>	<b>13.12</b>
3/4"	HNBGH76	<b>5891212K</b>	<b>13.00</b>



## GHT Complete Couplings with Round Nut

Hose Size	Brass		
	Previous Part #	Part #	Price/E
1/2"	BGH74	<b>5870808K</b>	<b>\$14.04</b>
5/8"	BGH75	<b>5871010K</b>	<b>14.04</b>
3/4"	BGH76	<b>5871212K</b>	<b>14.12</b>

## GHT Female Couplings with Round Nut

Hose Size	Shank Length	Brass		Price/E
		Previous Part #	Part #	
1/2"	1"	BGHF74	<b>5860812C</b>	<b>\$7.81</b>
5/8"	1"	BGHF75	<b>5861012C</b>	<b>7.81</b>
3/4"	1"	BGHF76	<b>5861212C</b>	<b>7.89</b>

## GHT Female Swivels with Hex Nut

Hose Size	Shank Length	Brass		Price/E
		Previous Part #	Part #	
1/2"	1"	HNBGHF74	<b>5880812C</b>	<b>\$6.62</b>
5/8"	1"	HNBGHF75	<b>5881012C</b>	<b>6.70</b>
3/4"	1"	HNBGHF76	<b>5881212C</b>	<b>7.05</b>

## GHT Male Couplings with Round Nut

Hose Size	Shank Length	Brass		Price/E
		Previous Part #	Part #	
1/2"	1"	BGHM74	<b>5850812C</b>	<b>\$6.48</b>
5/8"	1"	BGHM75	<b>5851012C</b>	<b>6.48</b>
3/4"	1"	BGHM76	<b>5851212C</b>	<b>6.48</b>

## Garden Hose Menders



Hose ID	Brass		Price/E
	Previous Part #	Part #	
1/2"	5780808C	<b>1780808C</b>	<b>\$3.36</b>
5/8"	5781010C	<b>1781010C</b>	<b>4.00</b>
3/4"	5781212C	<b>1781212C</b>	<b>5.39</b>
1"	5781616C	<b>1781616C</b>	<b>10.10</b>



Short Shank Couplings with Octagon Nut

- sold in complete sets only

Hose Size	Shank Length	Aluminum	
		Part #	Price/E
3/8"	13/16"	<b>ABC73</b>	<b>\$6.20</b>
1/2"	13/16"	<b>ABC74</b>	<b>6.20</b>
3/4"	1-1/8"	<b>ABC76</b>	<b>6.20</b>



Industrial Hose Fittings

Standard Shank Cast Coupling with Hex Nut

- use with washers on page E-15
- sold in complete sets only

Hose Size	Brass	
	Part #	Price/E
1/2"	<b>CBC74</b>	<b>\$12.60</b>
5/8"	<b>CBC75</b>	<b>12.60</b>
3/4"	<b>CBC76</b>	<b>12.60</b>
1"	<b>CBC88</b> <sup>1</sup>	<b>21.50</b>



<sup>1</sup> NPSM thread



## Long Shank Fittings

## Complete Couplings - GHT

## Feature:

- extended male GHT, deeper thread

Industrial Hose  
Fittings

Hose ID	GHT Thread	Plated Steel		Previous Part #	Brass	
		Part #	Price/E		Part #	Price/E
3/8"	3/4"	<b>SLS307</b>	<b>\$30.75</b>	---	---	---
1/2"	1/2"	---	---	---	---	---
1/2"	3/4"	<b>SLS407</b>	<b>27.50</b>	BLS407	<b>5950808K</b>	<b>\$18.90</b>
5/8"	3/4"	<b>SLS507</b>	<b>24.90</b>	BLS507	<b>5951010K</b>	<b>17.93</b>
3/4"	3/4"	<b>SLS607</b>	<b>26.60</b>	BLS607	<b>5951212K</b>	<b>17.99</b>

**NEW**

## Female Couplings - GHT



Hose ID	GHT Thread	Plated Steel		Brass			Pkg Qty	Lead Free Brass	
		Part #	Price/E	Previous Part #	Part #	Price/E		Part #	Price/E
3/8"	3/4"	<b>SLS347</b>	<b>\$17.40</b>	---	---	---	---	---	---
1/2"	1/2"	---	---	---	---	---	---	---	---
1/2"	3/4"	<b>SLS447</b>	<b>16.20</b>	BLS447	<b>5940812C</b>	<b>\$9.48</b>	150	---	---
5/8"	3/4"	<b>SLS547</b>	<b>12.50</b>	BLS547	<b>5941012C</b>	<b>9.63</b>	150	---	---
3/4"	3/4"	<b>SLS647</b>	<b>13.60</b>	BLS647	<b>5941212C</b>	<b>9.63</b>	150	<b>5941212CLF</b>	<b>\$39.19</b>

**NEW**

## Male Couplings - GHT

## Feature:

- extended male GHT, deeper thread



Hose ID	GHT Thread	Plated Steel		Brass			Pkg Qty	Lead Free Brass	
		Part #	Price/E	Previous Part #	Part #	Price/E		Part #	Price/E
3/8"	3/4"	<b>SLS317</b>	<b>\$13.35</b>	---	---	---	---	---	---
1/2"	1/2"	---	---	---	---	---	---	---	---
1/2"	3/4"	<b>SLS417</b>	<b>11.30</b>	BLS417	<b>5930812C</b>	<b>\$9.76</b>	150	---	---
5/8"	3/4"	<b>SLS517</b>	<b>12.40</b>	BLS517	<b>5931012C</b>	<b>9.00</b>	150	---	---
3/4"	3/4"	<b>SLS617</b>	<b>13.00</b>	BLS617	<b>5931212C</b>	<b>9.06</b>	150	<b>5931212CLF</b>	<b>\$68.20</b>

Spray Hose Fittings

Complete Couplings - GHT

Hose ID	GHT Thread	Plated Steel	
		Part #	Price/E
3/8"	3/4"	<b>SS307</b>	<b>\$25.55</b>
1/2"	3/4"	<b>SS407</b>	<b>23.95</b>
5/8"	3/4"	<b>SS507</b>	<b>27.70</b>
3/4"	3/4"	<b>SS607</b>	<b>37.75</b>



Industrial Hose Fittings

Female Couplings - GHT

Hose ID	GHT Thread	Plated Steel	
		Part #	Price/E
3/8"	3/4"	<b>SS347</b>	<b>\$14.05</b>
1/2"	3/4"	<b>SS447</b>	<b>12.15</b>
5/8"	3/4"	<b>SS547</b>	<b>13.70</b>
3/4"	3/4"	<b>SS647</b>	<b>24.55</b>



Male Couplings - GHT

Hose ID	GHT Thread	Plated Steel	
		Part #	Price/E
3/8"	3/4"	<b>SS317</b>	<b>\$11.50</b>
1/2"	3/4"	<b>SS417</b>	<b>11.80</b>
5/8"	3/4"	<b>SS517</b>	<b>14.00</b>
3/4"	3/4"	<b>SS617</b>	<b>13.20</b>



## GHT Zinc Fittings

## Features:

- premium brass and zinc construction for maximum strength and durability
- patented impact resistant clamp design
- non-corroding high grade 410 stainless steel screws will not strip when tightened
- leakproof, reusable
- for use with rubber or plastic hose
- fits all  $\frac{5}{8}$ " and  $\frac{3}{4}$ " hose



## Female Hose Fittings

Part #	Price/E	Optional Qty
<b>M5834F</b>	<b>\$14.75</b>	48



## Male Hose Fittings

Part #	Price/E	Optional Qty
<b>M5834M</b>	<b>\$13.10</b>	48



## Menders

Part #	Price/E	Optional Qty
<b>M5834HM</b>	<b>\$20.50</b>	48

## Male Hose x Male Hose x Female Pipe Adapter



Male GH x Male GH x Female NPT	Lead Free Brass	
	Part #	Price/E
$\frac{3}{4}$ " x $\frac{3}{4}$ " x $\frac{1}{2}$ "	<b>5091212CLF</b>	<b>\$19.67</b>

## Male GHT x Male NPTF Adapters



brass



lead free brass



303 stainless

Male GHT	Male NPTF	Previous Part #	Brass		Lead Free Brass <sup>3</sup>		Male Thread	303 Stainless			Pkg Qty
			Part #	Price/E	Part #	Price/E		Previous Part #	Part #	Price/E	
$\frac{3}{4}$ "	$\frac{3}{8}$ "	BA73	<b>5081206C</b> <sup>1</sup>	<b>\$5.52</b>	---	---	---	---	---	---	25
$\frac{3}{4}$ "	$\frac{1}{2}$ "	BA74	<b>5081208C</b> <sup>1</sup>	<b>5.88</b>	<b>5081208CLF</b>	<b>\$18.77</b>	NPT	RA74	<b>5081208SS</b>	<b>\$40.95</b>	25
$\frac{3}{4}$ "	$\frac{3}{4}$ "	---	<b>5081212C</b> <sup>1</sup>	<b>6.71</b>	---	---	NPT	RA776	<b>5081212SS</b>	<b>39.62</b>	25
$\frac{3}{4}$ "	$\frac{3}{4}$ " x $\frac{1}{2}$ "	BA776	<b>5141212C</b> <sup>1,2</sup>	<b>6.37</b>	<b>5141212CLF</b> <sup>2</sup>	<b>19.03</b>	NPT	---	<b>5141212SS</b> <sup>2</sup>	<b>43.83</b>	25
$\frac{3}{4}$ "	1"	BA78	<b>5081216C</b> <sup>1</sup>	<b>14.48</b>	---	---	---	---	---	---	10

<sup>1</sup> extended male GHT, deeper thread

<sup>2</sup> has  $\frac{1}{2}$ " female NPT on ID of  $\frac{3}{4}$ " male NPT side

<sup>3</sup> Lead free brass  $\leq 0.25\%$  lead; Alloy CA2745; Alloy C46400

Male GHT Fittings

Adapters

Male GHT	Male GHT	Brass			Male Thread	303 Stainless			Pkg Qty
		Previous Part #	Part #	Price/E		Previous Part #	Part #	Price/E	
3/4"	3/4"	BA777	5091212C <sup>1</sup>	\$6.03	NPT	RA777	5091212SS	\$37.35	25
3/4"	1" <sup>2</sup>	509-1612	5091612C <sup>1</sup>	12.05	---	---	---	---	20



brass



303 stainless

<sup>1</sup> extended male GHT, deeper thread

<sup>2</sup> NPSH thread

Female NPTF Adapters

Male GHT	Female NPTF	Brass			Lead Free Brass		Pkg Qty
		Previous Part #	Part #	Price/E	Part #	Price/E	
3/4"	1/4"	507-1204 <sup>1</sup>	5071204C	\$4.73	---	---	25
3/4"	3/8"	507-1206 <sup>1</sup>	5071206C	5.07	---	---	25
3/4"	1/2"	BA794 <sup>1</sup>	5071208C	5.09	---	---	25
3/4"	3/4"	BA796 <sup>1</sup>	5071212C	8.06	5071212CLF <sup>2,3</sup>	\$20.83	25



brass



303 stainless

Male GHT	Female NPT	303 Stainless			Pkg Qty
		Previous Part #	Part #	Price/E	
3/4"	1/2"	RA794	5071208SS	\$29.55	25
3/4"	3/4"	RA796	5071212SS	49.00	25

<sup>1</sup> extended male GHT, deeper thread

<sup>2</sup> NPT threads

<sup>3</sup> Lead free brass <=0.25% lead; Alloy CA2745; Alloy C46400



### Female GHT Fittings

#### Swivel Adapters



brass



lead free brass

Female x Female	Brass			Price/E	Optional Qty
	Previous Part #	Part #			
3/4" x 3/4"	BA977	<b>5061212C</b>		<b>\$10.13</b>	25
3/4" x 3/4"	---	<b>5061212CLF<sup>1</sup></b>		<b>39.85</b>	---

<sup>1</sup> Lead free brass <=0.25% lead; Alloy CA2745; Alloy C46400

#### Female GHT Swivel x Female NPTF Adapter



Female GHT x Female NPTF	Brass			Lead Free Brass		303 Stainless			Pkg Qty
	Previous Part #	Part #	Price/E	Part #	Price/E	Previous Part #	Part #	Price/E	
3/4"x 1/2"	BAS974	<b>5021208C</b>	<b>\$8.75</b>	<b>5021208CLF<sup>1,2</sup></b>	<b>\$23.52</b>	RAS974	<b>5021208SS<sup>2</sup></b>	<b>\$74.84</b>	25
3/4" x 3/4"	BAS976	<b>5021212C</b>	<b>10.63</b>	<b>5021212CLF<sup>1,2</sup></b>	<b>33.19</b>	RAS976	<b>5021212SS<sup>2</sup></b>	<b>80.33</b>	10

<sup>1</sup> Lead free brass <=0.25% lead; Alloy CA2745; Alloy C46400

<sup>2</sup> NPT threads

#### Female GHT Swivel x Male NPTF Adapter



Female GHT	Male NPTF	Brass			Male NPT	303 Stainless			Pkg Qty
		Previous Part #	Part #	Price/E		Previous Part #	Part #	Price/E	
3/4"	1/4"	504-1204	<b>5041204C</b>	<b>\$9.20</b>	---	---	---	---	25
3/4"	3/8"	504-1206	<b>5041206C</b>	<b>9.31</b>	---	---	---	---	25
3/4"	1/2"	504-1208	<b>5041208C</b>	<b>9.16</b>	1/2"	R504-1208	<b>5041208SS</b>	<b>\$86.61</b>	25
3/4"	3/4"	504-1212	<b>5041212C</b>	<b>11.05</b>	3/4"	R504-1212	<b>5041212SS</b>	<b>93.90</b>	20

#### Female GHT x Male NPTF Adapters



Female GHT	Male Thread NPTF	Brass			Male Thread NPT	303 Stainless			Pkg Qty
		Previous Part #	Part #	Price/E		Previous Part #	Part #	Price/E	
3/4"	3/8"	BMA973	<b>5031206C</b>	<b>\$9.34</b>	---	---	---	---	25
3/4"	1/2"	BMA974	<b>5031208C</b>	<b>8.19</b>	1/2"	RMA974	<b>5031208SS</b>	<b>\$50.04</b>	25
3/4"	3/4"	BMA976	<b>5031212C</b>	<b>10.26</b>	3/4"	RMA976	<b>5031212SS</b>	<b>51.66</b>	25

#### Rigid Female GHT x Female NPTF Adapter



Female GHT	Male Thread NPTF	Brass			Male Thread NPT	303 Stainless			Pkg Qty
		Previous Part #	Part #	Price/E		Previous Part #	Part #	Price/E	
3/4"	1/8"	BA971	<b>5011202C</b>	<b>\$9.85</b>	---	---	---	---	50
3/4"	1/4"	BA972	<b>5011204C</b>	<b>8.50</b>	---	---	---	---	25
3/4"	3/8"	BA973	<b>5011206C</b>	<b>8.45</b>	---	---	---	---	25
3/4"	1/2"	BA974	<b>5011208C</b>	<b>11.62</b>	1/2"	RA974	<b>5011208SS</b>	<b>\$49.48</b>	25
3/4"	3/4"	BA976	<b>5011212C</b>	<b>10.40</b>	3/4"	RA976	<b>5011212SS</b>	<b>49.28</b>	25

Black GHT Washers

ID	OD	<i>black 80 duro SBR</i>		Optional Qty
		Part #	Price/E	
.63"	1.00"	<b>5911212W</b>	<b>\$0.27</b>	100
.86"	1.27"	<b>5911616W</b>	<b>0.37</b>	100



Garden Hose Filter Washer

Description	<i>FDA black 70a duro PVC</i>			Optional Qty
	Previous Part #	Part #	Price/E	
304 stainless steel mesh,FDA black 70a duro PVC	TVS7-30	<b>5911212F</b>	<b>\$0.82</b>	100



Red Vinyl GHT Washer

Part #	<i>red vinyl</i>		Optional Qty
	Price/E		
<b>TVW7</b>	<b>\$0.10</b>		100



White Rubber GHT Washer

Part #	<i>white rubber (Styrene Butadiene)</i>		Optional Qty
	Price/E		
<b>TRW7</b>	<b>\$0.25</b>		100



Garden Hose Cap

Size	<i>Brass</i>			Optional Qty
	Previous Part #	Part #	Price/E	
3/4"	GHC7	<b>5131212C</b>	<b>\$4.42</b>	25



Garden Hose Round Nut with Knurl

Size	<i>Brass</i>		Price/E
	Part #		
3/4"	<b>5861012N</b>		<b>\$3.95</b>



Garden Hose Hex Nut with Knurl

Size	<i>Brass</i>		Price/E
	Part #		
3/4" GHT	<b>5911212N</b>		<b>\$3.98</b>
1" NPSH	<b>5911616N</b>		<b>7.09</b>



## Compression Bibb Faucets



## Features:

- rough brass finish
- nozzle end is GHT
- for water use only

Male NPT Inlet Size	Brass	
	Part #	Price/E
1/2"	<b>35-201-10</b>	<b>\$32.50</b>
3/4"	<b>35-202-10</b>	<b>32.50</b>

## Garden Hose Quick Connect Assembly

## Features:

- easy push-pull ring for long lasting and quick hose attachments
- maximum operating pressure: **150 PSI** at ambient temperature **70°F (21°C)**
- maximum temperature **140°F (60°C)**



Description	Brass			303 Stainless Steel		
	Previous Part #	Part #	Price/E	Previous Part #	Part #	Price/E
complete assembly	DGH7	<b>500QCK</b>	<b>\$14.09</b>	DGH7SS	<b>500QCKSS</b>	<b>\$83.60</b>
complete valved assembly	DGH7V	<b>500QCKV</b>	<b>18.12</b>	---	---	---

## Garden Hose Quick Connect Female Couplers



Description	Brass			303 Stainless Steel		
	Previous Part #	Part #	Price/E	Previous Part #	Part #	Price/E
coupler	DGH7C	<b>500QCF</b>	<b>\$10.00</b>	DGH7CSS	<b>500QCFSS</b>	<b>\$57.55</b>
valved coupler-water shutoff	DGH7CV	<b>500QCFV</b>	<b>14.20</b>	---	---	---

## Replacement Parts

Description	Part #	Price/E
replacement rubber seal gasket for 500QCFV (DGH7CV)	<b>500QCFVSG</b>	<b>\$0.77</b>
replacement NBR O-ring for 500QCFV (DGH7CV)	<b>500QCFVOR</b>	<b>0.77</b>

## Garden Hose Quick Connect Replacement Seal for 500QCF



Nitrile Butadiene Rubber		
Previous Part #	Part #	Price/E
DGHW7	<b>500QCSG</b>	<b>\$0.77</b>

## Garden Hose Quick Connect Male Plugs



Description	Brass			303 Stainless Steel		
	Previous Part #	Part #	Price/E	Previous Part #	Part #	Price/E
male plug	DGH7P	<b>500QCM</b>	<b>\$4.64</b>	DGH7PSS	<b>500QCMSS</b>	<b>\$26.05</b>



## Straight GHT Valve

## Features:

- powder-coated zinc shut-off valve
- maximum temperature: **160°F (71°C)** (hot water)
- recommended usage: **100°F (38°C)**
- working pressure: **60 PSI**

Part #	Price/E
<b>GHV</b>	<b>\$12.20</b>



## GHT Ball Valve

## Features:

- forged brass
- maximum temperature: **140°F (60°C)** (hot water)
- working pressure: **100 PSI**

Part #	Price/E
<b>500GHV</b>	<b>\$17.44</b>



## GHT Twin Valve

## Features:

- powder-coated zinc with twin shut-off valves
- maximum temperature: **160°F (71°C)** (hot water)
- recommended usage: **100°F (38°C)**
- working pressure: **60 PSI**

Part #	Price/E
<b>GHYV</b>	<b>\$17.10</b>



## Garden Hose Y Valve

## Features:

- forged brass
- double Y valve, swivel inlet - with Higbie cut threads (capped) to prevent cross threading
- maximum temperature: **140°F (60°C)** (hot water)
- working pressure: **100 PSI**

Part #	Price/E
<b>500GHY</b>	<b>\$36.97</b>



## Garden Hose Y Coupler

## Features:

- nickel plated brass
- maximum working pressure: **150 PSI**
- maximum temperature: **195°F (90.5°C)**

Part #	Price/E
<b>500YC</b>	<b>\$12.63</b>



## GHT Y

## Features:

- powder-coated zinc with twin outlet
- includes one end cap
- maximum temperature: **160°F (71°C)** (hot water)
- recommended usage: **100°F (38°C)**
- working pressure: **60 PSI**

Part #	Price/E
<b>GHY</b>	<b>\$9.75</b>



## GHT 4-Valve Manifold

**Features:**

- forged brass body, stainless steel balls, PTFE seats
- swivel inlet
- maximum temperature: **120°F (49°C)**
- maximum operating pressure: **100 PSI**

Part #	Price/E
<b>500GH4VBK</b>	<b>\$64.90</b>

## GHT Back Flow Preventer

**Features:**

- brass extruded stock
- maximum operating pressure: **125 PSI**
- temperature range: **33°F to 180°F (.5°C to 82°C)**

**Materials:**

- gasket: EPDM
- components: stainless steel

Part #	Price/E
<b>500BFP</b>	<b>\$26.20</b>

## Radiator Bibb

**Feature:**

- 1/4" female pipe thread connection

**Material:**

- vinyl spout

Part #	Price/E
<b>8013</b>	<b>\$30.20</b>

## Garden Hose Gooseneck

**Features:**

- angles hose away from hose bibb
- recommended usage: **100°F (38°C)**
- working pressure: **60 PSI**

Powder Coated Zinc Part #	Price/E
<b>GHGN</b>	<b>\$14.10</b>

Tuff-Lite™ Hose Shank x Male NPT Insert

**Nylon Features:**

- Nylon fittings should not be used with acid-based fertilizers, bromine, chlorine, fluorine, hydrochloric acid, iodine, nitric acid, phosphoric acid, sulfuric acid or xylene.
- nylon should not be used with compressed gas
- fittings are white



**Polypropylene Features:**

- Polypropylene fittings should not be used with aromatic hydrocarbons, carbon tetra-chloride, gasoline, hexane, kerosene, nitric acid, sodium hydrochlorite, toluene, trichloroethylene or xylene.
- polypropylene should not be used with compressed gas
- fittings are black



Hose Size	Male NPT	Nylon		Pkg Qty	Polypropylene		Pkg Qty
		Part #	Price/E		Part #	Price/E	
1/4"	1/8"	<b>TN21</b>	<b>\$0.68</b>	50	<b>PPN21</b>	<b>\$0.84</b>	50
	1/4"	<b>TN22</b>	<b>0.70</b>	50	<b>PPN22</b>	<b>0.82</b>	50
	3/8"	<b>TN23</b>	<b>0.76</b>	50	<b>PPN23</b>	<b>0.85</b>	50
	1/2"	<b>TN24</b>	<b>0.87</b>	50	<b>PPN24</b>	<b>0.88</b>	50
	3/4"	<b>TN26</b>	<b>0.91</b>	50	---	---	---
	1"	<b>TN28</b>	<b>1.40</b>	50	---	---	---
5/16"	1/4"	<b>TN252</b>	<b>0.70</b>	50	---	---	---
3/8"	1/8"	<b>TN31</b>	<b>0.80</b>	50	<b>PPN31</b>	<b>0.84</b>	50
	1/4"	<b>TN32</b>	<b>0.88</b>	50	<b>PPN32</b>	<b>0.81</b>	50
	3/8"	<b>TN33</b>	<b>0.92</b>	50	<b>PPN33</b>	<b>0.82</b>	50
	1/2"	<b>TN34</b>	<b>1.00</b>	50	<b>PPN34</b>	<b>0.95</b>	50
	3/4"	<b>TN36</b>	<b>1.10</b>	50	<b>PPN36</b>	<b>0.90</b>	50
1/2"	1/8"	<b>TN41</b>	<b>0.92</b>	50	---	---	---
	1/4"	<b>TN42</b>	<b>0.77</b>	50	<b>PPN42</b>	<b>0.84</b>	50
	3/8"	<b>TN43</b>	<b>0.79</b>	50	<b>PPN43</b>	<b>0.90</b>	50
	1/2"	<b>TN44</b>	<b>0.91</b>	50	<b>PPN44</b>	<b>0.73</b>	50
	3/4"	<b>TN46</b>	<b>1.05</b>	50	<b>PPN46</b>	<b>1.10</b>	50
5/8"	3/8"	<b>TN53</b>	<b>0.87</b>	50	---	---	---
	1/2"	<b>TN54</b>	<b>0.94</b>	50	<b>PPN54</b>	<b>0.94</b>	50
	3/4"	<b>TN56</b>	<b>1.10</b>	50	<b>PPN56</b>	<b>1.15</b>	50
3/4"	3/8"	<b>TN63</b>	<b>0.83</b>	50	---	---	---
	1/2"	<b>TN64</b>	<b>1.07</b>	50	<b>PPN64</b>	<b>1.00</b>	50
	3/4"	<b>TN66</b>	<b>1.17</b>	50	<b>PPN66</b>	<b>0.93</b>	50
	1"	<b>TN68</b>	<b>1.37</b>	25	<b>PPN68</b>	<b>1.40</b>	25
1"	3/4"	<b>TN86</b>	<b>1.30</b>	25	<b>PPN86</b>	<b>1.30</b>	25
	1"	<b>TN88</b>	<b>1.56</b>	25	<b>PPN88</b>	<b>1.49</b>	25
1 1/4"	1"	<b>TN158</b>	<b>2.35</b>	15	---	---	---
	1 1/4"	<b>TN150</b>	<b>3.80</b>	10	<b>PPN150</b>	<b>3.11</b>	10
	1 1/2"	<b>TN1520</b>	<b>4.10</b>	10	---	---	---
1 1/2"	1 1/4"	<b>TN2015</b>	<b>3.95</b>	10	---	---	---
	1 1/2"	<b>TN200</b>	<b>4.10</b>	10	<b>PPN200</b>	<b>3.20</b>	10
2"	2"	<b>TN250</b>	<b>6.05</b>	5	<b>PPN250</b>	<b>4.55</b>	5

- sold in package quantities only

Industrial Hose Fittings



nylon



polypropylene



Hose Shank x Male NPT Inserts

Size	Nylon		Pkg Qty	Polypropylene		Pkg Qty
	Part #	Price/E		Part #	Price/E	
1 1/4"	<b>THN15</b>	<b>\$6.90</b>	25	---	---	---
1 1/2"	<b>THN20</b>	<b>7.50</b>	25	<b>HB150</b>	<b>\$4.85</b>	25
2"	<b>THN25</b>	<b>11.40</b>	20	<b>HB200</b>	<b>6.25</b>	24
3"	<b>THN35</b>	<b>26.00</b>	10	<b>HB300</b>	<b>17.85</b>	10
4"	---	---	---	<b>HB400</b>	<b>38.75</b>	---



nylon



polypropylene

## Tuff-Lite™ Hose Shank x Female NPT Insert

## Features:

- Nylon fittings should not be used with acid-based fertilizers, bromine, chlorine, fluorine, hydrochloric acid, iodine, nitric acid, phosphoric acid, sulfuric acid or xylene.
- nylon should not be used with compressed gas



Hose Size	Female NPT	Nylon	
		Part #	Price/E
1/4"	1/4"	<b>TFS22</b>	<b>\$3.30</b>
1/4"	1/2"	<b>TFS42</b>	<b>3.45</b>
1/2"	1/2"	<b>TFS44</b>	<b>3.20</b>
3/4"	3/4"	<b>TFS66</b>	<b>3.80</b>

## Tuff-Lite™ Female 45°SAE/37°JIC Swivel x Hose Barb

## Feature:

- ball seat type



Hose Size	Female NPSM	Nylon	
		Part #	Price/E
1/4"	1/4"	<b>TF22</b>	<b>\$0.92</b>
3/8"	3/8"	<b>TF33</b>	<b>1.07</b>

## Tuff-Lite™ Short Shank x Female NPSM Coupling

- sold in package quantities only
- shipped with a red vinyl washer (**TVW7**), replacement washers on page E-47



Hose Shank	Female NPSM	Nylon		Pkg Qty
		Part #	Price/E	
1/4"	3/4"	<b>TCF62</b>	<b>\$1.55</b>	50
3/8"	3/4"	<b>TCF63</b>	<b>1.55</b>	50
1/2"	3/4"	<b>TCF64</b>	<b>1.60</b>	50
5/8"	3/4"	<b>TCF65</b>	<b>1.65</b>	50
3/4"	3/4"	<b>TCF66</b>	<b>1.65</b>	50

Tuff-Lite™ 90° Hose Barb Elbow x Male NPT

Industrial Hose  
Fittings

Hose Size	Male NPT	Nylon		Pkg Qty
		Part #	Price/E	
1/4"	1/8"	<b>TLS21</b>	<b>\$0.82</b>	50
	1/4"	<b>TLS22</b>	<b>0.91</b>	50
	3/8"	<b>TLS23</b>	<b>1.17</b>	50
3/8"	1/8"	<b>TLS31</b>	<b>0.87</b>	50
	1/4"	<b>TLS32</b>	<b>0.91</b>	50
	3/8"	<b>TLS33</b>	<b>1.17</b>	50
	1/2"	<b>TLS34</b>	<b>1.36</b>	50
1/2"	3/4"	<b>TLS36</b>	<b>1.46</b>	50
	1/4"	<b>TLS42</b>	<b>1.17</b>	50
	3/8"	<b>TLS43</b>	<b>1.17</b>	50
	1/2"	<b>TLS44</b>	<b>1.36</b>	50
5/8"	3/4"	<b>TLS46</b>	<b>1.46</b>	25
	1"	<b>TLS48</b>	<b>1.90</b>	25
	3/8"	<b>TLS53</b>	<b>1.36</b>	25
	1/2"	<b>TLS54</b>	<b>1.46</b>	25
3/4"	3/4"	<b>TLS56</b>	<b>1.55</b>	25
	1"	<b>TLS58</b>	<b>1.65</b>	25
	3/8"	<b>TLS63</b>	<b>1.65</b>	25
	1/2"	<b>TLS64</b>	<b>1.55</b>	25
1"	3/4"	<b>TLS66</b>	<b>1.65</b>	25
	1"	<b>TLS68</b>	<b>1.72</b>	15
	3/4"	<b>TLS86</b>	<b>1.65</b>	15
	1"	<b>TLS88</b>	<b>2.61</b>	15



• sold in package quantities only.

Tuff-Lite™ 90° Hose Barb Elbow x Female NPT

Hose Size	Female NPT	Nylon	
		Part #	Price/E
1/2"	1/2"	<b>TLFS44</b>	<b>\$2.95</b>
1/2"	3/4"	<b>TLFS64</b>	<b>3.55</b>
3/4"	3/4"	<b>TLFS66</b>	<b>3.60</b>



Tuff-Lite™ Hose Barb x 90° Hose Barb Elbow

Hose Size	Nylon			Polypropylene		Pkg Qty
	Part #	Price/E	Pkg Qty	Part #	Price #	
1/4"	<b>TLSS22</b>	<b>\$1.17</b>	50	<b>PPLSS22</b>	<b>\$1.25</b>	50
3/8"	<b>TLSS33</b>	<b>1.21</b>	50	<b>PPLSS33</b>	<b>1.25</b>	50
1/2"	<b>TLSS44</b>	<b>1.35</b>	50	<b>PPLSS44</b>	<b>1.25</b>	50
3/4"	<b>TLSS66</b>	<b>1.42</b>	50	<b>PPLSS66</b>	<b>1.55</b>	50



• sold in package quantities only

## Tuff-Lite™ Hose Run x Male NPT Branch Tee



Hose Size	Male NPT	Nylon		Pkg Qty
		Part #	Price/E	
1/4"	1/4"	<b>TSST222</b>	<b>\$1.23</b>	50
3/8"	3/8"	<b>TSST333</b>	<b>1.35</b>	50
1/2"	1/2"	<b>TSST444</b>	<b>1.52</b>	25
3/4"	3/4"	<b>TSST666</b>	<b>1.70</b>	25

- sold in package quantities only

## Tuff-Lite™ Hose Run x Hose Branch Tee



Hose Size	Nylon		Pkg Qty
	Part #	Price/E	
1/4"	<b>TSSS222</b>	<b>\$1.17</b>	50
3/8"	<b>TSSS333</b>	<b>1.21</b>	50
1/2"	<b>TSSS444</b>	<b>1.35</b>	50
3/4"	<b>TSSS666</b>	<b>1.42</b>	25

- sold in package quantities only

## Tuff-Lite™ Menders

## Feature:

- maximum working temperature: **150°F (66°C)**



nylon



polypropylene

Size	Nylon			Polypropylene		Pkg Qty
	Part #	Price/E	Pkg Qty	Part #	Price #	
1/4"	<b>TM2</b> <sup>1</sup>	<b>\$0.82</b>	50	<b>PPM2</b>	<b>\$0.77</b>	50
5/16"	<b>TM25</b> <sup>1</sup>	<b>0.83</b>	50	---	---	---
3/8"	<b>TM3</b> <sup>1</sup>	<b>0.85</b>	50	<b>PPM3</b>	<b>0.79</b>	50
1/2"	<b>TM4</b> <sup>1</sup>	<b>1.10</b>	50	<b>PPM4</b>	<b>0.92</b>	50
5/8"	<b>TM5</b> <sup>1</sup>	<b>1.50</b>	50	<b>PPM5</b>	<b>1.00</b>	50
3/4"	<b>TM6</b> <sup>1</sup>	<b>1.50</b>	50	<b>PPM6</b>	<b>1.20</b>	50
1"	<b>TM8</b> <sup>1</sup>	<b>1.82</b>	25	<b>PPM8</b>	<b>1.47</b>	50
1 1/4"	<b>TM16</b>	<b>4.55</b>	---	---	---	---
1 1/2"	<b>TM21</b>	<b>7.45</b>	---	---	---	---
2"	<b>TM26</b>	<b>10.30</b>	---	---	---	---
4"	<b>TM46</b>	<b>60.50</b>	---	---	---	---
6"	<b>TM66</b>	<b>85.10</b>	---	---	---	---

- sold in package quantities only

### Tuff-Lite™ Short Shank Female GHT Couplings

- shipped with a red vinyl washer (**TVW7**), replacement washers on page E-47

Hose Shank	Thread Size	Nylon		Polypropylene	
		Part #	Price/E	Part #	Price/E
1/4"	3/4" GHT	<b>TCF72</b>	<b>\$1.85</b>	<b>PPCF72</b>	<b>\$1.90</b>
3/8"	3/4" GHT	<b>TCF73</b>	<b>1.85</b>	<b>PPCF73</b>	<b>1.90</b>
1/2"	3/4" GHT	<b>TCF74</b>	<b>1.90</b>	<b>PPCF74</b>	<b>1.90</b>
5/8"	3/4" GHT	<b>TCF75</b>	<b>1.95</b>	<b>PPCF75</b>	<b>1.90</b>
3/4"	3/4" GHT	<b>TCF76</b>	<b>1.95</b>	<b>PPCF76</b>	<b>2.00</b>



polypropylene



nylon

Industrial Hose Fittings

### Tuff-Lite™ Short Shank Male GHT Couplings

Hose Shank	Thread Size	Nylon		Polypropylene	
		Part #	Price/E	Part #	Price/E
1/4"	3/4" GHT	<b>TCM72</b>	<b>\$0.95</b>	---	---
3/8"	3/4" GHT	<b>TCM73</b>	<b>1.00</b>	<b>PPCM73</b>	<b>\$1.10</b>
1/2"	3/4" GHT	<b>TCM74</b>	<b>1.05</b>	<b>PPCM74</b>	<b>1.15</b>
5/8"	3/4" GHT	<b>TCM75</b>	<b>1.05</b>	<b>PPCM75</b>	<b>1.15</b>
3/4"	3/4" GHT	<b>TCM76</b>	<b>1.05</b>	<b>PPCM76</b>	<b>1.20</b>



polypropylene



nylon

### Tuff-Lite™ Male GHT x Female NPT Adapter

Female NPT	Nylon			Polypropylene		
	Part #	Price/E	Pkg Qty	Part #	Price/E	Pkg Qty
1/4"	<b>TA792</b>	<b>\$1.45</b>	50	<b>PPA792</b>	<b>\$2.95</b>	50
3/8"	<b>TA793</b>	<b>1.50</b>	50	---	---	--
1/2"	<b>TA794</b>	<b>1.51</b>	50	<b>PPA794</b>	<b>2.85</b>	50
3/4"	<b>TA796</b>	<b>1.60</b>	50	<b>PPA796</b>	<b>2.98</b>	25



polypropylene



nylon

- sold in package quantities only

### Tuff-Lite™ Female GHT x Male NPT Adapter

Male NPT	Nylon		Pkg Qty
	Part #	Price/E	
1/4"	<b>TA972</b>	<b>\$1.46</b>	50
3/8"	<b>TA973</b>	<b>1.50</b>	50
1/2"	<b>TA974</b>	<b>1.53</b>	50
3/4"	<b>TA976</b>	<b>1.55</b>	50



- sold in package quantities only

## Tuff-Lite™ Female GHT x Female NPT Adapter



Female NPT	Nylon		Pkg Qty
	Part #	Price/E	
1/2"	<b>TA974F</b>	<b>\$4.30</b>	50
3/4"	<b>TA976F</b>	<b>6.90</b>	50

- sold in package quantities only

## Tuff-Lite™ Male GHT x Male NPT Adapter



polypropylene



nylon

Male NPT	Nylon			Polypropylene		Pkg Qty
	Part #	Price/E	Pkg Qty	Part #	Price/E	
1/4"	<b>TA772</b>	<b>\$0.95</b>	50	---	---	---
3/8"	<b>TA773</b>	<b>1.05</b>	50	<b>PPA773</b>	<b>\$1.15</b>	50
1/2"	<b>TA774</b>	<b>1.15</b>	50	<b>PPA774</b>	<b>1.15</b>	50
3/4"	<b>TA776</b>	<b>1.15</b>	50	<b>PPA776</b>	<b>1.15</b>	50
1"	<b>TA778</b>	<b>1.60</b>	25	---	---	---

- sold in package quantities only

## Tuff-Lite™ Male GHT x 90° Hose Barb Elbow



Hose Size	Nylon		Pkg Qty
	Part #	Price/E	
3/8"	<b>TLS37</b>	<b>\$2.85</b>	50
1/2"	<b>TLS47</b>	<b>2.45</b>	25
5/8"	<b>TLS57</b>	<b>2.95</b>	25
3/4"	<b>TLS67</b>	<b>3.55</b>	50

- sold in package quantities only

## Tuff-Lite™ GHT x Male NPT Elbow



Male NPT	Nylon		Pkg Qty
	Part #	Price/E	
3/8"	<b>TLT73</b>	<b>\$1.66</b>	25
1/2"	<b>TLT74</b>	<b>1.65</b>	25
3/4"	<b>TLT76</b>	<b>1.70</b>	25

- sold in package quantities only



### Tuff-Lite™ Push-On Hose Shank x Male NPT Insert

**Feature:**

- No clamps are needed when these fittings are used with push-on hose.

Hose Size	Male NPT	Nylon		Pkg Qty
		Part #	Price/E	
1/4"	1/8"	<b>TPN21</b>	<b>\$0.70</b>	50
	1/4"	<b>TPN22</b>	<b>0.72</b>	50
	3/8"	<b>TPN23</b>	<b>0.78</b>	50
3/8"	1/4"	<b>TPN32</b>	<b>0.74</b>	50
	3/8"	<b>TPN33</b>	<b>0.79</b>	50
	1/2"	<b>TPN34</b>	<b>0.93</b>	50
1/2"	3/8"	<b>TPN43</b>	<b>1.15</b>	50
	1/2"	<b>TPN44</b>	<b>1.15</b>	50
	3/4"	<b>TPN46</b>	<b>1.20</b>	50



Industrial Hose Fittings

- sold in package quantities only

### Tuff-Lite™ Push-On Hose Shank x Female NPT Insert

**Feature:**

- No clamps are needed when these fittings are used with push-on hose.

Hose Size	Female NPT	Nylon		Pkg Qty
		Part #	Price/E	
1/4"	1/4"	<b>TPF22</b>	<b>\$1.02</b>	50
3/8"	1/4"	<b>TPF32</b>	<b>1.26</b>	50
	3/8"	<b>TPF33</b>	<b>1.26</b>	50
1/2"	3/8"	<b>TPF43</b>	<b>1.15</b>	50
	1/2"	<b>TPF44</b>	<b>1.32</b>	50



- sold in package quantities only

### Tuff-Lite™ Push-On Hose Menders

**Feature:**

- no clamps needed when used with push-on hose

Size	Nylon		Pkg Qty
	Part #	Price/E	
1/4"	<b>TPM2</b>	<b>\$0.65</b>	50
3/8"	<b>TPM3</b>	<b>0.71</b>	50
1/2"	<b>TPM4</b>	<b>0.87</b>	50



- sold in package quantities only

**Application:**

- used primarily on irrigation and suction lines

**Features:**

- hot dipped, galvanized
- has a double pin locking lever for smooth closing action
- Type A Agri-Lock style locks on female style
- Each coupler is equipped with a safety pin to prevent accidental openings.
- *These fittings are not recommended for chemicals or any hazardous type materials where the possibility of leakage would result in health or environmental concerns. Consult Dixon® for recommendations.*




---

### Type A Female with Hose Shank

**Features:**

- supplied with gasket



10"

Size	Galvanized Steel	
	Part #	Price/E
10"	<b>FC21210</b>	<b>\$346.25</b>
12"	<b>FC21212</b> <sup>1</sup>	<b>630.00</b>

<sup>1</sup> 12" supplied with M20412 lever assist bar found on page E-61

---

### Type A Female with Machined Hose Shank

**Features:**

- Dixon® combination nipple style hose shank machined from Schedule 40 pipe
- recommended for use with steel King Crimp™ sleeves
- supplied with gasket



12"

Size	Galvanized Steel	
	Part #	Price/E
10"	<b>FC21210ST100</b>	<b>\$779.00</b>
12"	<b>FC21212ST120</b> <sup>1</sup>	<b>1075.00</b>

<sup>1</sup> 12" supplied with M20412 lever assist bar found on page E-61

---

### Type A Female with 150# ASA Flange

**Feature:**

- supplied with gasket



12"

Size	Galvanized Steel	
	Part #	Price/E
10"	<b>FC22310</b>	<b>\$875.50</b>
12"	<b>FC22312</b> <sup>1</sup>	<b>1257.00</b>

<sup>1</sup> 12" supplied with M20412 lever assist bar found on page E-61

- For flange dimensions, diagrams and additional information please reference [dixonvalve.com](http://dixonvalve.com).

Type A Male with Hose Shank

Size	Galvanized Steel	
	Part #	Price/E
10"	<b>MC21110</b>	<b>\$352.80</b>
12"	<b>MC21112</b>	<b>551.50</b>



Industrial Hose  
Fittings

Type A Male with Machined Hose Shank

**Features:**

- Dixon® combination nipple style hose shank machined from Schedule 40 pipe
- recommended for use with steel King Crimp™ sleeves

Size	Galvanized Steel	
	Part #	Price/E
10"	<b>MC21110ST100</b>	<b>\$765.00</b>
12"	<b>MC21112ST120</b>	<b>877.00</b>



Type A Male with 150# ASA Flange

Size	Galvanized Steel	
	Part #	Price/E
10"	<b>MC22210</b>	<b>\$891.25</b>
12"	<b>MC22212</b>	<b>1216.80</b>



- For flange dimensions, diagrams and additional information please reference [dixonvalve.com](http://dixonvalve.com).

Type A Male x Female 90° Elbows



- Feature:**
- supplied with gasket

Size	Galvanized Steel	
	Part #	Price/E
10"	<b>EL21510-90</b>	<b>\$806.25</b>
12"	<b>EL21512-90</b> <sup>1</sup>	<b>1265.75</b>

<sup>1</sup> 12" supplied with M20412 lever assist bar on page E-61

Type A Female for Welding to Pipe



Size	Unplated Steel	
	Part #	Price/E
10"	<b>20410</b>	<b>\$143.00</b>
12"	<b>20412</b>	<b>300.00</b>

Type A Males with Ring for Welding



Size	Unplated Steel	
	Part #	Price/E
10"	<b>21010</b>	<b>\$132.00</b>
12"	<b>21012</b>	<b>235.80</b>

Type A Female Plugs



- Feature:**
- supplied with gasket

Size	Galvanized Steel	
	Part #	Price/E
10"	<b>FP20910</b>	<b>\$295.50</b>
12"	<b>FP20912</b> <sup>1</sup>	<b>628.10</b>

<sup>1</sup> 12" supplied with M20412 lever assist bar on page E-61

Type A Male Plugs with Ring

Size	Galvanized Steel	
	Part #	Price/E
10"	<b>MP21010</b>	<b>\$267.50</b>
12"	<b>MP21012</b>	<b>479.00</b>



Industrial Hose  
Fittings

Type A Gaskets

Size	Rubber		EPDM	
	Part #	Price/E	Part #	Price/E
10"	<b>RG20510</b>	<b>\$26.25</b>	<b>RG20610</b>	<b>\$58.50</b>
12"	<b>RG20512</b>	<b>29.50</b>	<b>RG20612</b>	<b>66.50</b>



Type A Lever Assist Bar

Size	Galvanized Steel	
	Part #	Price/E
12"	<b>M20412</b>	<b>\$16.75</b>



Type A Quick Connect Safety Pin

Size	Galvanized Steel	
	Part #	Price/E
12"	<b>SP290</b>	<b>\$14.50</b>



**Application:**

- used primarily on irrigation and suction lines

**Features:**

- hot dipped, galvanized
- has a double pin locking lever for smooth closing action
- Type B (*Bauer style*) locks on the male side
- Each coupler is equipped with a safety pin to prevent accidental openings.
- *These fittings are not recommended for chemicals or any hazardous type materials where the possibility of leakage would result in health or environmental concerns. Consult Dixon® for recommendations.*



## Type B Male x Hose Shank



Size	Galvanized Steel	
	Part #	Price/E
2"	<b>MC3092</b>	<b>\$43.50</b>
3"	<b>MC3093</b>	<b>69.50</b>
4"	<b>MC3094</b>	<b>124.90</b>
6"	<b>MC3096</b>	<b>219.25</b>
8"	<b>MC3098</b>	<b>422.00</b>
10"	<b>MC30910</b> <sup>1</sup>	<b>860.50</b>
12"	<b>MC30912</b> <sup>1</sup>	<b>1054.00</b>

<sup>1</sup> 10" and 12" supplied with ACB304 lever assist bar on page E-66

## Type B Male with Male NPT



Size	Galvanized Steel	
	Part #	Price/E
2"	<b>MCM3112</b>	<b>\$60.50</b>
3"	<b>MCM3113</b>	<b>89.00</b>
4"	<b>MCM3114</b>	<b>149.75</b>
6"	<b>MCM3116</b>	<b>270.50</b>
8"	<b>MCM3118</b>	<b>525.00</b>

## Type B Female x Hose Shank

**Feature:**

- supplied with gasket



Size	Galvanized Steel	
	Part #	Price/E
2"	<b>FC3102</b>	<b>\$24.50</b>
3"	<b>FC3103</b>	<b>33.00</b>
4"	<b>FC3104</b>	<b>57.00</b>
6"	<b>FC3106</b>	<b>97.50</b>
8"	<b>FC3108</b>	<b>185.60</b>
10"	<b>FC31010</b>	<b>376.75</b>
12"	<b>FC31012</b>	<b>483.70</b>

## Type B Female with Male NPT

**Feature:**

- supplied with gasket



Size	Galvanized Steel	
	Part #	Price/E
2"	<b>FCM3122</b>	<b>\$40.50</b>
3"	<b>FCM3123</b>	<b>51.50</b>
4"	<b>FCM3124</b>	<b>83.25</b>
6"	<b>FCM3126</b>	<b>142.50</b>
8"	<b>FCM3128</b>	<b>293.00</b>

Type B Male with Machined Hose Shank

Features:

- Dixon® combination nipple style hose shank machined from Schedule 40 pipe
- recommended for use with steel King Crimp™ sleeves

Size	Galvanized Steel	
	Part #	Price/E
2"	<b>MC3092ST25</b>	<b>\$99.65</b>
3"	<b>MC3093ST35</b>	<b>161.60</b>
4"	<b>MC3094ST40</b>	<b>197.00</b>
6"	<b>MC3096ST60</b>	<b>394.00</b>
8"	<b>MC3098ST80</b>	<b>655.00</b>



Industrial Hose  
Fittings

Type B Male x 150# ASA Flange

Size	Galvanized Steel	
	Part #	Price/E
4"	<b>MC3134</b>	<b>\$228.00</b>
6"	<b>MC3136</b>	<b>403.50</b>
8"	<b>MC3138</b>	<b>735.25</b>
10"	<b>MC31310<sup>1</sup></b>	<b>1335.00</b>
12"	<b>MC31312<sup>1</sup></b>	<b>1646.20</b>



- <sup>1</sup> 10" and 12" supplied with ACB304 lever assist bar on page E-66
- For flange dimensions, diagrams and additional information please reference [dixonvalve.com](http://dixonvalve.com).



Type B Male Weld-On

Size	Unplated Steel	
	Part #	Price/E
2"	<b>3032</b>	<b>\$4.35</b>
3"	<b>3033</b>	<b>4.90</b>
4"	<b>3034</b>	<b>13.50</b>
6"	<b>3036</b>	<b>20.50</b>
8"	<b>3038</b>	<b>42.00</b>
10"	<b>30310</b>	<b>93.70</b>
12"	<b>30312</b>	<b>134.00</b>



- female and male fittings are commonly used for butt-welding to pipe

Type B Heavy Duty Female x Dixon® Combination Nipple Hose Shank

Size	Galvanized Steel	
	Part #	Price/E
2"	<b>FC3102ST25</b>	<b>\$82.10</b>
3"	<b>FC3103ST35</b>	<b>132.10</b>
4"	<b>FC3104ST40</b>	<b>153.00</b>
6"	<b>FC3106ST60</b>	<b>303.65</b>
8"	<b>FC3108ST80</b>	<b>428.00</b>





## Type B Female x 150# ASA Flange

## Feature:

- supplied with gasket

Size	Galvanized Steel	
	Part #	Price/E
4"	<b>FC3144</b>	<b>\$152.00</b>
6"	<b>FC3146</b>	<b>262.50</b>
8"	<b>FC3148</b>	<b>453.60</b>
10"	<b>FC31410</b>	<b>804.70</b>
12"	<b>FC31412</b>	<b>1040.25</b>

- For flange dimensions, diagrams and additional information please reference [dixonvalve.com](http://dixonvalve.com).

## Type B Female Weld-On with Gasket

## Feature:

- supplied with gasket



Size	Unplated Steel	
	Part #	Price/E
2"	<b>3022</b>	<b>\$5.90</b>
3"	<b>3023</b>	<b>6.85</b>
4"	<b>3024</b>	<b>17.10</b>
6"	<b>3026</b>	<b>36.10</b>
8"	<b>3028</b>	<b>69.25</b>
10"	<b>30210</b>	<b>163.75</b>
12"	<b>30212</b>	<b>230.70</b>

## Type B Male x Female 90° Elbow

## Feature:

- supplied with gasket



Size	Galvanized Steel	
	Part #	Price/E
4"	<b>EL3154-90</b>	<b>\$211.00</b>
6"	<b>EL3156-90</b>	<b>399.60</b>
8"	<b>EL3158-90</b>	<b>691.00</b>
10"	<b>EL31510-90<sup>1</sup></b>	<b>1340.25</b>
12"	<b>EL31512-90<sup>1</sup></b>	<b>1687.00</b>

- <sup>1</sup> 10" and 12" supplied with ACB304 lever assist bar on page E-66

## Type B Male x Female 45° Elbow

## Feature:

- supplied with gasket



Size	Galvanized Steel	
	Part #	Price/E
4"	<b>EL3154-45</b>	<b>\$211.00</b>
6"	<b>EL3156-45</b>	<b>399.60</b>
8"	<b>EL3158-45</b>	<b>584.50</b>
10"	<b>EL31510-45<sup>1</sup></b>	<b>1160.80</b>
12"	<b>EL31512-45<sup>1</sup></b>	<b>1472.70</b>

- <sup>1</sup> 10" and 12" supplied with ACB304 lever assist bar



Type B Female x Male Reducer

**Feature:**

- supplied with gasket

Female Size	Male Size	Galvanized Steel	
		Part #	Price/E
6"	4"	<b>FMR31864</b>	<b>\$182.40</b>
8"	6"	<b>FMR31886</b>	<b>353.50</b>
10"	8"	<b>FMR318108<sup>1</sup></b>	<b>686.30</b>
12"	10"	<b>FMR3181210<sup>1</sup></b>	<b>1217.90</b>



Industrial Hose Fittings

<sup>1</sup> 10" and 12" supplied with ACB304 lever assist bar on page E-66

Type B Female x Male Increaser

**Feature:**

- supplied with gasket

Female Size	Male Size	Galvanized Steel	
		Part #	Price/E
4"	6"	<b>FMI31946</b>	<b>\$232.70</b>
6"	8"	<b>FMI31968</b>	<b>470.00</b>
8"	10"	<b>FMI319810</b>	<b>948.00</b>
10"	12"	<b>FMI3191012<sup>1</sup></b>	<b>1280.00</b>



<sup>1</sup> 10" and 12" supplied with ACB304 lever assist bar on page E-66

Type B Male with Male NPT- extra long

Size	Galvanized Steel	
	Part #	Price/E
2"	<b>MCM3112XL</b>	<b>\$66.75</b>
3"	<b>MCM3113XL</b>	<b>102.60</b>
4"	<b>MCM3114XL</b>	<b>171.60</b>
6"	<b>MCM3116XL</b>	<b>326.50</b>
8"	<b>MCM3118XL</b>	<b>614.60</b>



Type B Male Plugs

Size	Galvanized Steel	
	Part #	Price/E
2"	<b>MP3232</b>	<b>\$39.00</b>
3"	<b>MP3233</b>	<b>60.75</b>
4"	<b>MP3234</b>	<b>105.50</b>
6"	<b>MP3236</b>	<b>190.10</b>
8"	<b>MP3238</b>	<b>350.75</b>
10"	<b>MP32310<sup>1</sup></b>	<b>761.60</b>
12"	<b>MP32312<sup>1</sup></b>	<b>944.80</b>



<sup>1</sup> 10" and 12" supplied with ACB304 lever assist bar on page E-66

## Type B Female Plugs

## Feature:

- supplied with gasket



Size	Galvanized Steel	
	Part #	Price/E
2"	<b>FP3082</b>	<b>\$16.70</b>
3"	<b>FP3083</b>	<b>18.90</b>
4"	<b>FP3084</b>	<b>35.50</b>
6"	<b>FP3086</b>	<b>81.25</b>
8"	<b>FP3088</b>	<b>129.25</b>
10"	<b>FP30810</b>	<b>326.25</b>
12"	<b>FP30812</b>	<b>450.75</b>

## Type B Lever Rings



Size	Galvanized Steel	
	Part #	Price/E
2"	<b>LR3042</b>	<b>\$22.50</b>
3"	<b>LR3043</b>	<b>40.90</b>
4"	<b>LR3044</b>	<b>73.10</b>
6"	<b>LR3046</b>	<b>140.00</b>
8"	<b>LR3048</b>	<b>268.25</b>
10"	<b>LR30410</b>	<b>569.00</b>
12"	<b>LR30412</b>	<b>685.00</b>

## Type B Lever Assist Bar



Size	Description	Galvanized Steel	
		Part #	Price/E
10" & 12"	lever assist bar for 10" and 12" Type B fittings	<b>ACB304</b>	<b>\$41.75</b>

## Type B Gaskets



Size	Rubber		EPDM	
	Part #	Price/E	Part #	Price/E
2"	<b>RG3052</b>	<b>\$1.15</b>	<b>RG3062</b>	<b>\$4.55</b>
3"	<b>RG3053</b>	<b>2.05</b>	<b>RG3063</b>	<b>6.35</b>
4"	<b>RG3054</b>	<b>5.20</b>	<b>RG3064</b>	<b>9.85</b>
6"	<b>RG3056</b>	<b>10.10</b>	<b>RG3066</b>	<b>20.75</b>
8"	<b>RG3058</b>	<b>23.00</b>	<b>RG3068</b>	<b>38.00</b>
10"	<b>RG30510</b>	<b>33.75</b>	<b>RG30610</b>	<b>47.50</b>
12"	<b>RG30512</b>	<b>51.25</b>	<b>RG30612</b>	<b>60.50</b>

## Type B Quick Connect Safety Clips



2" - 8"



10" - 12"

Size	Galvanized Steel	
	Part #	Price/E
2"	<b>SP59</b>	<b>\$8.55</b>
3"	<b>SP76</b>	<b>8.95</b>
4"	<b>SP89</b>	<b>9.70</b>
6"	<b>SP159</b>	<b>10.00</b>
8"	<b>SP159</b>	<b>10.00</b>
10"	<b>SP390</b>	<b>13.10</b>
12"	<b>SP390</b>	<b>13.10</b>

Expansion Ring Couplings for Single Jacket Hose - Aluminum

Size	Thread	Bowl	Aluminum	
			Part #	Price/E
1"	NPSH	1¼"	<b>S10125</b>	<b>\$51.55</b>
1½"	NPSH	1¾"	<b>S16175</b>	<b>55.00</b>
1½"	NPSH	1-11/16"	<b>S16168</b>	<b>54.90</b>
1½"	NPSH	1-13/16"	<b>S16181</b>	<b>55.00</b>
2"	NPSH	2¼"	<b>S20225</b>	<b>96.80</b>
2½"	NPSH	2-13/16"	<b>S26281</b>	<b>102.50</b>
1½"	NST (NH)	1-11/16"	<b>S16168F</b>	<b>54.90</b>
1½"	NST (NH)	1¾"	<b>S16175F</b>	<b>55.00</b>
1½"	NST (NH)	1-13/16"	<b>S16181F</b>	<b>54.90</b>
2"	NST (NH)	2-11/16"	<b>S26268F</b>	<b>107.40</b>
2½"	NST (NH)	2-13/16"	<b>S26281F</b>	<b>102.50</b>
1½"	MNPT	1-11/16"	<b>MS16168T</b> <sup>1</sup>	<b>47.55</b>
1½"	MNPT	1¾"	<b>MS16175T</b> <sup>1</sup>	<b>41.50</b>
2"	MNPT	2-1/4"	<b>MS20225T</b> <sup>1</sup>	<b>60.20</b>
2½"	MNPT	2-11/16"	<b>MS26268T</b> <sup>1</sup>	<b>75.65</b>

<sup>1</sup> male fitting only



Industrial Hose  
Fittings

Expansion Ring Coupling for Single Jacket Hose - Brass

Features:

- all couplings come complete with expansion rings, swivel and tail washers
- for females only, use 2/3 set price, for males only, use 1/2 set price, both shipped from the factory only
- aluminum expansion ring couplings have 3 rocker lugs on the male and female
- now stocking popular sizes in male and female only

Size	Thread	Bowl	Brass	
			Part #	Price/E
1½"	NPSH	1-3/4"	<b>RS15175</b>	<b>\$135.20</b>
1½"	NPSH	1-13/16"	<b>RS15181</b>	<b>135.20</b>
2½"	NPSH	2-13/16"	<b>RS25281</b>	<b>263.50</b>
1½"	NST (NH)	1-3/4"	<b>RS15175F</b>	<b>135.20</b>
1½"	NST (NH)	1-13/16"	<b>RS15181F</b>	<b>135.20</b>
2½"	NST (NH)	2-13/16"	<b>RS25281F</b>	<b>263.50</b>



## Expansion Ring Couplings for Double Jacket Hose - Aluminum

## Aluminum

Industrial Hose  
Fittings

Size	Thread	Bowl	Aluminum	
			Part #	Price/E
1½"	NPSH	1-13/16"	<b>D16181</b>	<b>\$55.00</b>
1½"	NPSH	1-15/16"	<b>D16193</b>	<b>59.85</b>
1½"	NPSH	2-1/16"	<b>D16206</b>	<b>62.35</b>
2"	NPSH	2-5/16"	<b>D20231</b>	<b>96.95</b>
2½"	NPSH	3"	<b>D263</b>	<b>107.60</b>
1½"	NST (NH)	1-13/16"	<b>D16181F</b>	<b>55.00</b>
1½"	NST (NH)	1-15/16"	<b>D16193F</b>	<b>59.85</b>
1½"	NST (NH)	2-1/16"	<b>D16206F</b>	<b>62.35</b>
2½"	NST (NH)	2-7/8"	<b>D26287F</b>	<b>111.15</b>
2½"	NST (NH)	3"	<b>D263F</b>	<b>107.60</b>
1½"	MNPT	1-13/16"	<b>MD16181T</b> <sup>1</sup>	<b>47.55</b>
2"	MNPT	2-5/16"	<b>MD20231T</b> <sup>1</sup>	<b>61.60</b>
2½"	MNPT	2-7/8"	<b>MD26287T</b> <sup>1</sup>	<b>75.65</b>

<sup>1</sup> male fitting only

## Brass



Size	Thread	Bowl	Brass	
			Part #	Price/E
1½"	NPSH	1-15/16"	<b>RD15193</b>	<b>\$127.35</b>
1½"	NST (NH)	1-15/16"	<b>RD15193F</b>	<b>127.35</b>

## Hose Type Booster Hose Couplings



## Features:

- special tooling is required to attach these couplings to hose
- hardcoat finish
- complete set
- working pressure: **800 PSI** at ambient temperature **70°F (21°C)**
- ¾" and 1" NST threads are the same size; also known as **Chemical Hose Thread (CHT)** or **Booster Hose Thread**

Hose Size	Thread Type	Bowl Size	Aluminum Hardcoat	
			Part #	Price/E
¾"	1" NPSH	1-1/4"	<b>ABH08125</b>	<b>\$226.25</b>
1"	1" NST (NH)	1-7/16"	<b>ABH10143F</b>	<b>226.25</b>
1"	1" NST (NH)	1-1/2"	<b>ABH10150F</b>	<b>226.25</b>

## Forestry Coupling Gasket



Part #	Price/E
<b>QTG-F</b>	<b>\$7.00</b>

Forged Forestry Couplings

Features:

- maximum operating pressure: **300 PSI** at ambient temperature **70°F (21°C)**
- adapters have a common quarter turn sexless head (a 1½" QT fitting will mate with a ¾" QT or 1" QT)

¼ Turn Male

Thread	Forged Aluminum	
	Part #	Price/E
¾" GHT	<b>QTM75GHT-F</b>	<b>\$74.25</b>
1" NPSH	<b>QTM100S-F</b>	<b>71.05</b>
1" NPT	<b>QTM100T-F</b>	<b>71.05</b>
1½" NST (NH)	<b>QTM150F-F</b>	<b>42.45</b>
1½" NPT	<b>QTM150T-F</b>	<b>68.40</b>



¼ Turn Female

Thread	Forged Aluminum	
	Part #	Price/E
¾" GHT	<b>QTF75GHT-F</b>	<b>\$79.80</b>
1" NPSH	<b>QTF100S-F</b>	<b>89.10</b>
1" NPT	<b>QTF100T-F</b>	<b>89.10</b>
1½" NST (NH)	<b>QTF150F-F</b>	<b>57.60</b>
1½" NPT	<b>QTF150T-F</b>	<b>81.90</b>



## Quick Connect Forestry Expansion Ring Couplings

**Feature:**

- sold in sets of (2) with expansion ring

Hose Size	Bowl Size	Forged Aluminum	
		Part #	Price/E
1½"	1-11/16"	<b>QTX150-F</b>	<b>\$95.30</b>

## Expansion Rings

**Feature:**

- used with the fire hose couplings listed on page E-67



OD	Length	Wall Thickness	85/15 red brass	
			Part #	Price/E
1"	1¼"	.05	<b>ER10125</b>	<b>\$8.50</b>
1½"	¾"	.05	<b>ER1575</b>	<b>8.40</b>
1½"	7/8"	.05	<b>ER1587</b>	<b>9.55</b>
1½"	1"	.05	<b>ER1510</b>	<b>9.85</b>
1½"	1¼"	.05	<b>ER15125</b>	<b>9.85</b>
1¾"	1¼"	.05	<b>ER17125</b>	<b>13.45</b>
2½"	1¼"	.062	<b>ER27125</b>	<b>17.80</b>
2½"	1½"	.062	<b>ER27150</b>	<b>17.80</b>
3"	2"	.07	<b>ER3020</b>	<b>29.90</b>



Swivel Washers

**Feature:**

- used on the swivel end of the fire hose couplings listed on page E-67

ID	OD	Thickness	Buna-N	
			Part #	Price/E
1-1/16"	1-7/16"	1/8"	<b>SW100F</b>	<b>\$2.00</b>
1-9/16"	2-1/16"	1/8"	<b>SW150</b>	<b>2.00</b>
2-1/16"	2 1/2"	1/8"	<b>SW200</b>	<b>8.65</b>
2-9/16"	3-3/16"	3/16"	<b>SW250</b>	<b>3.25</b>
3-1/16"	3-3/4"	1/4"	<b>SW300F</b>	<b>6.85</b>
4-1/16"	5-1/8"	1/4"	<b>SW400F</b>	<b>9.20</b>
4-9/16"	5-7/8"	1/4"	<b>SW450F</b>	<b>10.25</b>
5-1/16"	6-3/8"	1/4"	<b>SW500F</b>	<b>15.20</b>
6-1/16"	7-1/8"	1/4"	<b>SW600F</b>	<b>19.75</b>



Industrial Hose  
Fittings

Tail Washers

**Feature:**

- used on the tail end of the fire hose couplings listed on page E-67

ID	OD	Thickness	Buna-N	
			Part #	Price/E
1-1/32"	1-5/16"	3/16"	<b>STW100</b>	<b>\$2.90</b>
1-9/16"	1 3/4"	3/16"	<b>RTW150</b>	<b>1.95</b>
1-9/16"	1-15/16"	3/16"	<b>STW150</b>	<b>1.85</b>
1-5/8"	2 1/8"	3/16"	<b>DTW150</b>	<b>1.95</b>
2-9/16"	3"	1/4"	<b>STW250</b>	<b>4.00</b>
2-5/8"	3 1/4"	1/4"	<b>DTW250</b>	<b>3.25</b>
3 1/8"	3-25/32"	1/4"	<b>DTW300</b>	<b>6.80</b>



## Expansion Ring and Gasket Guide

Industrial Hose  
Fittings

Coupling Part #	Swivel Washer Part #	Tail Washer Part #	Expansion Ring Part #
<i>D15193 &amp; D15193F</i>	<i>SW150</i>	<i>DTW150</i>	<i>ER15125</i>
<i>D15206F</i>	<i>SW150</i>	<i>G12014</i>	<i>ER15125</i>
<i>D16187 &amp; D16187F</i>	<i>SW150</i>	<i>DTW150</i>	<i>ER15125</i>
<i>D16193 &amp; D16193F</i>	<i>SW150</i>	<i>DTW150</i>	<i>ER15125</i>
<i>D16206 &amp; D16206F</i>	<i>SW150</i>	<i>G12014</i>	<i>ER15125</i>
<i>D253 &amp; D253F</i>	<i>SW250</i>	<i>DTW250</i>	<i>ER27150</i>
<i>D26287F</i>	<i>SW250</i>	<i>DTW250</i>	<i>ER27150</i>
<i>D263 &amp; D263F</i>	<i>SW250</i>	<i>DTW250</i>	<i>ER27150</i>
<i>MD16181T</i>	n/a	<i>STW150</i>	<i>ER15125</i>
<i>MD20231T</i>	n/a	special	special
<i>MD26287T</i>	n/a	<i>DTW250</i>	<i>ER27150</i>
<i>MS16168T</i>	n/a	<i>STW150</i>	<i>ER15125</i>
<i>MS16175T</i>	n/a	<i>STW150</i>	<i>ER15125</i>
<i>MS20225T</i>	n/a	special	special
<i>MS26268T</i>	n/a	<i>STW250</i>	<i>ER27150</i>
<i>RD15193 &amp; RD15193F</i>	<i>SW150</i>	<i>DTW150</i>	<i>ER15125</i>
<i>RD15206 &amp; RD15206F</i>	<i>SW150</i>	<i>G12014</i>	<i>ER15125</i>
<i>RD253 &amp; RD253F</i>	<i>SW250</i>	<i>DTW250</i>	<i>ER27150</i>
<i>RH15168 &amp; RH15168F</i>	<i>SW150</i>	<i>RTW150</i>	<i>ER1575</i>
<i>RH16168F &amp; RH16168F</i>	<i>SW150</i>	<i>RTW150</i>	<i>ER1575</i>
<i>RS15175 &amp; RS15175F</i>	<i>SW150</i>	<i>STW150</i>	<i>ER15125</i>
<i>RS15181 &amp; RS15181F</i>	<i>SW150</i>	<i>STW150</i>	<i>ER1510</i>
<i>RS25281 &amp; RS25281F</i>	<i>SW250</i>	<i>STW250</i>	<i>ER27125</i>
<i>RS25287</i>	<i>SW250</i>	<i>STW250</i>	<i>ER27150</i>
<i>S15175 &amp; S15175F</i>	<i>SW150</i>	<i>RTW150</i>	<i>ER15125</i>
<i>S15181 &amp; S15181F</i>	<i>SW150</i>	<i>RTW150</i>	<i>ER1510</i>
<i>S16168 &amp; S16168F</i>	<i>SW150</i>	<i>STW150</i>	<i>ER15125</i>
<i>S16175 &amp; S16175F</i>	<i>SW150</i>	<i>STW150</i>	<i>ER15125</i>
<i>S16181 &amp; S16181F</i>	<i>SW150</i>	<i>STW150</i>	<i>ER15125</i>
<i>S25281 &amp; S25281F</i>	<i>SW250</i>	<i>STW250</i>	<i>ER27125</i>
<i>S25287 &amp; S25287F</i>	<i>SW250</i>	<i>STW250</i>	<i>ER27150</i>
<i>S26268 &amp; S26268F</i>	<i>SW250</i>	<i>STW250</i>	<i>ER27150</i>
<i>S26275 &amp; S26275F</i>	<i>SW250</i>	<i>STW250</i>	<i>ER27150</i>
<i>S26281 &amp; S26281F</i>	<i>SW250</i>	<i>STW250</i>	<i>ER27150</i>